

Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds 010																						
0112	Water discharge	m3/s			359	308	132	72,9	45,8	127	121	119	438	407	300	30,2	47,5	136	210	477	1470	
0120	Water temperature	°C	5,18	4,8	9,73	14,7	19,3	23,7	19,7			16	10,5		12	4,8	4,91	13,5	13,6	22,7	23,7	
0122	Oxygen	mg/l	9,8	10,1	8,65	9,8	7,4	7,4	9,4	5,85		7,7	8,85		13	5,5	5,78	8,3	8,33	9,98	10,1	
0123	Oxygen saturation	%	76,8	78,4	74,1	90,2	68,9	84,1	54,4			71,5	77,2		12	50,9	53	74,2	73,4	88,4	90,2	
0126	Turbidity	FTE	8,8	7,3	3,8	5,5	1,9	11	11	6,7		4,4	13		13	0,1	0,82	7,5	7,45	14	16	
0128	Suspended matter	mg/l	9,3	5,8	10,9	11,3	2,25	8	11,1	6,13	4,6	13,7	13,5	6	26	2	2,99	7	8,55	16,6	23	
0180	pH	pH	7,72	7,82	7,77	7,89	7,68	7,8	7,87	7,59		7,66	7,68		13	7,58	7,59	7,72	7,73	7,88	7,89	
0200	Conductivity (at 20 °C)	mS/m	39,8	46,6	39,8	43,2	51,5	56	57,5	54,2		50	44,7		13	34,8	36,2	47,8	47,8	59,3	60,5	
0250	Total hardness	mmol/l	1,65	1,91	1,71	1,88	2,18	2,16	2,02			1,97	1,77		12	1,46	1,5	1,9	1,89	2,19	2,19	
0250R	Total hardness, (mg/l CaCO3)	mg/l	154	183	171	188	224	234	222	208		194		10	154	155	191	195	233	234	234	
Radio activity 020																						
0160	beta Radioactivity, total	Bq/l	0,4	<				<		<		<			4	<	*	*	<	*	<	
0161	alpha Radioactivity, total	Bq/l	0,1	<				<		<		<			4	<	*	*	<	*	<	
0162	Residual beta radioactivity (without K	Bq/l	0,4	<				<		<		<			4	<	*	*	<	*	<	
0164	Tritium (H-3)	Bq/l						25					24		2	*	*	*	*	*	*	
Inorganic compounds 030																						
0220	Carbon dioxide	mg/l	4,5	4	4,25			5	4	7,25		6	5,5		11	3,5	3,6	5	5,23	7,4	7,5	
0222	Bicarbonate	mg/l	160	160	130	170	180	190	220	180	160	180	130	180	13	130	130	180	172	212	220	
0230	Chloride	mg/l	36	36,5	32	35,2	46,6	52,2	57,4	60,6	50,6	49,6	39,1	41,2	25	25,7	29,2	45,5	45,2	60,5	72,5	
0230L	Chloride (load)	kg/s			12,2	4,96	4,9	3,53	2,42	14	7,21	3,86	10,9	12,7	20	1,93	2,93	5,09	8,12	16	26,2	
0232	Sulfate	mg/l	32	39	51,5	42	51	61	70	63		54	43,5		13	29	30,2	54	51,2	72,4	74	
0288	Silicate	mg/l	4	3,88	3,15	1,68	3,39	2,4	2,27	2,97	3,29	3,31	3,93	4,16	26	0,601	1,84	3,29	3,19	4,16	5,12	
0380	Bromide	mg/l			0,048			0,1			0,09			0,06	4	0,048	*	*	0,0745	*	0,1	
0380	Bromide	mg/l				0,09	0,15	0,12	0,1	0,113	0,12	0,12	0,09	0,14	16	0,07	0,077	0,11	0,116	0,173	0,18	
0380	Bromide	mg/l			0,137										1	*	*	*	*	*	*	
0382	Fluoride	mg/l	0,14		0,17		0,31	0,47		0,41		0,29		0,27	7	0,14	*	*	0,294	*	0,47	
0386	Cyanide, total	µg/l	1	<	<	<	<	<	<	<		<			4	<	*	*	<	*	<	
0394	Bromate	µg/l	0,1	<	<	<	0,1	<	<	<		<	<		11	<	<	<	<	<	0,1	



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code	HEE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Nutrients																							
040																							
0271	Ammonium (NH4)	mg/l	0,05	0,7	0,475	0,322	0,09	0,19	0,14	0,145	0,27	0,14	0,14	0,25	0,35	26	<	0,074	0,19	0,27	0,574	1	
0274	Kjeldahl Nitrogen	mg/l		0,7		1	0,5		0,6	0,9	1,05		0,3	0,8	10	0,3	0,32	0,8	0,77	1,27	1,3		
0281	Nitrite-NO2	mg/l	0,01	0,18	0,16	0,0917	0,1	0,182	0,148	0,127	0,209	0,163	0,16	0,148	0,14	26	<	0,0856	0,15	0,151	0,243	0,27	
0283	Nitrate-NO3	mg/l		14,9	16,1	11,3	14,3	15,8	16,7	13,6	13,3	15	14,2	15,4	16,9	26	2,8	12,7	15,2	14,6	16,7	17,5	
0284D	Orthophosphate (PO4)	mg/l		0,64	0,59	0,55	0,305	0,925	0,555	0,54	0,743	0,525	0,6	0,455	0,32	26	0,18	0,313	0,545	0,569	0,916	1,3	
0286D	Total phosphate (PO4)	mg/l		0,73	0,655	0,65	0,785	0,559	0,735	0,564	0,899	0,51	0,797	0,456	0,58	26	0,272	0,399	0,63	0,669	1,03	1,42	
Group compounds																							
070																							
0210	Anions	meq/l		4,41	5,16	4,25	4,96		6,36	6,58	5,82		5,65	4,94	11	3,89	3,96	5,16	5,35	6,8	6,86		
0212	Cations	meq/l		4,11	5	4,31	4,81		6,48	6,49	5,98		5,58	4,84	11	3,89	3,93	5,52	5,31	6,49	6,49		
0401	Total organic carbon (TOC)	mg/l		3,4	3,6	5,3	2,8	2,6	2,75	3,7	3,6	3,6	3	5,5	3,2	13	2,6	2,64	3,4	3,52	5,42	5,5	
0403	Dissolved organic carbon (DOC)	mg/l		2,6	2,8	2,4	2,7	2,4	2,5	3,3	3,4	3,4	2,7	5,3	2,7	13	2,4	2,4	2,7	2,98	4,54	5,3	
0404	Chemical oxygen demand (COD)	mg/l			10		22,5			7,39			9		4	7,39	*	*	12,2	*	22,5		
0406	Biochemical oxygen demand (BOD5)	mg/l	3		<				<				<		3	*	*	*	*	*	*		
0428	Hydrocarbons (IR method)	mg/l	0,5		<		0,66								2	*	*	*	*	*	*		
0429	Hydrocarbons (GC method)	µg/l	50						<				<		2	*	*	*	*	*	*		
0430	Adsorbable organohalogen compou	µg/l			12		14		15				12		4	12	*	*	13,3	*	15		
0431		µmol					0,4								1	*	*	*	*	*	*		
0432	Extractable organohalogen compoun	µg/l	2		<				<	<			<		4	<	*	*	<	*	<		
Summend compounds																							
080																							
0451	Trihalomethanes, total	µg/l	0,1		<		0,29						<	<	5	<	*	*	<	*	0,29		
0459	PAH, total (6 of Borneff)	µg/l			0,0235		0,0186		0,018				0,0178		4	0,0178	*	*	0,0194	*	0,0235		
0460	PAH, total of 16 EPA compounds	µg/l			0,107		0,0943		0,0913				0,0921		4	0,0913	*	*	0,096	*	0,107		
0461		µg/l			0,0466		0,0343		0,0313				0,0321		4	0,0313	*	*	0,0361	*	0,0466		
2022	Tetra- and Trichloroethene (sum)	µg/l	0,05		<		<		<				<	<	5	<	*	*	<	*	<		
2144	2,3,4,6- and 2,3,5,6-Tetrachlorophen	µg/l	0,05		<		<		<				<	<	4	<	*	*	<	*	<		
V223	C10-13-Chloroalcanes	µg/l	0,1	<	<	<	<	<	<	<	<	<	0,2	<	13	<	<	<	<	0,14	0,2		
V329	Trichlorobenzenes (sum of 3 isomer	µg/l	1,5										<	<	52	<	<	<	<	<	<		
V330	hexachloorcyclohexaan (sum of 5 iso	µg/l	0,125		<		<		<				<	<	4	<	*	*	<	*	<		



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Biological compounds																				
	090																			
0618 Coliform bacteria, total (37 °C)	n/ml	16	18	35	0,46	0,16	0,35	1,6	390		0,42	13,9		12	0,16	0,217	9,85	73,3	414	450
0618R	n/ml	16	18	35	0,51	0,26	0,44	3,9	390		0,42	15,4		12	0,26	0,308	9,95	73,8	414	450
0628 Escherichia coli	n/ml	11	11	10	0,15	0,08	0,18	2,7	325		0,21	7,55		12	0,08	0,101	6,35	58,4	327	330
0636	n/ml		310	1500	4	6	10	100	8000		31	36		11	4	4,4	47	1640	8240	8400
0645 Spores of sulfite reducing Clostridia	n/ml	5,3	4,5	3,25	1,5	0,56	0,6	1	3,43		0,99	1,33		13	0	0,224	2,05	2,34	5,1	5,3
0657 Enterococci	n/ml	1,2	1,1	9,35	0,03	0,03		0,18	5,6		0,03	0,37		12	0,03	0,03	0,89	2,77	13,2	16
0657R	n/ml	1,2	1,1	9,35	0,03	0,07	0	0,2	5,6		0,03	0,37		13	0	0,012	0,68	2,56	12,2	16
0661 Somatic coliphages	n/l	18,8	63	12,1	13,1				11,1		12,4		44,2	11	0,3	0,5	18,8	23,2	60,2	63
0668 F-specific RNA-bacteriophages	n/ml	0,1	1,9	11	17,5	<			<		<		2,2	11	<	<	0,1	4,79	30,2	35



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Metals	050																				
0240 Sodium	mg/l	21	28	21	22	30	39	44			36			9	21	*	*	29,1	*	44	
0242 Potassium	mg/l	3,3	3,3	3,45	3,4	4,2	4,9	5,6		5,1	4,7			10	3,3	3,3	3,9	4,14	5,55	5,6	
0244 Calcium	mg/l	53	63	59	64	76	79	74			64			9	53	*	*	65,7	*	79	
0246 Magnesium	mg/l	5,2	6,3	5,85	6,8	8,2	8,9	9			8,3			9	5,2	*	*	7,16	*	9	
0300 Iron	mg/l	0,77	0,78	2,7	0,71	2,4	0,7	0,4	0,37	0,69	0,39	1,2	0,71	13	0,37	0,378	0,71	0,963	2,58	2,7	
0304 Manganese	mg/l	0,053	0,0415	0,0537	0,046	0,043	0,0563	0,0325	0,055	0,033	0,0365	0,026	0,048	22	0,015	0,0225	0,047	0,0453	0,067	0,1	
0312 Antimony	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0314 Arsenic	µg/l	0,88	0,83	1,64	0,69	1,67	1,15	1,35	1,33	1,27	1,08	1,2	0,9	13	0,69	0,746	1,2	1,16	1,66	1,67	
0316 Barium	µg/l	24	29	33	25	39	33,5	34	30	27	30	25	29	13	24	24,4	30	30,2	37	39	
0318 Beryllium	µg/l	0,05	<	<	0,1	<	0,09	<	<	<	<	<	<	13	<	<	<	<	0,096	0,1	
0322 Boron	mg/l	0,03	0,031	0,032	0,037	0,046	0,0515	0,059	0,06	0,052	0,059	0,042	0,041	13	0,03	0,0304	0,046	0,0455	0,0596	0,06	
0324 Cadmium	µg/l	0,119	0,128	0,326	0,13	0,5	0,151	0,117	0,101	0,162	0,127	0,103	0,209	13	0,101	0,102	0,13	0,179	0,43	0,5	
0326 Chromium	µg/l	0,999	1,31	4,32	1,05	3,84	1,03	0,833	0,501	1,17	1,16	1,52	1,26	13	0,501	0,634	1,16	1,54	4,13	4,32	
0328 Cobalt	µg/l	0,36	0,47	1,2	0,41	1,2	0,435	0,37	0,33	0,42	0,31	0,95	0,6	13	0,31	0,318	0,42	0,576	1,2	1,2	
0330 Copper	µg/l	2,9	3,85	6,85	4,47	7,4	4,1	3	3	3,43	3,38	4,08	3,17	13	2,9	2,94	3,85	4,13	7,18	7,4	
0332 Mercury	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
0334 Lead	µg/l	1,2	1,6	5,6	1,5	5,9	1,5	0,93	0,89	1,8	1	1,9	1,7	13	0,89	0,906	1,5	2,08	5,78	5,9	
0336 Lithium	µg/l	3,9	4,5	6,1	5,4	7,7	7,95	9,4	8,4	7,1	7,6	5	5,9	13	3,9	4,14	7,1	6,68	9	9,4	
0338 Molybdenum	µg/l	1	1	0,97	1,4	2,4	2,85	3,8	3	4	3,6	2,2	1,9	13	0,97	0,982	2,4	2,38	3,92	4	
0340 Nickel	µg/l	2,45	2,51	5,27	2,55	4,85	2,95	2,67	2,81	3,14	2,76	3,53	2,81	13	2,45	2,47	2,81	3,17	5,1	5,27	
0342 Selenium	µg/l	0,22		0,28		0,35	0,4		0,32		0,3		0,24	7	0,22	*	*	0,301	*	0,4	
0343 Strontium	µg/l	170	200	160	170	220	220	230	210	170	200	140	210	13	140	148	200	194	226	230	
0344 Thallium	µg/l	0,03	0,04	0,06	0,03	0,06	0,12	0,11	0,11	0,18	0,09	0,04	0,05	13	0,03	0,03	0,06	0,08	0,156	0,18	
0345 Tellurium	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0346 Tin	µg/l	0,2	0,2	0,4	0,2	0,7	0,25	0,1	0,1	0,2	0,1	0,2	0,2	13	0,1	0,1	0,2	0,238	0,58	0,7	
0350 Vanadium	µg/l	1,5	1,9	4,3	1,5	4	2,25	2,4	2,3	2,4	2,3	3,9	1,6	13	1,5	1,5	2,3	2,51	4,18	4,3	
0352 Silver	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
0354 Zinc	µg/l	15	21	43	21	59	18,5	13	18	17	16	19	22	13	13	13,8	19	23,2	52,6	59	
0366	µg/l	7,5	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
0368	mg/l	5												1	*	*	*	*	*	*	
0373 Rubidium	µg/l	2,74	3,36	4,87	3,4	6,04	5,53	6,34	5,53	5,26	4,9	5,2	3,68	13	2,74	2,99	5,2	4,8	6,22	6,34	
0375 Uranium	µg/l	0,37	0,37	0,35	0,35	0,51	0,53	0,58	0,49	0,39	0,48	0,29	0,45	13	0,29	0,314	0,45	0,438	0,572	0,58	
V281 Cesium	µg/l	0,137	0,197	0,475	0,185	0,634	0,31	0,239	0,32	0,32	0,258	0,216	0,214	13	0,137	0,156	0,258	0,293	0,57	0,634	



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Metals, after filtration		055																				
0247	Magnesium, 0,45µm filtrate	µg/l							8					1	*	*	*	*	*	*		
0302	Iron, 0.45 µm filtrate	mg/l	0,01	0,02	0,02	0,02	0,02	0,01	0,0125	0,02	0,03	0,02	0,02	0,09	0,02	13	<	<	0,02	0,0242	0,066	0,09
0308	Iron, 0.45 µm filtrate	µg/l			30		10			40			50		4	10	*	*	32,5	*	50	
0309	Boron, 0.45 µm filtrate	µg/l		29	30	29	37	40	49,5	60	62	47	54	39	38	13	29	29	40	43,4	61,2	62
0313	Antimony, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0315	Arsenic, 0.45 µm filtrate	µg/l		0,53	0,53	0,48	0,54	0,63	0,855	1,22	1,17	0,9	0,93	0,73	0,62	13	0,48	0,5	0,73	0,768	1,2	1,22
0317	Barium, 0.45 µm filtrate	µg/l		22	22	21	22	27	29	31	29	25	28	20	25	13	20	20,4	25	25,4	30,6	31
0319	Berullium, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0325	Cadmium, 0.45 µm filtrate	µg/l	0,05	0,051	<	<	<	0,061	0,0705	0,057	0,054	<	0,059	<	0,075	13	<	<	0,054	<	0,0798	0,083
0327	Chromium, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0329	Cobalt, 0.45 µm filtrate	µg/l		0,18	0,21	0,16	0,19	0,16	0,19	0,2	0,22	0,18	0,18	0,49	0,34	13	0,16	0,16	0,19	0,222	0,43	0,49
0331	Copper, 0.45 µm filtrate	µg/l		1,68	2,31	2,19	3,08	2,33	2,65	2,28	2,42	2,22	2,35	2,53	1,74	13	1,68	1,7	2,33	2,34	2,93	3,08
0333	Mercury, 0.45 µm filtrate	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	0,001	<	13	<	<	<	<	<	0,001
0335	Lead, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	0,11	<	13	<	<	<	<	<	0,11
0337	Lithium, 0.45 µm filtrate	µg/l		3,61	3,47	3,61	4,81	5,57	7,1	9,09	7,81	5,77	7,06	4,03	5,16	13	3,47	3,53	5,57	5,71	8,58	9,09
0339	Molybdenum, 0.45 µm filtrate	µg/l		0,95	0,89	0,83	1,4	2,3	2,75	3,8	2,9	4,1	3,6	2,1	1,8	13	0,83	0,854	2,3	2,32	3,98	4,1
0341	Nickel, 0.45 µm filtrate	µg/l		1,68	1,7	1,97	1,88	1,97	2,18	2,21	2,49	2,37	2,31	2,71	1,94	13	1,68	1,69	2,1	2,12	2,62	2,71
0347	Tin, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0349	Titanium, 0.45 µm filtrate	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0351	Vanadium, 0.45 µm filtrate	µg/l		0,63	0,81	0,66	0,74	1,1	1,45	2	2	1,6	1,8	1,8	0,86	13	0,63	0,642	1,4	1,3	2	2
0353	Silver, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0355	Zinc, 0.45 µm filtrate	µg/l		8	15	12,5	31	15	11	13	13,5		12	12,5	13	8	9,2	13	14	24,6	31	
0359	Rubidium, 0.45 µm filtrate	µg/l		2,12	2,46	1,99	2,94	3,62	4,89	6,2	5,45	4,95	4,49	4,28	3,15	13	1,99	2,04	4,28	3,96	5,9	6,2
0361	Uranium, 0.45 µm filtrate	µg/l		0,36	0,33	0,31	0,35	0,48	0,515	0,58	0,49	0,4	0,47	0,27	0,44	13	0,27	0,286	0,44	0,424	0,564	0,58
0362	Selemium, 0.45 µm filtrate	µg/l		0,21		0,2		0,29	0,38		0,33		0,3		0,23	7	0,2	*	*	0,277	*	0,38
0363	Strontium, 0.45 µm filtrate	µg/l		160	200	150	180	210	220	230	210	170	200	140	200	13	140	144	200	192	226	230
0364	Thallium, 0.45 µm filtrate	µg/l		0,03	0,03	0,03	0,03	0,04	0,11	0,11	0,11	0,18	0,08	0,03	0,04	13	0,03	0,03	0,04	0,0715	0,152	0,18
0365	Tellurium, 0.45 µm filtrate	µg/l		<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
V282	Cesium (filtr. 0.45 µm)	µg/l	0,05	0,052	0,055	<	0,092	0,141	0,187	0,175	0,277	0,195	0,177	0,095	0,113	13	<	<	0,141	0,136	0,257	0,277
Complex buiders		060																				
0420	Anionic detergents	mg/l	0,1	<				<				<			3	*	*	*	*	*	*	
2097	Tetraacetylenediamine (TAED)	µg/l	0,3								<	<	<		53	<	<	<	<	<	<	



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Mono cyclic aromatic hydrocarb 170																					
1074	Benzene	µg/l	0,01	0,01	0,02	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,016	0,02
1075	Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1080	1,2-Dimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1088	Ethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1089	Ethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1098	Methylbenzene	µg/l	0,01	<	0,02	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,02	0,02	
1106	Propylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1112	Chlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1115	2-Chloromethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1116	3-Chloromethylbenzene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1119	1,2-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1120	1,3-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1121	1,4-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1127	Pentachlorobenzene	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1131	1,2,3-Trichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1132	1,2,4-Trichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1133	1,3,5-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1797	Isopropylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1832	1,3,5-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1951	1,2,4-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1952	1,2,3-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1956	3-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1957	4-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1958	2-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1959	4-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1960	1-Methyl-4-isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
1998	t-Butylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2014	Bromobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2064	s-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
V329	Trichlorobenzenes (sum of 3 isomer)	µg/l	1,5	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Poly cyclic aromatic hydrocarbo 180																					
1161	Acenaphthene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
1162	Acenaphthylene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
1163	Anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1165	Benzo(a)anthracene	µg/l	0,01	0,24	<	<	<	<	<	<	<	<	<	7	<	*	*	0,0386	*	0,24	
1166	Benzo(b)fluoranthene	µg/l	0,005	0,008	0,021	0,016	0,006	0,016	0,006	0,008	<	<	<	13	<	<	0,006	0,00792	0,019	0,021	
1167	Benzo(k)fluoranthene	µg/l	0,005	<	0,008	0,006	<	0,006	<	<	<	<	<	13	<	<	<	<	0,0072	0,008	
1168	Benzo(ghi)perylene	µg/l	0,004	0,004	0,008	0,008	0,003	0,008	0,003	0,004	0,002	0,002	0,003	13	0,0009	0,00134	0,003	0,00399	0,008	0,008	
1169	Benzo(a)pyrene	µg/l	0,01	<	0,01	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,01	
1172	Chrysene	µg/l	0,01	0,17	<	<	<	<	<	<	<	<	<	7	<	*	*	0,0286	*	0,17	
1173	Dibenzo(a,h)anthracene	µg/l	0,01	0,01	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	0,01	
1180	Phenanthrene	µg/l	0,01	0,05	0,01	<	<	<	<	<	<	<	0,01	7	<	*	*	0,0129	*	0,05	
1181	Fluoranthene	µg/l	0,01	0,01	0,02	0,02	<	0,02	<	<	<	<	<	13	<	<	<	<	0,02	0,02	
1182	Fluorene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,004	0,004	0,01	0,007	0,003	0,008	0,0025	0,003	0,002	0,002	0,002	13	0,0008	0,00128	0,003	0,00383	0,0092	0,01	
1188	Pyrene	µg/l	0,01	0,19	0,02	<	<	<	<	<	0,01	<	0,02	7	<	*	*	0,0364	*	0,19	
1992	2-Methylnaphthalene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<	
8450	Naphthalene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Organochlorine pesticides	200																			
2132 3-Chloropropene	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8006 Aldrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8119 Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8162 o,p-DDD	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8163 p,p-DDD	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8164 o,p-DDE	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8165 p,p-DDE	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8166 o,p-DDT	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8167 p,p-DDT	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8189 Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8199 2,6-Dichlorobenzamide (BAM)	µg/l	0,02	<	<	0,03	<	0,04	<	<	<	0,02	<	<	4	<	*	*	0,025	*	0,04
8217 Dieldrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8263 alpha-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	0,0008	13	<	<	<	<	0,00058	0,0008
8264 beta-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8268 Endrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8358 Heptachlor	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8359 Heptachloroepoxide	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8361 Hexachlorobenzene (HCB)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8362 alpha-Hexachlorocyclohexane (alpha)	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8363 beta-Hexachlorocyclohexane (beta)	µg/l	0,0001	<	<	<	<	<	<	<	<	0,0002	<	<	13	<	<	<	<	0,00014	0,0002
8379 Isodrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8393 Lindane (gamma-HCH)	µg/l	0,0002	0,0005	0,0044	0,0007	0,0004	0,0004	0,0004	0,0004	0,0004	0,0004	0,001	0,0004	13	0,0002	0,00028	0,0004	0,00769	0,00304	0,0044
8428 Methoxychlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8441 Mirex	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8629 delta-Hexachlorocyclohexane (delta)	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8631 trans-Heptachloroepoxide	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8640 cis-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8641 trans-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8655 Oxychlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
8656 epsilon-Hexachlorocyclohexane (eps)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
V330 hexachlorocyclohexaan (sum of 5 iso)	µg/l	0,125	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Organophosphorus and -sulphur p 210																				
8028	Azinphos-ethyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8029	Azinphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8044	Bentazon	µg/l	0,01	<	<	<	<	0,02	0,01	<	<	<	<	7	<	*	*	<	*	0,02
8059	Bromophos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8060	Bromophos-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8108	Chlorfenvinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8173	Demeton-S-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8190	Dichlofenthion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8257	Dithianon	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8278	Ethion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8296	Fenchlorphos (Ronne)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8346	Phoxim	µg/l	0,3	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<
8352	Glufosinate-ammonium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<
8354	Glyphosate	µg/l	0,015	0,04	0,04	0,08	0,14	0,0837	0,17	0,13	0,125	0,0337	0,0337	16	<	<	0,125	0,0997	0,186	0,2
8354L	Glyphosate (load)	g/s			0,0121	0,00764	0,0102	0,00404	0,0416	0,0181	0,0097	0,00776	0,00776	14	0,00262	0,00173	0,0105	0,0167	0,0592	0,065
8360	Heptenophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8423	Methidathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8439	Mevinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8482	Parathion-ethyl	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8483	Parathion-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8500	Pirimiphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8501	Pirimiphos-methyl	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8526	Pyrazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8550	Sulfotep	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8572	Tetrachlorvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8600	Triazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,35		0,32		1,35	1,96	3,35	3,13	1,38	1,63	0,83	16	0,31	0,324	1,63	1,75	3,92	4,2	
8632L	Aminomethylphosphonic acid (AMP)	g/s			0,0996		0,129	0,143	0,146	0,672	0,209	0,125	0,212	14	0,0873	0,0901	0,15	0,269	0,912	1,26	
8644	cis-Mevinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8652	Chlorpyriphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
Organonitrogen pesticides			220																		
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8127	Chloridazon	µg/l	0,01	<	<	<	<	0,06	0,03	0,01	<	<	<	11	<	<	<	0,015	0,054	0,06	
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
Carbamate herbicides			260																		
8035	Barban	µg/l	0,3	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<	
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	0,01	0,03	<	<	<	11	<	<	<	<	0,026	0,03	
Biocides			285																		
2077	Tributyltin	µg/l	0,0021	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8079	Carbendazim	µg/l	0,3	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<	
8169	Diethyltoluamide (DEET)	µg/l	0,02		0,02		<	0,05	<	<	<	<	<	4	<	*	*	0,0225	*	0,05	
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Benzimidazole Fungicides			470																		
8079	Carbendazim	µg/l	0,3	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<	
Conazole Fungicides			480																		
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Strobilurine Fungicides			510																		
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	

maandag 15 juli 2013

Page 10 of 22

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Unclassified Fungicides		520																		
8075	Captan	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8257	Dithianon	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Chlorophenoxy herbicides		230																		
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	0,08	<	<	<	<	7	<	*	*	<	*	0,08
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8404	Mecoprop (MCP)	µg/l	0,05	<	<	<	<	<	0,06	<	<	<	<	7	<	*	*	<	*	0,06
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Phenylurea herbicides		240																		
8070	Buturon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8097	Chlorbromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8122	Chlortoluron	µg/l	0,01	0,04	0,01	<	<	<	<	<	<	0,02	0,02	12	<	<	<	0,0108	0,034	0,04
8130	Chloroxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8226	Difenoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8258	Diuron	µg/l	0,01	<	0,01	<	0,02	0,035	0,04	0,05	0,03	0,03	0,02	12	<	<	0,025	0,0242	0,047	0,05
8382	Isoproturon	µg/l	0,01	0,02	<	<	0,03	0,02	<	<	0,01	0,04	0,02	12	<	<	0,01	0,0154	0,037	0,04
8394	Linuron	µg/l	0,01	<	<	<	<	0,0175	0,03	<	<	<	<	12	<	<	<	<	0,03	0,03
8418	Methabenzthiazuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8446	Monolinuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8447	Monuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8456	Neburon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8665	1-(4-Chlorophenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8666	1-(3-Chloro-4-methylphenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8667	1-(4-Isopropylphenyl) urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8668	1-(4-Isopropylphenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
V162	Phenylurea herbicides (sum)	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
Dinitrophenol herbicides		250																		
8244	2,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
Phenoxy Herbicides		550																		
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	0,08	<	<	<	<	7	<	*	*	<	*	0,08
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8404	Mecoprop (MCPP)	µg/l	0,05	<	<	<	<	<	0,06	<	<	<	<	7	<	*	*	<	*	0,06

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Anilide Herbicides 570																					
8417	Metazachlor	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Chloroacetanilide Herbicides 580																					
8002	Alachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8513	Propachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
Sulfonylurea Herbicides 610																					
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<
Urea Herbicides 620																					
8122	Chlortoluron	µg/l	0,01	0,04	0,01	<	<	<	<	<	<	0,02	0,02	12	<	<	<	0,0108	0,034	0,04	<
8258	Diuron	µg/l	0,01	<	0,01	<	0,02	0,035	0,04	0,05	0,03	0,03	0,02	0,01	12	<	<	0,025	0,0242	0,047	0,05
8382	Isoproturon	µg/l	0,01	0,02	<	<	0,03	0,02	<	<	0,01	0,04	0,02	12	<	<	0,01	0,0154	0,037	0,04	<
8394	Linuron	µg/l	0,01	<	<	<	<	0,0175	0,03	<	<	<	<	12	<	<	<	<	0,03	0,03	<
8418	Methabenzthiazuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
Aryloxyphenoxy- Propionic Herbici 630																					
8675	Haloxypop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
Triazin Herbicides 635																					
8026	Atrazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8138	Cyanazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8180	Desmetryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8435	Metolachlor	µg/l	0,01	<	<	<	<	0,035	0,03	0,02	<	0,03	<	13	<	<	<	0,0146	0,042	0,05	<
8437	Metribuzin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8512	Prometryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8517	Propazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8547	Simazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8567	Terbutryne	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8568	Terbutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Thiocarbamate Herbicides 640																					
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Herbicides		645																			
8044	Bentazon	µg/l	0,01	<	<	<	<	0,02	<	0,01	<	<	<	7	<	*	*	<	*	0,02	
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8127	Chloridazon	µg/l	0,01	<	<	<	<	0,06	0,03	0,01	<	<	<	11	<	<	<	0,015	0,054	0,06	
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8354	Glyphosate	µg/l	0,015	0,04	<	0,04	<	0,08	0,14	0,0837	0,17	0,13	0,125	16	<	<	0,125	0,0997	0,186	0,2	
8354L	Glyphosate (load)	g/s	<	<	0,0121	<	0,00764	0,0102	0,00404	0,0416	0,0181	0,0097	0,00776	14	0,00262	0,00173	0,0105	0,0167	0,0592	0,065	
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8672	Bromuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8675	Haloxypop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8677	Ioxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
Unclassified plant growth regulator		952																			
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Insecticides		290																			
8143	Cyhalothrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Pyrethroid Insecticides		650																			
8143	Cyhalothrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
8170	Deltamethrin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Carbamate Insecticides		660																			
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	0,01	0,03	<	<	11	<	<	<	<	0,026	0,03	



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Organophosphorus Insecticides 670																				
8029	Azinphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8346	Phoxim	µg/l	0,3	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
Benzoylurea Insecticides 690																				
8558	Teflubenzuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
Insecticides Produced By Fermenta 700																				
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Unclassified Insecticides 710																				
8691	Pyridaben	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8692	Pyriproxyphen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Rodenticides 850																				
8620	Warfarin	µg/l	0,3	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<
Nematicides 860																				
1784	cis-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8186	Dibromochloropropane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
Pesticide metabolites 954																				
2023	4-Isopropylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
2032	3-Chloro-4-methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
8113	4-Chloro-2-methylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8176	Desethylatrazine	µg/l	0,01	<	<	<	<	0,02	<	<	<	<	<	13	<	<	<	<	0,014	0,02
8178	Desisopropylatrazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Various pesticides and metabolics 300																						
1170	Biphenyl	µg/l	0,5						<	<	<		<	53	<	<	<	<	<	<		
1780	N-Butylbenzenesulfonamide	µg/l	0,3						<	<	<		<	53	<	<	<	<	<	<		
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05				<	<				<		3	*	*	*	*	*	*		
2272	2-(methylthio)benzothiazole	µg/l	0,5						<	<	<		<	53	<	<	<	<	<	<		
8075	Captan	µg/l	0,05	<		<		<	<				<	7	<	*	*	<	*	<		
8307	Fenpropimorph	µg/l	0,02		<		<		<				<	4	<	*	*	<	*	<		
8376	Iprodione	µg/l	0,02		<		<		<				<	4	<	*	*	<	*	<		
8658	DMST	µg/l	0,05				<		<				<	3	*	*	*	*	*	*		
8664	Kresoxim-methyl	µg/l	0,02		<		<		<				<	4	<	*	*	<	*	<		
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,05		<		<		<				<	4	<	*	*	<	*	<		
8672	Bromuron	µg/l	0,05		<		<		<				<	4	<	*	*	<	*	<		
8675	Haloxifop	µg/l	0,05		<		<		<				<	4	<	*	*	<	*	<		
8676	Fluazifop	µg/l	0,05		<		<		<				<	4	<	*	*	<	*	<		
8691	Pyridaben	µg/l	0,01	<		<		<	<				<	7	<	*	*	<	*	<		
8692	Pyriproxyphen	µg/l	0,01	<		<		<	<				<	7	<	*	*	<	*	<		
8697	Abamectine	µg/l	0,01	<	<	<		<	<		<	<	<	12	<	<	<	<	<	<		
8701	Imidacloprid	µg/l	0,05	<	<	<		<	<	<	<	<	<	12	<	<	<	<	<	<		
8707	Clomazone	µg/l	0,05		<		<		<				<	4	<	*	*	<	*	<		
8708	Dimethenamid-p	µg/l	0,01	<		<		<	<				<	7	<	*	*	<	*	0,04		
8731	N,N-dimethyl-N'-phenylsulphamide	µg/l	0,05				<		<				<	3	*	*	*	*	*	*		
Ethers 302																						
1428	Diisopropylether	µg/l		1,1	0,64	0,56	0,52	0,26	0,3	0,06	0,27	0,36	0,13	0,56	1,6	13	0,06	0,088	0,44	0,512	1,4	1,6
1457	Bis(2-(2-methoxyethoxy)ethyl) ether (µg/l									0,06				1	*	*	*	*	*	*	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,05	0,05	0,04	<	0,11	0,25	0,29	0,27	0,15	0,16	0,03	0,13	13	<	0,015	0,13	0,137	0,32	0,34
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l									0,09				1	*	*	*	*	*	*	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05		<		0,05		<				<	5	<	*	*	<	*	0,05		
2173	Triethyleneglycol dimethylether (Trigl	µg/l	0,05						<					1	*	*	*	*	*	*		
2244	Tertiary amyl methyl ether (TAME)	µg/l	0,05		<				<				<	4	<	*	*	<	*	<		
Fuel additives 303																						
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,05	0,05	0,04	<	0,11	0,25	0,29	0,27	0,15	0,16	0,03	0,13	13	<	0,015	0,13	0,137	0,32	0,34
2086	1,2-Dibromoethane	µg/l	0,05		<		<		<				<	5	<	*	*	<	*	<		
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05		<		0,05		<				<	5	<	*	*	<	*	0,05		
2244	Tertiary amyl methyl ether (TAME)	µg/l	0,05		<				<				<	4	<	*	*	<	*	<		

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Various organic substances		305																				
1077	Cyclohexane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1079	Dicyclopentadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1405	Dibenzopyridin (Acridin)	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<	
1432	Dimethoxymethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1753	Dimethyldisulfide	µg/l	0,01	0,01	0,02	<	0,03	0,03	<	0,02	0,03	0,01	<	0,04	0,02	13	<	<	0,02	0,0181	0,036	0,04
1764	Tributylphosphate	µg/l	0,1	0,13	0,42	0,14	0,1	0,11	<	<	<	<	<	0,18	0,61	13	<	<	0,1	0,153	0,534	0,61
1765	Triethylphosphate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<
1767	Triphenylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,05
1769	Tri-isobutylphosphate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<
1871	Tris(2-chloroethyl)phosphate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<
2037	2-Aminoacetophenone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
2046	3,3'-Dichlorobenzidine	µg/l	0,3	<	<	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<
2062	4,4'-Sulfonyldiphenol	µg/l	0,3	<	<	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<
2090	Acetone	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	40	1	*	*	*	*	*	
2092	Methylmethacrylate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2161	4-Chloro-3,5-xylenol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<
V129	tetrahydro-2,2,5,5-tetramethylfuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Industrial solvents		431																				
1027	Bromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1040	1,2-Dichloroethane	µg/l	0,01	0,05	0,07	0,05	0,04	0,03	0,015	<	0,04	0,02	0,01	0,02	0,05	13	<	<	0,03	0,0319	0,062	0,07
1044	Dichloromethane	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1049	Hexachlorobutadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1056	Tetrachloroethene	µg/l	<	0,02	0,03	0,01	0,01	0,03	0,03	0,02	0,03	0,02	0,03	0,02	0,04	13	0,01	0,01	0,03	0,0246	0,036	0,04
1057	Tetrachloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1063	Trichloroethene	µg/l	0,01	0,02	0,02	0,01	<	0,01	<	<	0,02	0,01	<	0,01	0,02	13	<	<	0,01	0,0112	0,02	0,02
1064	Trichloromethane	µg/l	0,01	0,18	0,05	0,06	0,02	0,05	0,02	<	0,03	0,02	0,01	0,03	0,13	13	<	<	0,03	0,0481	0,16	0,18
1070	1,2,3-Trichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1828	cis-1,2-Dichloroethene	µg/l	0,01	0,02	0,02	0,02	0,02	0,01	0,01	0,02	0,02	0,01	0,01	<	0,02	13	<	<	0,02	0,015	0,02	0,02
1829	trans-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1954	1,1,1,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	<	<
1955	1,1,2,2-Tetrachloroethane	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2015	Chloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	<	<
8205	1,2-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	0,01	<	<	<	0,01	13	<	<	<	<	0,01	0,01	0,01

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
industrial chemicals (with arom. nit 434)																				
1683	Aniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
1700	N-Methylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
1705	3-Chloroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
1708	2,3-Dichloroaniline	µg/l	0,03									<		1	*	*	*	*	*	*
1713	2,3,4-Trichloroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
1716	2,4,5-Trichloroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
1717	2,4,6-Trichloroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
1718	3,4,5-Trichloroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
1786	3-Methylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
1853	2,2,6,6-tetramethyl-4-piperidone	µg/l	0,5						<	<	<		<	53	<	<	<	<	<	<
1862	N,N-Diethylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
1864	N-Ethylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
1979	2,4,6-Trimethylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2024	2,4-Dimethylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2027	3,4-Dimethylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2028	2,3-Dimethylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2029	3-Chloro-4-methylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2033	4-Methoxy-2-nitroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2034	2-Nitroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2035	3-Nitroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2038	2-(Phenylsulfon)aniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2053	N,N-Dimethylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2055	2,4- and 2,5-Dichloroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2056	2-Methoxyaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2057	2- and 4-Methylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2058	2-(Trifluoromethyl)aniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2059	2,5- and 3,5-Dimethylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2175	2,4,5-Trimethylaniline	µg/l	0,03								<	<		1	*	*	*	*	*	*
8063	4-Bromoaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
8094	2-Chloroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
8115	4-Chloroaniline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8196	2,6-Dichloroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
8197	3,4-Dichloroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
8198	3,5-Dichloroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8222	2,6-Diethylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*	
8239	2,6-Dimethylaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*	
Industrial chemicals (with volatile h 437																					
1035	Dibromomethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1039	1,1-Dichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1041	1,1-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1050	Hexachloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1061	1,1,1-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1062	1,1,2-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1962	Chloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2016	Chloromethane	µg/l	0,1		<		<						<	5	<	*	*	<	*		
2086	1,2-Dibromoethane	µg/l	0,05		<		<						<	5	<	*	*	<	*		
8206	1,3-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial chemicals (with phenols) 439																				
1528	3-Chlorophenol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1529	4-Chlorophenol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1531	2,3-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1533	2,6-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1534	3,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1535	3,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1541	2,3,4-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1542	2,3,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1543	2,3,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1544	3,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1847	3-Nitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2008	2,3-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2010	2,6-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2011	3,4-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2012	3,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2081	2-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2248	2,5-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2249	2,6-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2250	3,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8104	2-Chlorophenol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8460	2-Nitrophenol	µg/l	0,02	<	<	<	<	<	<	<	<	0,03	<	4	<	*	*	<	*	0,03
8461	4-Nitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8602	2,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8603	2,4,6-Trichlorophenol	µg/l	0,02	<	<	0,08	<	<	<	<	<	<	<	7	<	*	*	<	*	0,08



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Industrial chemicals (with PCBs) 440																						
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,0001	<	0,0002	<	<	<	<	0,0003	0,0001	0,0001	0,0001	0,0001	13	<	<	0,0001	<	0,00026	0,0003	
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,0001	<	0,0001	<	<	<	<	<	0,0001	<	0,0001	13	<	<	<	<	0,0001	0,0001		
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB 1)	µg/l	0,0001	<	0,0002	<	<	0,0001	<	<	<	<	0,0001	13	<	<	<	<	0,00016	0,0002		
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB 2)	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PCB 18)	µg/l	0,0001	0,0001	<	0,0002	<	<	<	<	<	<	0,0002	13	<	<	<	<	0,0002	0,0002		
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PCB 19)	µg/l	0,0001	0,0001	0,0003	0,0001	<	0,0002	0,0001	0,0002	0,0001	0,0001	0,0001	13	<	<	0,0001	0,000135	0,00026	0,0003		
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (PCB 29)	µg/l	0,0001	<	0,0002	0,0001	<	0,0001	<	<	0,0001	<	0,0001	13	<	<	<	<	0,00016	0,0002		
Industrial chemicals (with anilides) 442																						
1414	Methylchinolin	µg/l	0,5						<	<			<	40	<	<	<	<	<	<		
2103	2,6-Dimethylpyridine	µg/l	0,5						<	<	<		<	53	<	<	<	<	<	<		
V134	2,3-dimethylpyridine	µg/l	0,5						<	<	<		<	53	<	<	<	<	<	<		
V135		µg/l	0,5						<	<	<		<	53	<	<	<	<	<	<		
Cooling agents 430																						
2017	Dichlorodifluoromethane	µg/l	0,05	<				<				<	<	4	<	*	*	<	*	<		
2019	Trichlorofluoromethane	µg/l	0,05	<			<	<				<	<	5	<	*	*	<	*	<		
Disinfection agents 444																						
2005	2-Methylphenol	µg/l	0,02	<			<					<		4	<	*	*	<	*	<		
8114	4-Chloro-3-methylphenol	µg/l	0,02	<			<					<		4	<	*	*	<	*	<		
Disinfection byproducts 446																						
1028	Bromodichloromethane	µg/l	0,01	<	0,02	0,02	<	<	<	<	<	<	<	13	<	<	<	<	0,02	0,02		
1033	Dibromochloromethane	µg/l	0,01	<	0,02	0,02	<	<	<	<	<	<	<	13	<	<	<	<	0,02	0,02		
1058	Tribromomethane	µg/l	0,01	<	0,03	0,02	<	<	<	<	<	<	<	13	<	<	<	<	0,026	0,03		
Flameretardants 380																						
2109	2,4,2',4'-Tetrabromodiphenylether (PBDE 20)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2110	2,4,2',5'-Tetrabromodiphenylether (PBDE 21)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2111	2,3,4,2',4'-Pentabromodiphenylether (PBDE 22)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2112	2,4,5,2',4'-Pentabromodiphenylether (PBDE 23)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2113	2,4,6,2',4'-Pentabromodiphenylether (PBDE 24)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2114	2,4,5,2',4',5'-Hexabromodiphenylether (PBDE 25)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2115	2,4,5,2',4',6'-Hexabromodiphenylether (PBDE 26)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2169	2,4,4'-Tribromodiphenylether (PBDE 27)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2170	2,3,4,2',4',5'-Hexabromodiphenylether (PBDE 28)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



Heel (M690)

1-1-2010 up to 31-12-2010

sample point code HEE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
X-ray contrast agents 340																				
6234	lohexol	µg/l								0,13				1	*	*	*	*	*	*
6235	lomeprol	µg/l								0,15				1	*	*	*	*	*	*
6236	lopamidol	µg/l	0,01							<				1	*	*	*	*	*	*
6237	lopanoic acid	µg/l	0,01							<				1	*	*	*	*	*	*
6238	lopromide	µg/l								0,23				1	*	*	*	*	*	*
6239	lothalamic acid	µg/l	0,01							<				1	*	*	*	*	*	*
6240	loxaglic acid	µg/l	0,1							<				1	*	*	*	*	*	*
6241	loxitalamic acid	µg/l								0,06				1	*	*	*	*	*	*
Various pharmaceuticals 370																				
1613	Caffein	µg/l	0,5						<	<	<		<	53	<	<	<	<	0,56	0,7
1860	Carbamazepine	µg/l	0,3						<	<	<		<	53	<	<	<	<	<	<
8620	Warfarin	µg/l	0,3						<	<	<		<	53	<	<	<	<	<	<
8677	loxynil	µg/l	0,05	<		<		<				<		4	<	*	*	<	*	<
Endrocrin disrupting compounds (400																				
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	2,7	<	<	<	<	13	<	<	<	<	1,82	2,7
2072	Bisphenol A	µg/l	0,5						<	<	<		<	53	<	<	<	<	<	<
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2196	Tetrabutyltin	µg/l	0,0018	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2197	Triphenyltin ion	µg/l	0,0017	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2199	Dibutyltin	µg/l	0,0051	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2201	Difenyttin	µg/l	0,0044	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
daily screening / (semi)online meas 982																				
1428H	Diisopropylether	µg/l	1						<	<	<		<	53	<	<	<	<	<	<
unspecified substances 980																				
2013	1,1-Dichloropropene	µg/l	0,05	<		<		<				<	<	5	<	*	*	<	*	<
2036	4-Methyl-3-nitroaniline	µg/l	0,03					<			<	<		3	*	*	*	*	*	*
2066	3- and 4-Methylphenol	µg/l	0,02	<		<		<			<	<		4	<	*	*	<	*	<
2068	2,4- and 2,5-Dimethylphenol	µg/l	0,02	<		<		<			<	<		4	<	*	*	<	*	<
2176	3- and 4-Ethylphenol	µg/l	0,02	<		<		<			<	<		4	<	*	*	<	*	<

