

Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code	HEU
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds		010																				
0120	Water temperature	°C	5,08	4,28	7,64	11,7	15,2	18,5	21,2	20,3	16,8	12,9	10,4	8,88	52	3,4	4,89	12,8	12,8	20,6	23	
0122	Oxygen	mg/l	12,3	12,2	11,6	10,9	9,43	9,2	8,33	8,44	8,65	9,4	10,3	11,2	52	7,4	8,1	10	10,1	12,1	13,4	
0123	Oxygen saturation	%	96,2	93,3	95,7	96,4	86,9	85,8	76,5	78,2	80,4	84,9	89,8	95,2	52	68,4	74,9	89,2	88,2	97,9	103	
0126	Turbidity	FTE	25,8	13,3	11,7	6,03	4,03	3,12	4,9	2,64	2,68	2,35	6,5	52	1,4	1,89	3,9	7,57	17,7	48		
0128	Suspended matter	mg/l	31	17,5	16,2	8,98	5,33	4,4	8,03	3,82	3,83	3,15	8,82	52	1,7	2,86	5,8	10,2	23,5	55,1		
0180	pH	pH	8,01	8,04	8,04	8,1	8,13	8,2	8,15	8,09	7,96	7,9	8,03	52	7,85	7,91	8,03	8,05	8,23	8,34		
Inorganic compounds		030																				
0230	Chloride	mg/l	26	33,3	30,2	31,3	39,3	45,4	54	56,4	55,3	56,5	32	52	22	26,3	42	42,9	56	60		
0288	Silicate (Si)	mg/l	4,02	3,6	3,09	1,4	1,78	1,92	1,54	1,54	2,76	3,13	3,74	13	1,4	1,46	3,04	2,7	3,91	4,02		
Nutrients		040																				
0284D	Orthophosphate (PO4)	mg/l	0,265	0,203	0,192	0,185	0,22	0,228	0,243	0,274	0,395	0,328	0,36	52	0,15	0,18	0,25	0,263	0,39	0,52		
0286D	Total phosphate (PO4)	mg/l	0,443	0,345	0,322	0,26	0,308	0,312	0,343	0,34	0,488	0,415	0,478	52	0,18	0,256	0,34	0,368	0,494	0,8		
Group compounds		070																				
0403	Dissolved organic carbon (DOC)	mg/l	3,94	3,68	4,2	4	4,95	4,05	4,18	3,81	4,79	4,54	4,51	13	3,68	3,73	4,18	4,32	5,2	5,37		
0412	Colour (Pt/Co scale)	mg/l	24	22	23	13	12	13	12	10	16	16	18	13	10	10,8	16	17,6	27	27		
0430	AOX (Adsorbable organohalogen co	µg/l	12	10	10,5	11	9	13	11	15	9	14	15	13	9	9	11	11,8	15	15		
Summend compounds		080																				
0451	Trihalomethanes (sum)	µg/l	0,03	0,0375	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	0,06		
V325	Aromates, sum	µg/l	0,05	<	0,0625	0,0617	0,105	0,14	0,11	<	0,132	0,31	0,175	0,095	<	<	0,08	0,109	0,246	0,35		



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Hydrobiological compounds																							
	095																						
7100	Chlorophyll-a	µg/l	2	<	<	<	2,27	<	2,02	4,5	2,88	<	<	<	<	<	2,2	2,17	3,84	6,1			
7101	Chlorophyll-a and phaeophytine (su	µg/l		3,6	2,8	5,7	5,08	3,48	4,53	8,3	5,1	3,3	3,4	3,4	4,4	31	2,2	2,64	4,4	4,76	7,06	12	
7110	Phaeophytine	µg/l	2	2,5	2,1	3,8	2,52	<	<	3,73	2,06	<	<	<	4	31	<	<	2,1	2,21	3,76	6,2	
7200	Phytoplankton total	n/ml		200	220	990	1290	1410	2360	2600	1520	1280	2200	760	49	32	49	256	1300	1570	3000	4400	
7240	Cyanophyceae	n/ml		0	4	2	0	0	0	0	0,24	0,125	0	0	0	32	0	0	0	0,241	0,85	4	
7260	Cryptophyceae	n/ml		16	25	93	275	933	844	853	680	585	1100	470	10	32	10	35,2	555	622	1270	1600	
7280	Chrysophyceae	n/ml		7	14	31	64	21,8	26	14,5	18,8	24	0	5	0	32	0	0	18,5	24,3	51,2	130	
7300	Chlorophyceae	n/ml		120	130	230	647	286	1130	1080	318	503	1100	210	30	32	22	58,6	365	597	1400	2500	
7320	Bacillariophyceae	n/ml		41	37	620	275	173	366	648	508	164	32	81	10	32	10	33,5	240	320	731	1000	
7340	Euglenophyceae	n/ml		1	0	0	0	0	0	5,25	0	0	0	0	0	32	0	0	0	0,688	0	21	
7360	Dinophyceae	n/ml		0	0	0	0	1,5	5	0	3,8	0	0	0	0	32	0	0	0	1,56	9,7	13	
7500	Zooplankton, total	n/l		110	38	89	41	31,3	131	62,8	119	70,3	31	12	45	32	8	19,6	53,5	74,9	187	350	
7510	rhizopoda	n/l		0,7	0	0	0	2,13	0	0,225	0	0,05	0	0	0	32	0	0	0	0,322	0,61	8	
7530	Testacea	n/l		16	8	32	4,5	2,13	1,16	2,5	3	3,75	11	4	11	32	0	0,29	3	4,82	11	32	
7540	Tardigrada	n/l		0,7	0	0	0	0,25	0,38	0	0,18	0,1	0,8	0	0,4	32	0	0	0	0,191	0,8	1	
7550	Rotatoria	n/l		14	5	6	17,5	10,8	70,6	20,3	46	36	14	4	6	32	0	4	17,5	30,3	98,9	190	
7580	Ciliata	n/l		72	0	47	13	5,25	33,4	9,75	23,6	17,7	2	1	25	32	0	1	8	19,2	62,3	130	
7600	Heliozoa	n/l		0	0	0	0,05	0	0	0	0	0	0	0	0	32	0	0	0	0,00625	0	0,2	
7610	Ostracoda	n/l		0	0	0	0	0	0	0	0	0	0	0	0	32	0	0	0	0	0	0	
7620	Cladocera	n/l		0	0	0	0,65	2,25	0,48	1,4	1,16	0,275	0	0,2	0,8	32	0	0	0,3	0,859	2,7	5	
7640	Naupilus-Larve	n/l		2	0,3	2	3	4,78	8	19	10,8	3,88	0,8	0,6	0,8	32	0,1	0,53	4	6,97	21,7	42	
7650	Cyclopoidea	n/l		0	0	0	0,775	1,75	1,28	0,7	1,24	1,78	0,8	0,2	0,4	32	0	0	0,7	1,06	2,7	4	
7660	Calanoidea	n/l		0	0	0	0	0,2	0,08	0,325	0	0,125	0	0,2	0	32	0	0	0	0,1	0,4	0,9	
7670	Harpacticoida	n/l		0	24	0,4	0,05	0,1	0,16	0,325	0,16	0,225	0	0	0	32	0	0	0	0,9	0,87	24	
7680	Gastrotricha	n/l		0,7	0	0,4	0,15	0,1	0	0	0	0	0	0	0	32	0	0	0	0,0656	0,4	0,7	
7690	Oligochaeta	n/l		0	0	0	0,05	0	0	0	0,18	0	0	0	0	32	0	0	0	0,0344	0	0,9	
7700	Nematoda	n/l		3	1	1	0,8	0,2	0,32	0,475	0,62	0,275	0	1	0,4	32	0	0	0,4	0,566	1	3	
7710	Turbellaria	n/l		0	0	0	0	0	0	0,3	0,18	0	0	0	0	32	0	0	0	0,0656	0,21	0,9	
7736	Chironomidae	n/l		0	0	0	0	0	0,16	0	0,18	0	0	0	0	32	0	0	0	0,0531	0	0,9	
7740	Hydrachnellae	n/l		0	0	0	0	0,1	0	0	0	0	0	0	0	32	0	0	0	0,025	0	0,4	
7745	Hydrachnellae, larve	n/l		0	0	0	0	0,1	0	0	0	0	0	0	0	32	0	0	0	0,0125	0	0,4	
7768	Bivalvia, larve	n/l		0	0	0	0,4	2,13	16,4	7,5	29,4	3,5	0,8	0	0	32	0	0	4	8,87	26,8	100	
7800	Biology, divers	n/l		0	0,3	0	0	0	0	0,225	0	0,05	0,8	0	0	32	0	0	0	0,0688	0,27	0,9	
V163	Protozoa < 30 µm	n/l		0	0	0	0	0	0	0	0	0	0	0	0	32	0	0	0	0	0	0	



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Metals		050																				
0300	Iron	mg/l	0,05	1,47	1,06	0,794	0,51	0,268	0,204	0,355	0,186	0,22	0,204	0,56	0,558	52	<	0,146	0,32	0,525	1,37	2
Mono cyclistic aromatic hydrocarb		170																				
1074	Benzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	0,04
1075	Butylbenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1080	1,2-Dimethylbenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1088	Ethylbenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1089	Ethylbenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1098	Methylbenzene	µg/l	0,05	<	<	<	<	<	<	<	0,065	<	<	<	<	26	<	<	<	0,06	0,07	
1106	Propylbenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1112	Chlorobenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1115	2-Chloromethylbenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1119	1,2-Dichlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1120	1,3-Dichlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1121	1,4-Dichlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1127	Pentachlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1128	1,2,3,4-Tetrachlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1130	1,2,4,5-Tetrachlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1131	1,2,3-Trichlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1132	1,2,4-Trichlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1133	1,3,5-Trichlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1797	Iso-propylbenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1832	1,3,5-Trimethylbenzene	µg/l	0,03	<	0,0425	<	<	<	<	0,0417	0,125	0,075	0,065	<	<	26	<	<	0,039	0,076	0,18	
1951	1,2,4-Trimethylbenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
2018	Iso-butylbenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,03	<	<	<	<	0,03	<	<	<	0,05	<	<	<	26	<	<	<	0,043	0,05	
V220	4-iso-propylbenzyl alcohol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Poly cyclic aromatic hydrocarbo 180																					
1161	Acenaphthene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1162	Acenaphthylene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1163	Anthracene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1165	Benzo(a)anthracene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1166	Benzo(b)fluoranthene	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
1167	Benzo(k)fluoranthene	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
1168	Benzo(ghi)perylene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1169	Benzo(a)pyrene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1172	Chrysene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1173	Dibenzo(a,h)anthracene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
1180	Phenanthrene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1181	Fluoranthene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1182	Fluorene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1188	Pyrene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8450	Naphthalene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
V137	2-amino-3-chloro-1,4-naphthoquinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
V377	dibenzo(b,k)fluoroanthene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Organochlorine pesticides	200																					
8006 Aldrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8117 Chlorthal	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8163 p,p-DDD	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8165 p,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8167 p,p-DDT	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8189 Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8217 Dieldrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<	
8263 alpha-Endosulfan	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	<	
8264 beta-Endosulfan	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<	
8268 Endrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	<	
8358 Heptachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8359 Heptachloroepoxide (cis + trans)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8361 Hexachlorobenzene (HCB)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8362 alpha-Hexachlorocyclohexane (alpha)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8363 beta-Hexachlorocyclohexane (beta-H)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8393 Lindane (gamma-HCH)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8631 trans-Heptachlorepoide	µg/l	0,07	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	<	



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organophosphorus and -sulphur p 210																					
8029	Azinphos-methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8044	Bentazon	µg/l	0,02	<	<	<	<	0,04	0,04	0,03	0,03	<	0,03	<	13	<	<	<	<	0,04	0,04
8108	Chlorfenvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8172	Demeton-O + S	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8173	Demeton-S-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8174	Demeton-S-methylsulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8188	Dicamba	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8216	Dicrotophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8255	Disulfoton	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8309	Fenthion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8354	Glyphosate	µg/l	0,05	<	<	<	<	0,1	0,08	0,06	<	<	<	<	13	<	<	<	0,092	0,1	
8396	Malathion	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8420	Methamidophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8439	Mevinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8445	Monocrotophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8468	Omethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8475	Oxydemeton-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8479	Paraoxon-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8482	Parathion-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8483	Parathion-methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8526	Pyrazophos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8550	Sulfotep	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8566	Terbufos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8572	Tetrachlorvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8586	Thiometon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8590	Tolclofos-methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8604	Trichlorfon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8632	Aminomethylphosphonic acid (AMPA)	µg/l	0,17	0,13	0,245	0,51	0,71	1,1	1,6	1,9	1,8	1,4	1,3	0,45	13	0,12	0,124	0,71	0,889	1,86	1,9
8643	trans-Chlorfenvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8646	cis-Phosphamidon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8647	trans-Phosphamidon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
8652	Chlorpyrifos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8680	Edifenphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8702	Nicosulfuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8704	Sulcotrione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8716	Mesotrione	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8726	Thiacloprid	µg/l	0,01	<	<	<	<	<	<	0,01	<	<	<	<	13	<	<	<	<	<	0,01
8749	Disulphoton-sulfone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8750	oxydisulfoton	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8755	Terbufos-sulfoxid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8759	Fensulfothione	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8770	Acetamiprid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8777	Phenamiphos-sulfoxid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8778	Phenamiphos-sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8779	Fenthion-sulfoxid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8780	Fenthion-sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8783	Terbufos-sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
V250	2,3-bis(sulfanyl)butanedioic acid (DM	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Organonitrogen pesticides		220																			
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,02	<	<	<	0,027	0,021	<	<	<	<	<	<	13	<	<	<	<	0,0282	0,029
8261	Dodine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8742	fenamidone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Carbamate herbicides		260																			
8003	Aldicarb	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8004	Aldicarb-sulfon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8005	Aldicarb-sulfoxide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8040	Bendiocarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8068	Butocarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8069	Butoxycarboxim	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8076	Carbaryl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8078	Carbetamide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8084	Carboxin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8179	Desmedipham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8221	Diethofencarb	µg/l	0,02	<	<	<	<	<	<	0,02	<	<	<	9	<	*	*	<	*	0,02	<
8277	Ethiofencarb	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8300	Phenmedipham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8424	Methiocarb	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8425	Methomyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8473	Oxamyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8474	Oxycarboxin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8514	Propamocarb	µg/l	0,01	<	0,01	<	<	0,04	0,02	<	<	<	<	<	13	<	<	<	<	0,032	0,04
8583	Thiodicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8585	Thiofanox	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<	<
8634	Butocarboxim-sulfoxide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8635	Ethiofencarb-sulfoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8636	Methiocarb-sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8637	Thiofanox-sulfoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8638	Thiofanox-sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8649	Prosulfocarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8753	Methiocarb Sulphoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8763	Methyl-N-(3-hydroxyphenyl) carbama	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8766	Iprovalicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8775	Pirimicarb-desmethyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8782	Ethiofencarb sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Biocides		285																					
8079	Carbendazim	µg/l	0,01	0,03	<	<	<	<	0,01	0,01	<	0,01	<	0,01	<	<	<	<	0,022	0,03			
8169	Diethyltoluamide (DEET)	µg/l	0,02	<	<	0,024	<	<	0,028	0,048	0,059	0,056	0,033	<	0,025	13	<	<	0,025	0,0267	0,0578	0,059	
8209	Dichlorvos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8521	Propoxur	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Carbamate Fungicides		450																					
8514	Propamocarb	µg/l	0,01	<	0,01	<	<	<	0,04	0,02	<	<	<	<	<	13	<	<	<	<	0,032	0,04	
8766	Iprovalicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Benzimidazole Fungicides		470																					
8079	Carbendazim	µg/l	0,01	0,03	<	<	<	<	0,01	0,01	<	0,01	<	0,01	<	13	<	<	<	<	0,022	0,03	
8576	Thiabendazole	µg/l	0,01	<	0,01	<	<	<	<	<	0,01	<	<	0,03	0,29	13	<	<	<	0,0296	0,186	0,29	
8584	Thiophanate-methyl	µg/l	0,02	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,022	0,03	
Conazole Fungicides		480																					
8054	Bitertanol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8243	Diniconazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8486	Penconazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8564	Tebuconazole	µg/l	0,01	<	<	<	<	<	<	0,01	<	<	<	<	<	13	<	<	<	<	<	0,01	
8596	Triadimenol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8781	Tricyclazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Amide Fungicides		490																					
8505	Prochloraz	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V438	Amisulbrom	µg/l	0,03		<		<	<	<	<	<	<	<	<	<	8	<	*	*	<	*	<	
Pyrimidine Fungicides		500																					
8067	Bupirimate	µg/l	0,02		<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
8661	Pyrimethanil	µg/l	0,02		<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
8700	Cyprodinil	µg/l	0,02		<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
Strobilurine Fungicides		510																					
8664	Kresoxim-methyl	µg/l	0,02		<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
8722	Pyraclastrobin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Fungicides		520																			
8084	Carboxin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8145	Cymoxanil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8221	Diethofencarb	µg/l	0,02	<	<	<	<	<	<	0,02	<	<	<	<	<	*	*	<	*	0,02	<
8260	Dodemorph	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	*	*	<	*	<
8261	Dodine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8307	Fenpropimorph	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8314	2-Phenylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	*	*	<	*	<
8487	Pencycuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8507	Procymidone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8590	Tolclofos-methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8595	Triadimefon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8619	Vinclozolin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8657	Dimethomorph	µg/l	0,05	<	<	<	<	<	<	0,05	0,08	<	<	<	<	<	<	<	0,065	0,08	<
8742	fenamidone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8760	Fenhexamid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8761	Famoxadone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8786	Triazoxid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
V439	Fluxapyroxad	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
V440	Isoparazam	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Chlorophenoxy herbicides		230																			
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic acid	µg/l	0,02	<	<	<	0,02	0,04	0,04	0,03	0,02	<	0,03	<	<	<	<	<	0,04	0,04	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8404	Mecoprop (MCPP)	µg/l	0,02	<	<	<	<	0,02	<	0,03	0,03	0,03	0,02	0,02	<	<	0,02	<	0,03	0,03	<
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Phenylurea herbicides		240																			
8097	Chlorbromuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8122	Chlortoluron	µg/l	0,01	<	<	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,014	0,02	
8130	Chloroxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8226	Difenoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8229	Diflubenzuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8258	Diuron	µg/l	0,01	<	<	<	0,01	<	0,02	<	0,02	<	0,01	0,02	<	<	<	<	0,02	0,02	
8382	Isoproturon	µg/l	0,02	0,023	<	0,021	0,025	<	<	<	<	<	<	0,044	13	<	<	<	0,0392	0,044	
8394	Linuron	µg/l	0,02	<	<	<	<	0,022	0,024	<	<	<	<	<	13	<	<	<	0,0232	0,024	
8418	Metabenzthiazuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8436	Metoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8438	Metsulphuron-Methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8446	Monolinuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8447	Monuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8487	Pencycuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8784	Triflururon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
Dinitrophenol herbicides		250																			
8244	2,4-Dinitrophenol	µg/l	0,05		<		<		<		<		<	4	<	*	*	<	*	<	
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,05		<		<		<		<		<	4	<	*	*	<	*	<	
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,05		<		<		<		<		<	4	<	*	*	<	*	<	
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,05		<		<		<		<		<	4	<	*	*	<	*	<	
8617	Vamidothion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Phenoxy Herbicides		550																			
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8401	4-Chloro-2-methylphenoxyacetic acid	µg/l	0,02	<	<	<	0,02	0,04	0,04	0,03	0,02	<	0,03	<	13	<	<	<	<	0,04	0,04
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8404	Mecoprop (MCPP)	µg/l	0,02	<	<	<	<	0,02	<	0,03	0,03	0,03	0,02	0,02	13	<	<	0,02	<	0,03	0,03
Amide Herbicides		560																			
8522	Propyzamide	µg/l	0,02		<	<	<	<	<	0,02	<	<	<	10	<	<	<	<	<	0,02	
8682	Dimethenamid	µg/l	0,01	<	<	<	<	0,03	0,06	0,04	0,01	<	<	13	<	<	<	0,0142	0,052	0,06	
Anilide Herbicides		570																			
8417	Metazachlor	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8710	Florasulam	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Chloroacetanilide Herbicides		580																			
8002	Alachlor	µg/l	0,02		<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8513	Propachlor	µg/l	0,02		<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
(Bis-)Carbamate Herbicides		590																			
8025	Asulam	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8078	Carbetamide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8179	Desmedipham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8300	Phenmedipham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8626	Chlorpropham	µg/l	0,02		<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<	<
Sulfonylurea Herbicides		610																			
8438	Metsulphuron-Methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8702	Nicosulfuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Urea Herbicides		620																			
8122	Chlortoluron	µg/l	0,01	<	<	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,014	0,02	<
8258	Diuron	µg/l	0,01	<	<	<	0,01	<	0,02	<	0,02	<	0,01	0,02	13	<	<	<	<	0,02	0,02
8382	Isoproturon	µg/l	0,02	0,023	<	0,021	0,025	<	<	<	<	<	<	0,044	13	<	<	<	<	0,0392	0,044
8394	Linuron	µg/l	0,02	<	<	<	<	0,022	0,024	<	<	<	<	<	13	<	<	<	<	0,0232	0,024
8418	Metabenzthiazuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Aryloxyphenoxy- Propionic Herbici		630																			
8796	Clodinafop-propargyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8798	Fluopicolide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8799	Fluoxastrobin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Triazin Herbicides 635																					
8026	Atrazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8138	Cyanazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8180	Desmetryn	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8366	Hexazinone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8415	Metamitron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8435	Metolachlor	µg/l	0,05	<	<	<	<	<	<	0,07	<	<	<	<	14	<	<	<	<	<	0,07
8437	Metribuzin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8512	Prometryn	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8517	Propazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8547	Simazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8567	Terbutryne	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8568	Terbutylazine	µg/l	0,05	<	<	<	<	<	<	0,07	<	<	<	<	14	<	<	<	<	<	0,07
Thiocarbamate Herbicides 640																					
8649	Prosulfocarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
Unclassified Herbicides 645																					
8044	Bentazon	µg/l	0,02	<	<	<	<	0,04	0,04	0,03	0,03	<	0,03	<	13	<	<	<	<	0,04	0,04
8117	Chlorthal	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,02	<	<	<	0,027	0,021	<	<	<	<	<	<	13	<	<	<	<	0,0282	0,029
8158	Dalapon (2,2-Dichloropropionic acid)	µg/l	0,01	<	<	<	<	<	<	0,02	0,01	0,01	<	4	<	*	* 0,0112	*	0,02	<	<
8188	Dicamba	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8280	Ethofumesat	µg/l	0,02	<	<	<	<	0,05	0,05	0,04	<	<	<	9	<	*	* 0,0222	*	0,05	<	<
8354	Glyphosate	µg/l	0,05	<	<	<	<	0,1	0,08	0,06	<	<	<	<	13	<	<	<	<	0,092	0,1
8704	Sulcotrione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8707	Clomazone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8716	Mesotrione	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8767	Isoxaflutole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8802	Tepraloxymid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
V137	2-amino-3-chloro-1,4-naphthoquinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Physiological plant growth regulato 950																					
1689	Diphenylamine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8159	Daminozide	µg/l	0,25	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8478	Paclobutrazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Unclassified plant growth regulator 952																				
6062	Clofibrac acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
8436	Metoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8478	Paclobutrazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Anti-sprouting products 960																				
8076	Carbaryl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
Insecticides 290																				
8088	Clofentezin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8769	flonicamid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8774	Clothianidin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Carbamate Insecticides 660																				
8076	Carbaryl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8424	Methiocarb	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
Organophosphorus Insecticides 670																				
8029	Azinphos-methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8185	Diazinon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8209	Dichlorvos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8396	Malathion	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8420	Methamidophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8475	Oxydemeton-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8604	Trichlorfon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8652	Chlorpyrifos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Benzoylurea Insecticides 690																				
8229	Diflubenzuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8784	Triflumuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Biological Insecticides 680																				
8536	Rotenon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Insecticides		710																			
8088	Clofentezin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8368	Hexythiazox	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8425	Methomyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8473	Oxamyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8701	Imidacloprid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8703	Pymetrozine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8726	Thiacloprid	µg/l	0,01	<	<	<	<	<	0,01	<	<	<	<	<	13	<	<	<	<	<	0,01
8757	Tebufenozide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8770	Acetamiprid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8771	Methoxyfenozide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8774	Clothianidin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8788	Thiametoxam	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Unclassified Molluscicides		750																			
8583	Thiodicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Nematicides		860																			
1784	cis-1,3-Dichloropropene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	21	<	<	<	<	<	<
8186	Dibromochloropropane (DBCP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
Pesticide metabolites		954																			
8176	Desethylatrazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8178	Desisopropylatrazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8681	Desethylterbutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Various pesticides and metabolics 300																					
8000	Acephate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8025	Asulam	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8054	Bitertanol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8067	Bupirimate	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8145	Cymoxanil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8159	Daminozide	µg/l	0,25	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8237	Dimethirimol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8260	Dodemorph	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
8279	Ethirimol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8280	Ethofumesat	µg/l	0,02	<	<	<	<	0,05	0,05	0,04	<	<	<	<	9	<	*	*	0,0222	*	0,05
8307	Fenpropimorph	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8336	Phorate	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8348	Furalaxyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8368	Hexythiazox	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8373	Imazalil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8497	Piperonylbutoxid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8522	Propyzamide	µg/l	0,02	<	<	<	<	<	<	0,02	<	<	<	<	10	<	<	<	<	<	0,02
8536	Rotenon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8545	Sethoxydim	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8576	Thiabendazole	µg/l	0,01	<	0,01	<	<	<	<	0,01	<	<	0,03	0,29	13	<	<	<	0,0296	0,186	0,29
8582	Thiocyclam hydrogenoxalate	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8584	Thiophanate-methyl	µg/l	0,02	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,022	0,03
8613	Triforine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8657	Dimethomorph	µg/l	0,05	<	<	<	<	<	<	0,05	0,08	<	<	<	14	<	<	<	<	0,065	0,08
8658	DMST	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8661	Pyrimethanil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8682	Dimethenamid	µg/l	0,01	<	<	<	<	0,03	0,06	0,04	0,01	<	<	<	13	<	<	<	0,0142	0,052	0,06
8700	Cyprodinil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8701	Imidacloprid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8707	Clomazone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8710	Florasulam	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8751	Phorate-sulfoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8752	Phorate-sulphone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
8757	Tebufenozide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8760	Fenhexamid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8761	Famoxadone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8767	Isoxaflutole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8771	Methoxyfenozide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8786	Triazoxid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8788	Thiametoxam	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8794	benzyl(purin-6-yl)amine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8796	Clodinafop-propargyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8797	Flumioxazin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8798	Fluopicolide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8799	Fluoxastrobin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8802	Tepraloxydim	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
V102	Carphentrazon-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
Ethers		302																					
1428	Di-iso-propylether	µg/l	0,03	0,995	0,795	0,52	0,285	0,105	0,0475	<	<	0,187	0,05	0,08	0,205	26	<	<	0,105	0,274	0,841	1,1	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,05	<	<	0,0583	<	0,0625	0,165	0,69	0,297	0,0825	0,07	<	<	24	<	<	0,06	0,116	0,32	0,69	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	24	<	<	<	<	<	0,04	
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	24	<	<	<	<	<	<	
Fuel additives		303																					
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,05	<	<	0,0583	<	0,0625	0,165	0,69	0,297	0,0825	0,07	<	<	24	<	<	0,06	0,116	0,32	0,69	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	24	<	<	<	<	<	0,04	
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	24	<	<	<	<	<	<	
Various organic substances		305																					
1077	Cyclohexane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1764	Tributylphosphate	µg/l	0,05	0,09	0,12	0,09	0,08	0,11	0,09	0,06	<	<	0,08	0,07	0,295	14	<	<	0,085	0,109	0,295	0,34	
1765	Triethylphosphate (TEP)	µg/l	0,05	<	<	0,0625	<	0,07	0,1	0,12	0,15	<	0,31	0,11	<	13	<	<	0,07	0,0854	0,246	0,31	
6327	Amcinonide	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<	



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial solvents 431																					
1027	Bromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1040	1,2-Dichloroethane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1044	Dichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1049	Hexachlorobutadiene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1056	Tetrachloroethene	µg/l	0,03	<	0,0325	<	0,03	<	<	<	<	<	<	<	26	<	<	<	<	0,04	0,05
1057	Tetrachloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	23	<	<	<	<	<	<
1063	Trichloroethene	µg/l	0,03	<	<	<	<	<	<	<	0,0325	<	<	<	26	<	<	<	<	<	0,05
1064	Trichloromethane	µg/l	0,03	0,0375	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	0,06
1070	1,2,3-Trichloropropane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1828	cis-1,2-Dichloroethene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	0,033	0,04
1829	trans-1,2-Dichloroethene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1955	1,1,2,2-Tetrachloroethane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
8205	1,2-Dichloropropane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
industrial chemicals (with arom. nit 434)																					
2322	Pyrazole	µg/l							4,54	1,62	0,908	0,586	0,167	52	0,14	0,16	0,885	1,41	3,84	6,5	
Industrial chemicals (with volatile h 437)																					
1050	Hexachloroethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1061	1,1,1-Trichloroethane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
8206	1,3-Dichloropropane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
Industrial chemicals (with haloacid 438)																					
1792	Tetrachloro-orthophthalic acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1970	Monochloroacetic acid	µg/l	0,5											3	*	*	*	*	*	*	*
1971	Dichloroacetic acid	µg/l								0,06	0,04	0,04	0,04	4	0,04	*	*	0,045	*	0,06	
1972	Monobromoacetic acid	µg/l	0,06											4	<	*	*	<	*	<	
8553	Trichloroacetic acid (TCA)	µg/l								0,2	0,2	0,16	0,13	4	0,13	*	*	0,173	*	0,2	
8679	2,6-Dichlorobenzoic acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Industrial chemicals (with PCBs) 440																					
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PC)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PC)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Disinfection byproducts (with halog 446																				
1028	Bromodichloromethane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1033	Dibromochloromethane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1058	Tribromomethane	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1973	Dibromoacetic acid	µg/l	0,06							<	<	<	<	4	<	*	*	<	*	<
1975	Bromochloroacetic acid	µg/l	0,02							<	<	<	<	4	<	*	*	<	*	<
Antibiotics 310																				
8315	6-Chloro-4-hydroxy-3-phenyl-pyridazi	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Analgesic and anti-inflammatory dr 350																				
6068	Diclofenac	µg/l	0,02	0,04	0,03	0,03	<	<	<	<	<			9	<	*	*	<	*	0,04
6071	Ibuprofen	µg/l	0,02	0,02	0,04	0,05	<	<	<	<	<			9	<	*	*	0,0233	*	0,06
6334	Triamcinolonehexacetonide	µg/l	0,075			0,82	<		<			<		4	<	*	*	0,233	*	0,82
Antidepressiva en verdoevende mid 355																				
6298	Phenobarbital	µg/l	0,006		<		0,012		0,017			0,016		4	<	*	*	0,012	*	0,017
6302	Barbital	µg/l	0,004		<		<		<			<		4	<	*	*	<	*	<
6304	Secobarbital	µg/l	0,004		<		<		<			<		4	<	*	*	<	*	<
6305	Pentobarbital	µg/l	0,002		<		<		<			0,002		4	<	*	*	<	*	0,002
6306	Thiopental	µg/l	0,006		<		<		<			<		4	<	*	*	<	*	<
6307	Butalbital	µg/l	0,004		<		<		<			<		4	<	*	*	<	*	<
Lipid-lowering drugs 360																				
6062	Clofibrac acid	µg/l	0,02	<	<	<	<	<	<	<	<			9	<	*	*	<	*	<
Various pharmaceuticals 370																				
6313	Flunisolide	µg/l	0,015		<		<		<			<		4	<	*	*	<	*	<
6318	Desoximetasone	µg/l	0,003		<		<		<			<		4	<	*	*	<	*	<
6320	Fluorometholonr	µg/l	0,015		<		<		<			<		4	<	*	*	<	*	<
6323	Dexamethasone	µg/l	0,015		<		<		<			<		4	<	*	*	<	*	<
8800	Pinoxaden	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Heusden (M845)

1-1-2015 up to 31-12-2015

sample point code HEU

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Endocrin disrupting compounds (400																						
2078	Progesterone	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6269	Norethisterone	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6314	Triamcinolone	µg/l	0,006	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6322	Rimexolone	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6325	Prednisolone	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6330	Aldosterone	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6331	Prednisone	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6332	Cortisone	µg/l	0,006	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6334	Triamcinolonehexacetonide	µg/l	0,075		0,82	<	<	<	<	<	<	<	<	4	<	*	*	0,233	*	0,82		
6340	Prednicarbate	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6341	Triamcinoloneacetonide	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6344	Methylprednisolone	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6703	Activity with respect to 17-beta-estra	ng/l		0,11	0,168	0,234	0,38	0,17	0,51	0,47	0,072	0,11	0,21	0,43	0,38	13	0,072	0,0832	0,21	0,267	0,494	0,51
V100	GR-Calux act. Against Dexamethaso	ng/l	3	<	5,7	<	<	<	<	<	<	<	<	13	<	<	<	<	<	5,1	5,7	
V412	Androsteendion	ng/l	3	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
V413	Budesonide	ng/l	3	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
V414	Clobetasolpropionaat	ng/l	15	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
V415	Cyproteronacetaat	ng/l	15	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
V416	d(-)-Norgestrel	ng/l	3	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*		
V417	Dihydrotestosteron	ng/l	15	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
V419	Phluticasonpropionate	ng/l	15	<	<	35	<	<	<	<	<	<	<	4	<	*	*	<	*	35		
V420	Gestodene	ng/l	15	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
V421	Medroxyprogesteron	ng/l	3	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
V422	Testosterone	ng/l	3	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
Artificial sweeteners 410																						
2297	Sucralose	µg/l			0,28		1,1		2,1			1,7		4	0,28	*	*	1,3	*	2,1		
2298	Sacharine	µg/l			0,12		0,19		0,079			0,094		4	0,079	*	*	0,121	*	0,19		
2299	Cyclamate	µg/l			0,11		0,069		0,082			0,054		4	0,054	*	*	0,0788	*	0,11		
2300	Acesulfame	µg/l			0,68		1,5		0,91			0,76		4	0,68	*	*	0,963	*	1,5		

