

Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds		010																				
0112	Water discharge	m3/s	496	470	873	565	222	205	142	122	95,6	200	254	435	366	24	97	256	340	734	1230	
0120	Water temperature	°C	7,43	7,2	8,5	11,4	17,9	20,5	20,7	20,2	17,4	13,4	10,3	5,84	52	4,3	6,46	12,4	13,4	20,7	22,5	
0122	Oxygen	mg/l	11,9	12,2	11,1	10,6	9	8,1	7,84	7,43	8,4	9,33	10,3	11,5	52	7,2	7,6	9,95	9,78	12,1	12,6	
0123	Oxygen saturation	%	96,8	100	93,2	93,2	83,9	74,9	72,3	68,7	78,2	84,7	89,1	91,9	51	66,6	70,1	86,6	85,3	98,9	103	
0126	Turbidity	FTE	9,3	11	20,5	8,54	2,9	2,98	2,59	2,28	1,65	2,65	3,48	14	52	1,3	1,77	3,45	6,72	19,3	36	
0128	Suspended matter	mg/l	2,8	41	9,1	4,9	3,1	5,7	8,2	2,9	9,2	4	3,8	15	13	2,8	2,84	5,1	8,88	30,6	41	
0130	Secchi depth	m	1	0,6	0,9	1,3	1	1,8	1,7	3	3,2	2,2	1,9	13	0,6	0,72	1,6	1,64	3,12	3,2		
0170	Odour (dilution factor)	-	6	6	8	7	4	4	5	6	8	6	5	13	4	4	6	5,85	8	8		
0180	pH	pH	8,02	7,96	7,86	7,95	7,97	7,78	7,84	7,81	7,8	7,96	7,88	7,92	48	7,63	7,72	7,91	7,89	8,04	8,2	
0200	Conductivity (at 20 °C)	mS/m	40	39,7	35,6	37,7	45,4	48,5	49,9	48,9	52,9	50,3	45,8	40,7	53	31,2	35,3	46,2	44,6	52,7	54,3	
0206	Residue on ignition, 600 °C	mg/l	9,8	23	6,1	8,2	3	2,4	5	1,6	4,2	3,1	3,1	7	12	1,6	1,84	4,6	6,38	19	23	
0206P	% Residue on ignition, 600 °C	% DS	81	85	66	82	67	69	31	44	52	87	78	80	12	31	34,9	73,5	68,5	86,4	87	
0250	Total hardness	mmol/l	1,66	1,54	1,6	1,72	1,91	2,08	1,92	1,81	1,92	1,78	1,85	12	1,54	1,56	1,83	1,81	2,04	2,08		
0250R	Total hardness, (mg/l CaCO3)	mg/l	166	154	158	171	192	210	188	182	189	176	185	13	154	155	181	178	204	210		
Radio activity		020																				
0160	beta Radioactivity, total	Bq/l	0,13	0,26	0,12	0,12	0,11	0,18	0,195	0,18	0,21	0,2	0,21	0,17	13	0,11	0,114	0,18	0,175	0,244	0,26	
0161	alpha Radioactivity, total	Bq/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0162	Residual beta radioactivity (without K	Bq/l	0,01	0,16	0,01	0,01		0,01	0,01		0,02	0,06	0,06	9	0,01	*	*	0,0389	*	0,16		
0164	Tritium (H-3)	Bq/l	3	4	<	7	<	<	6	6	9	11	13	9	<	<	<	6	5,92	12,2	13	



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Inorganic compounds		030																				
0220	Carbon dioxide	mg/l	3,6	4,1	3,4	8,1	3,7	6,7	4,35	4,4	4,7	4	4,3	4,9	13	3,2	3,28	4,3	4,66	7,54	8,1	
0222	Bicarbonate	mg/l	153	133	141	151	173	182	173	159	169	167	165	158	13	133	136	165	161	179	182	
0224	Carbonate	mg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0230	Chloride	mg/l	29,4	27,1	23,3	24	31,6	40,6	43,9	46,4	51,7	49	40,7	36,7	27	19,7	23,2	36,8	37	51,4	54,1	
0230L	Chloride (load)	kg/s	11,9	11,2	18,8	12,3	7,25	8,56	5,5	4,71	6,64	12,6	8,16	15	27	3,77	4,52	7,91	10,3	21,9	25,3	
0232	Sulfate	mg/l	37	31	33	36	40	57	56,5	57	63	54	47	37	13	31	31,8	47	46,5	60,6	63	
0288	Silicate	mg/l	4,1	3,5	3,6	3,2	2,2	2,6	3	3,2	3,3	3,5	4	3,7	13	2,2	2,36	3,3	3,3	4,06	4,1	
0381	Bromide	µg/l	20	43,3	62,5	52	50,5	84	122	106	99,5	86,5	103	94,5	26	<	40,3	83	79,9	117	134	
0382	Fluoride	mg/l	0,17	0,13	0,17	0,17	0,22	0,29	0,275	0,3	0,33	0,21	0,08	0,15	13	0,08	0,1	0,21	0,213	0,318	0,33	
0386	Cyanide, total	µg/l	0,5	0,8	0,6	0,6	<	<	<	<	<	<	0,8	0,7	13	<	<	<	<	0,8	0,8	
0394	Bromate	µg/l	0,1	<	<	<	<	<	<	<	<	<	0,4	13	<	<	<	<	<	0,26	0,4	
0396	Chlorate	µg/l	40	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
0398	Chlorite	µg/l	40	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
Nutrients		040																				
0271	Ammonium (NH4)	mg/l	0,234	0,164	0,0966	0,0901	0,106	0,122	0,121	0,116	0,0953	0,0998	0,132	0,142	53	0,0258	0,0773	0,116	0,128	0,18	0,322	
0274	Kjeldahl Nitrogen	mg/l	0,9	0,7	0,65	0,55	0,5	0,6	0,6	0,6	0,5	0,55	0,6	0,9	21	0,4	0,5	0,6	0,61	0,86	0,9	
0276	Organic Nitrogen	mg/l	0,7	0,7	0,5	0,5	0,4	0,5	0,55	0,4	0,4	0,4	0,5	0,8	13	0,4	0,4	0,5	0,531	0,76	0,8	
0281	Nitrite-NO2	mg/l	0,194	0,105	0,102	0,107	0,0985	0,172	0,118	0,102	0,0805	0,102	0,164	0,145	21	0,0755	0,0828	0,105	0,119	0,185	0,194	
0283	Nitrate-NO3	mg/l	14,2	12	11,5	13,3	15,5	16,2	13,1	12,2	14,4	13,9	15,1	14,6	21	11,1	11,2	14,2	13,8	15,8	16,4	
0284D	Orthophosphate (PO4)	mg/l	0,276	0,184	0,276	0,199	0,307	0,399	0,419	0,429	0,399	0,353	0,368	0,245	21	0,184	0,19	0,368	0,336	0,429	0,552	
0286D	Total phosphate (PO4)	mg/l	0,552	0,613	0,521	0,475	0,491	0,583	0,583	0,598	0,567	0,567	0,521	1,1	21	0,429	0,466	0,552	0,578	0,668	1,1	
Group compounds		070																				
0401	Total organic carbon (TOC)	mg/l	3,2	3,2	3,5	3,5	2,8	3,3	3,7	3,7	3,6	3,7	3,6	3,5	13	2,8	2,96	3,5	3,46	3,94	4,1	
0403	Dissolved organic carbon (DOC)	mg/l	4,6	6,3	3,8	4,4	6,4	4,2	4,2	5,8	4,8	3,5	3,5	3,5	13	3,5	3,5	4,4	4,55	6,36	6,4	
0404	Chemical oxygen demand (COD)	mg/l						16	18,5	17	15	14	16	14	8	14	*	*	16,1	*	20	
0405	Chemical oxygen demand (COD, 0.4	mg/l	10	9	20	10	7	10	10	18	14	10	15	12	13	7	7,4	10	11,9	19,2	20	
0406	Biochemical oxygen demand (BOD5	mg/l	2	1	2	1	1	1	1	1	1	1	2	1	13	1	1	1	1,23	2	2	
0410	UV absorbance, 254 nm	1/m	11,2	11,6	12	11	8,3	10	12	11,1	10,3	10,8	10,3	10,4	13	8,3	8,98	11	10,8	12,5	12,9	
0412	Colour (Pt/Co scale)	mg/l	16	19	18	15	10	13	14	13	12	15	14	24	13	10	10,8	14	15,1	22	24	
0430	Adsorbable organohalogen compou	µg/l	14	18	18	9	14	13	12	16	10	10	10	14	13	9	9,4	14	13,2	18	18	
0430N	AOX, 0.45 µm filtrate [Cl]	µg/l	1	<	10	10	12	6	18	11	11	19	8	7	15	13	<	2,7	10	10,7	18,6	
0432	Extractable organohalogen compound	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0434	Purgeable organohalogen compound	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0466	Cholinesterase inhibitors	µg/l	0,1	<	0,1	7,2	0,3	1	<	<	<	<	<	<	13	<	<	<	0,696	4,72	7,2	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code	KEI
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Summend compounds		080																					
0451	Trihalomethanes, total	µg/l	0,02	<	<	<	<	<	0,0567	<	<	<	<	<	0,0533	26	<	<	<	0,0208	0,064	0,14	
2022	Tetra- and Trichloroethene (sum)	µg/l	0,08	<	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*	
V223	C10-13-Chloroalcanes	µg/l	0,1	<	<	0,1	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,1	
Biological compounds		090																					
0618	Coliform bacteria, total (37 °C)	n/ml		8,6	29	9,9	15	0,55	0,3	70,1	2	0,4	0,3	1,9	4	13	0,1	0,18	2	16,3	95,6	140	
0627	Coliform bacteria, thermotolerant (44	n/ml		2,2	5	5,2	7,5	0,08	0,18	4,62	0,46	0,08	0,08	0,24	0,8	13	0,04	0,056	0,46	2,39	8,52	9,2	
0628	Escherichia coli	n/ml		3,4	16	7,5	16	0,1	0,18	3,86	0,7	0,09	0,21	0,23	4,6	13	0,09	0,094	0,7	4,36	16	16	
0631		n/ml	0,02	0,62	2,5	0,92	0,48	<	0,04	0,505	<	0,04	0,08	0,08	0,4	13	<	<	0,08	0,476	1,9	2,5	
0657	Enterococci	n/ml		1,2	3,3	0,7	1	0,02	0,05	0,705	0,04	0,01	0,06	0,09	1,1	13	0,01	0,01	0,09	0,691	2,54	3,3	
0663	Clostridium perfringens	n/ml		3,7	6,3	2,4	3,3	0,8	0,43	0,435	0,22	0,1	0,26	0,54	12	0,1	0,109	0,64	1,58	5,52	6,3		
Hydrobiological compounds		095																					
7100	Chlorophyll-a	µg/l	2	<	<	2,5	4	3	<	<	<	<	<	<	<	27	<	<	<	<	4	4	
7110	Phaeophytine	µg/l	2	<	<	4,5	<	2,5	<	<	<	<	<	<	3,67	27	<	<	<	<	4	9	



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Metals		050																				
0240	Sodium	mg/l	20	15	18	17	20	32	32,5	34	39	34	28	22	13	15	15,8	28	26,5	37,4	39	
0242	Potassium	mg/l	4,5	3,7	4	4	3,9	6	6,85	6,5	7,4	6,5	5,6	4,2	13	3,7	3,78	5,6	5,38	7,46	7,5	
0244	Calcium	mg/l	56,1	52,2	54,3	58,5	64,5	69,1	63,8	59,2	63	58,7	61,8	59,4	14	52,2	53,3	60,6	60,6	66,8	69,1	
0246	Magnesium	mg/l	6,3	5,7	6	6,3	7,3	8,6	7,9	8,1	8,4	7,7	7,4	6	13	5,7	5,82	7,4	7,2	8,52	8,6	
0300	Iron	mg/l	0,72	1,7	0,67	0,83	0,23	0,2	0,225	0,19	0,19	0,23	0,32	2,6	13	0,14	0,16	0,31	0,641	2,24	2,6	
0304	Manganese	mg/l	0,058	0,08	0,048	0,063	0,084	0,046	0,0445	0,048	0,043	0,036	0,041	0,19	13	0,033	0,0342	0,048	0,0635	0,148	0,19	
0312	Antimony	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0314	Arsenic	µg/l	1	1	1	<	1	<	1	1	2	1	1	1	13	<	<	1	1,15	2,6	3	
0316	Barium	µg/l	24	24	23	25	24	29	29,5	27	28	25	24	32	13	23	23,4	25	26,5	31,6	32	
0318	Beryllium	µg/l	0,04	<	0,04	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,04	
0324	Cadmium	µg/l	0,18	0,21	0,07	0,17	0,09	0,07	0,115	0,06	0,12	0,13	0,11	0,48	13	0,06	0,064	0,12	0,148	0,372	0,48	
0326	Chromium	µg/l	1	2	5	2	2	<	<	1	1	1	<	<	8	13	<	<	1	1,92	6,8	8
0328	Cobalt	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0330	Copper	µg/l	3	4	2	3	2	2	3	3	3	2	2	7	13	2	2	3	3	5,8	7	
0332	Mercury	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0334	Lead	µg/l	1	2	5	2	2	<	<	<	<	1	1	2	13	<	<	1	2,27	9,2	12	
0338	Molybdenum	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0340	Nickel	µg/l	4	5	3	3	3	3	3	5	3	3	4	5	13	3	3	3	3,62	5	5	
0342	Selenium	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0343	Strontium	µg/l	150	140	140	150	180	200	200	180	190	170	180	170	13	140	140	180	173	200	200	
0344	Thallium	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0345	Tellurium	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0346	Tin	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0348	Titanium	µg/l	5	8	12	8	9	<	<	<	<	<	<	12	13	<	<	<	5,31	12	12	
0350	Vanadium	µg/l	1,5	1,8	1,4	1,3	1	1,4	1,5	1,6	1,5	1,2	1,3	1,6	13	1	1,08	1,4	1,43	1,72	1,8	
0352	Silver	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0354	Zinc	µg/l	5	17	28	14	<	10	8	9,5	9	9	11	12	61	13	<	<	11	15,4	47,8	61
0375	Uranium	µg/l	0,02	0,33	0,29	0,3	0,34	0,45	0,45	0,22	0,41	0,44	0,41	0,36	13	<	0,122	0,36	0,348	0,45	0,45	



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Metals, after filtration		055																				
0245	Calcium, 0.45 µm filtrate	mg/l	56,7	58	51	58,8	65,3	66,8	63,8	60,3	63,6	60,3	59,5	57,4	46	48	53,4	61,5	60,8	66,3	69	
0248	Magnesium, 0.45 µm filtrate	mg/l	6,5	7,8	5,7	6,6	7,1	8	8,1	8,25	8,62	7,83	7,65	6,74	46	5,3	6,2	7,65	7,51	8,6	10	
0302	Iron, 0.45 µm filtrate	mg/l	0,005	0,052	0,032	0,047	0,053	<	0,012	0,0115	0,009	0,007	0,22	0,03	13	<	<	0,03	0,0475	0,184	0,22	
0308	Iron, 0.45 µm filtrate	µg/l	5	52	32	47	53	<	12	11,5	9	7	220	30	13	<	<	30	47,5	184	220	
0311	Aluminium, 0.45 µm filtrate	µg/l	10	18	15	17	22	<	<	<	<	<	14	34	13	<	<	<	11,9	29,2	34	
0325	Cadmium, 0.45 µm filtrate	µg/l	0,05	<	<	0,05	0,09	0,07	0,05	0,11	0,07	0,11	0,12	0,08	13	<	<	0,07	0,0719	0,126	0,13	
0331	Copper, 0.45 µm filtrate	µg/l	1	2	1	<	6	2	2	2	2	2	2	2	13	<	<	2	2,12	4,4	6	
0333	Mercury, 0.45 µm filtrate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0335	Lead, 0.45 µm filtrate	µg/l	1	<	7	<	<	<	<	<	<	<	<	<	13	<	<	<	<	4,4	7	
0341	Nickel, 0.45 µm filtrate	µg/l		2	2	2	3	3	3	3	3	3	3	2	13	2	2	3	2,77	3,6	4	
0355	Zinc, 0.45 µm filtrate	µg/l	5	6	5	5	17	<	7	<	6	7	6	8	13	<	<	6	6,54	13,4	17	
Complex buiders		060																				
0420	Anionic detergents	mg/l	0,04			<			<		<				4	<	*	*	<	*	<	
0425	Non-ionic + cationic detergents	mg/l	0,1			<			0,55		0,29			0,22	4	<	*	*	0,277	*	0,55	
1793	Nitritotriacetic acid (NTA)	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1794	Ethylenediaminetetraacetic acid (ED	µg/l	5	20,1	11,9	8,6	12,5	<	8,9	10,7	12,6	11,3	8,2	16,3	13	<	<	11,4	11,2	18,6	20,1	
1794L	Ethylenediaminetetraacetic acid (ED	g/s		10,1	7,4	4,32	7,19	0,64	2,21	1,46	1,46	1,3	0,705	3,13	13	0,64	0,666	2,21	3,84	9,44	10,1	
2003	Diethylenetriaminepentaacetic acid (µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Mono cyclic aromatic hydrocarb 170																					
1074	Benzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,02	0,03	
1075	Butylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1080	1,2-Dimethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1088	Ethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1089	Ethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1098	Methylbenzene	µg/l	0,02	<	0,04	<	0,055	<	<	<	0,03	<	<	0,03	<	<	<	0,0208	0,05	0,09	
1106	Propylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1112	Chlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1115	2-Chloromethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1119	1,2-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1120	1,3-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1121	1,4-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1127	Pentachlorobenzene	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1131	1,2,3-Trichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1132	1,2,4-Trichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1797	Isopropylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1832	1,3,5-Trimethylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1951	1,2,4-Trimethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1959	4-Chloromethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1960	1-Methyl-4-isopropylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1998	t-Butylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2014	Bromobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2018	Isobutylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,02	<	<	0,025	<	<	0,0267	<	<	<	<	<	<	<	<	<	0,03	0,04	
2064	s-Butylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Poly cyclic aromatic hydrocarbo 180																					
1161	Acenaphthene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1162	Acenaphthylene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1163	Anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1165	Benzo(a)anthracene	µg/l	0,01	<	0,02	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,02	0,02	<
1166	Benzo(b)fluoranthene	µg/l		0,01	0,023	0,008	0,01	0,003	0,003	0,003	0,003	0,002	0,002	0,002	13	0,002	0,002	0,003	0,00631	0,0178	0,023
1167	Benzo(k)fluoranthene	µg/l	0,001	0,003	0,007	0,002	0,003	0,001	<	<	<	<	0,001	0,003	13	<	<	0,001	0,00181	0,0054	0,007
1168	Benzo(ghi)perylene	µg/l		0,0059	0,0111	0,0047	0,0053	0,0026	0,0018	0,0021	0,0012	0,0011	0,0012	0,0017	13	0,0011	0,00114	0,0026	0,00359	0,00902	0,0111
1169	Benzo(a)pyrene	µg/l	0,01	<	0,03	<	<	<	<	0,01	<	<	<	0,03	13	<	<	<	<	0,03	0,03
1172	Chrysene	µg/l	0,01	<	0,02	<	<	<	<	0,02	<	<	<	0,02	13	<	<	<	<	0,02	0,02
1173	Dibenzo(a,h)anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1180	Phenanthrene	µg/l	0,01	<	0,02	0,01	<	<	<	0,02	<	<	<	0,02	13	<	<	<	<	0,02	0,02
1181	Fluoranthene	µg/l	0,01	0,02	0,06	0,02	0,01	0,01	0,025	0,04	<	<	<	0,05	13	<	<	0,02	0,0215	0,056	0,06
1182	Fluorene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1183	Indeno(1,2,3-cd)pyrene	µg/l		0,0063	0,0135	0,0048	0,0072	0,0025	0,0018	0,0021	0,0012	0,0009	0,0012	0,0016	13	0,0009	0,00098	0,0025	0,00398	0,011	0,0135
1188	Pyrene	µg/l	0,01	0,01	0,04	0,02	0,01	<	<	0,03	<	<	<	0,05	13	<	<	0,01	0,0154	0,046	0,05
8450	Naphthalene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	53	<	<	<	<	<	<



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Organochlorine pesticides		200																		
8006 Aldrin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8117 Chlorthal	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*
8162 o,p-DDD	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*
8163 p,p-DDD	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8164 o,p-DDE	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*
8165 p,p-DDE	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8166 o,p-DDT	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8167 p,p-DDT	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8189 Dichlobenil	µg/l	0,01	<	<	<	<	0,02	0,015	0,01	0,01	<	<	<	<	13	<	<	<	0,02	0,02
8217 Dieldrin	µg/l	0,01	<	<	<	<	<	0,01	0,01	0,01	<	<	<	<	13	<	<	<	0,01	0,01
8263 alpha-Endosulfan	µg/l	0,0005	<	<	0,0008	<	<	<	<	<	<	<	<	<	13	<	<	<	0,00058	0,0008
8264 beta-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<
8268 Endrin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8358 Heptachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8359 Heptachloroepoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8361 Hexachlorobenzene (HCB)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8362 alpha-Hexachlorocyclohexane (alpha)	µg/l	0,0001	<	0,0001	<	<	<	0,00015	<	<	0,0002	<	<	<	13	<	<	<	0,0002	0,0002
8363 beta-Hexachlorocyclohexane (beta)	µg/l	0,0001	<	<	<	<	<	0,0002	0,0002	0,0002	0,0002	0,0001	<	<	13	<	<	<	0,000112	0,0002
8379 Isodrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8393 Lindane (gamma-HCH)	µg/l		0,0008	0,0006	0,0006	0,0004	0,0009	0,0013	0,00095	0,0007	0,0005	0,0006	0,0005	0,0003	13	0,0003	0,00034	0,0006	0,0007	0,00118
8629 delta-Hexachlorocyclohexane (delta)	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8631 trans-Heptachloroepoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organophosphorus and -sulphur p 210																					
8028	Azinphos-ethyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8029	Azinphos-methyl	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8044	Bentazon	µg/l	0,02	<	<	<	<	<	0,06	0,07	0,04	0,02	<	<	13	<	<	<	0,0262	0,07	0,07
8108	Chlorfenvinphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8188	Dicamba	µg/l	0,02	<	<	0,06	<	<	<	<	<	<	<	<	13	<	<	<	<	0,044	0,06
8238	Dimethoate	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8255	Disulfoton	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8343	Phosphamidon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8352	Glufosinate-ammonium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	19	<	<	<	<	<	<
8354	Glyphosate	µg/l	0,03	<	<	0,1	0,065	0,17	0,145	0,107	0,07	0,0775	0,112	0,085	26	<	<	0,08	0,0846	0,166	0,21
8354L	Glyphosate (load)	g/s	0,0105	0,00657	0,108	0,0303	0,0449	0,0299	0,0129	0,0179	0,00906	0,0421	0,0176	0,0326	31	0,00129	0,00406	0,0173	0,028	0,0555	0,196
8360	Heptenophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8396	Malathion	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8439	Mevinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8479	Paraoxon-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8482	Parathion-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8483	Parathion-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8526	Pyrazophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8572	Tetrachlorvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8590	Tolclofos-methyl	µg/l	0,01	<	<	0,02	<	<	<	<	<	<	<	<	13	<	<	<	<	0,014	0,02
8600	Triazophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8604	Trichlorfon	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	<	<
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,337	0,355	0,25	0,325	0,75	1,2	1,37	1,65	1,9	1,5	1,06	0,595	26	0,23	0,277	0,865	0,933	1,86	2
8632L	Aminomethylphosphonic acid (AMP)	g/s	0,138	0,146	0,208	0,151	0,169	0,253	0,173	0,261	0,198	0,407	0,257	0,268	31	0,102	0,105	0,172	0,213	0,351	0,711
8643	trans-Chlorfenvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8646	cis-Phosphamidon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8647	trans-Phosphamidon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8680	Edifenphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8702	Nicosulfuron	µg/l	0,02	0,06	0,03	<	<	<	0,68	<	<				8	<	*	*	0,102	*	0,68	
8704	Sulcotrione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8705	Amidosulfuron	µg/l	0,25	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8706	Azimsulfuron	µg/l	0,03		<		<				<				3	*	*	*	*	*	*	
8709	Ethoxysulfuron	µg/l	0,03		<		<				<				3	*	*	*	*	*	*	
8711	Foramsulfuron	µg/l	0,03		<		<		<		<				4	<	*	*	<	*	<	
8712	Fosthiazate	µg/l	0,03		<		<		<		<				4	<	*	*	<	*	<	
8714	Iodosulfuron-methyl-sodium	µg/l	0,03		<		<		<		<				4	<	*	*	<	*	<	
8716	Mesotrione	µg/l	0,03		<		<		<		<				4	<	*	*	<	*	<	
8718	Oxasulfuron	µg/l	0,03		<		<		<		<				4	<	*	*	<	*	<	
8719	Prosulfuron	µg/l	0,03		<		<		<		<				3	*	*	*	*	*	*	
8723	Rimsulfuron	µg/l	0,03		<		<		<		<				4	<	*	*	<	*	<	
8725	Sulfosulfuron	µg/l	0,03		<		<		<		<				4	<	*	*	<	*	<	
8726	Thiacloprid	µg/l	0,03		<		<		<		<				4	<	*	*	<	*	<	
8727	Triflusulfuron-methyl	µg/l	0,05		<		<		<		<				4	<	*	*	<	*	<	
8746	Buprofezine	µg/l	0,08	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V132	Demeton-S	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Organonitrogen pesticides		220																				
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8127	Chloridazon	µg/l	0,01	<	<	<	<	0,09	0,09	0,03	<	<	<	<	13	<	<	<	0,0219	0,09	0,09	
8392	Lenacil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Carbamate herbicides		260																			
8003	Aldicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8004	Aldicarb-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8005	Aldicarb-sulfoxide	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8068	Butocarboxim	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8069	Butoxycarboxim	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8076	Carbaryl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8078	Carbetamide	µg/l	0,01	<	<	<	<	0,01	0,01	<	<	<	<	<	<	<	<	<	0,01	0,01	<
8082	Carbofuran	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8084	Carboxin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8179	Desmedipham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8221	Diethofencarb	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8277	Ethiofencarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8300	Phenmedipham	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8304	Fenoxycarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8424	Methiocarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	0,07	13	<	<	<	<	0,044	0,07	<
8425	Methomyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8473	Oxamyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8634	Butocarboxim-sulfoxide	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8635	Ethiofencarb-sulfoxide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8636	Methiocarb-sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8637	Thiofanox-sulfoxide	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8638	Thiofanox-sulfon	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8639	3-Hydroxycarbofuran	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8649	Prosulfocarb	µg/l	0,02	<	<	<	<	<	0,03	<	<	<	<	13	<	<	<	<	0,022	0,03	<
8722	Pyraclostrobin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8753	Methiocarb Sulphoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8763	Methyl-N-(3-hydroxyphenyl) carbama	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8782	Ethiofencarb sulfon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Biocides		285																				
2077	Tributyltin	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8079	Carbendazim	µg/l	0,01	<	0,01	<	0,01	0,01	0,03	0,04	0,02	0,02		0,02	0,28	12	<	<	0,02	0,0392	0,208	0,28
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8169	Diethyltoluamide (DEET)	µg/l	0,02	<	<	<	<	<	0,02	0,03	0,05	0,045	<	<	13	<	<	<	0,0208	0,05	0,05	
8209	Dichlorvos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8521	Propoxur	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Benzimidazole Fungicides		470																				
8079	Carbendazim	µg/l	0,01	<	0,01	<	0,01	0,01	0,03	0,04	0,02	0,02		0,02	0,28	12	<	<	0,02	0,0392	0,208	0,28
8576	Thiabendazole	µg/l	0,01	<	0,02	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,014	0,02	
Conazole Fungicides		480																				
8054	Bitertanol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8288	Etridiazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8486	Penconazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8564	Tebuconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8596	Triadimenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8659	Epoxiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Amide Fungicides		490																				
8412	Metalaxyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8660	Flutolanil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Pyrimidine Fungicides		500																				
8067	Bupirimate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8661	Pyrimethanil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Strobilurine Fungicides		510																				
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8722	Pyraclostrobin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Fungicides		520																			
8084	Carboxin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8145	Cymoxanil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8221	Diethofencarb	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8260	Dodemorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8307	Fenpropimorph	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8487	Pencycuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8507	Procymidone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8590	Tolclofos-methyl	µg/l	0,01	<	<	0,02	<	<	<	<	<	<	<	<	<	<	<	<	0,014	0,02	<
8595	Triadimefon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8657	Dimethomorph	µg/l	0,05	<	<	<	<	<	0,06	<	<	<	<	<	<	<	<	<	<	<	0,06
Chlorophenoxy herbicides		230																			
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,02	<	<	0,19	<	0,05	<	<	<	<	<	<	<	<	<	0,0277	0,134	0,19	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	0,18	<	<	0,1	<	<	<	<	<	<	<	<	<	0,148	0,18	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8404	Mecoprop (MCP)	µg/l	0,02	<	<	0,13	0,06	0,04	0,08	0,055	0,04	0,04	0,04	<	<	<	0,04	0,0446	0,11	0,13	<
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Phenylurea herbicides		240																			
8097	Chlorbromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<
8122	Chlortoluron	µg/l	0,01	0,01	0,01	<	<	<	<	<	<	<	0,04	0,09	13	<	<	<	0,0154	0,07	0,09
8130	Chloroxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8226	Difenoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8229	Diflubenzuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8258	Diuron	µg/l	0,01	0,01	0,01	0,01	0,05	0,09	0,065	0,05	0,07	0,05	1,2	0,02	13	0,01	0,01	0,05	0,131	0,756	1,2
8382	Isoproturon	µg/l	0,03	0,02	0,05	0,06	0,08	0,03	0,04	0,02	0,04	0,03	0,09	0,04	15	0,02	0,02	0,04	0,05	0,098	0,11
8394	Linuron	µg/l	0,02	<	<	<	<	0,03	<	<	<	<	<	<	13	<	<	<	<	0,03	0,03
8418	Methabenzthiazuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,02	<	<	<	<	0,03	<	<	<	<	<	<	15	<	<	<	<	<	0,03
8436	Metoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<
8446	Monolinuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8447	Monuron	µg/l	0,009	<	<	<	<	0,05	<	<	<	<	<	<	15	<	<	<	<	0,0227	0,05
8487	Pencycuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<
Dinitrophenol herbicides		250																			
8244	2,4-Dinitrophenol	µg/l	0,03	<	<	<	<	<	0,0325	<	<	<	<	<	13	<	<	<	<	0,036	0,05
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Phenoxy Herbicides		550																			
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,02	<	<	0,19	<	0,05	<	<	<	<	<	<	13	<	<	<	0,0277	0,134	0,19
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8204	2,4-Dichloroprop (2,4-DP)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	0,18	<	<	0,1	<	<	<	<	<	13	<	<	<	<	0,148	0,18
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8404	Mecoprop (MCP)	µg/l	0,02	<	<	0,13	0,06	0,04	0,08	0,055	0,04	0,04	0,04	<	13	<	<	0,04	0,0446	0,11	0,13
Amide Herbicides		560																			
8522	Propyzamide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Anilide Herbicides		570																			
8417	Metazachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8710	Florasulam	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Chloroacetanilide Herbicides		580																			
8002	Alachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8513	Propachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
(Bis-)Carbamate Herbicides		590																					
8078	Carbetamide	µg/l	0,01	<	<	<	<	0,01	0,01	<	<	<	<	<	13	<	<	<	<	0,01	0,01		
8179	Desmedipham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8300	Phenmedipham	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Sulfonylurea Herbicides		610																					
8702	Nicosulfuron	µg/l	0,02	0,06	0,03	<	<	<	0,68	<	<				8	<	*	*	0,102	*	0,68		
8705	Amidosulfuron	µg/l	0,25	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8706	Azimsulfuron	µg/l	0,03												3	*	*	*	*	*	*		
8709	Ethoxysulfuron	µg/l	0,03												3	*	*	*	*	*	*		
8711	Foramsulfuron	µg/l	0,03												4	<	*	*	<	*	<		
8718	Oxasulfuron	µg/l	0,03												4	<	*	*	<	*	<		
8719	Prosulfuron	µg/l	0,03												3	*	*	*	*	*	*		
8723	Rimsulfuron	µg/l	0,03												4	<	*	*	<	*	<		
8725	Sulfosulfuron	µg/l	0,03												4	<	*	*	<	*	<		
Urea Herbicides		620																					
8122	Chlortoluron	µg/l	0,01	0,01	0,01	0,01	<	<	<	<	<	<	0,04	0,09	13	<	<	<	0,0154	0,07	0,09		
8258	Diuron	µg/l		0,01	0,01	0,01	0,01	0,05	0,09	0,065	0,05	0,07	0,05	1,2	0,02	13	0,01	0,01	0,05	0,131	0,756	1,2	
8382	Isoproturon	µg/l		0,03	0,02	0,05	0,06	0,08	0,03	0,04	0,02	0,04	0,03	0,09	0,04	15	0,02	0,02	0,04	0,05	0,098	0,11	
8394	Linuron	µg/l	0,02	<	<	<	<	<	0,03	<	<	<	<	<	13	<	<	<	<	0,03	0,03		
8418	Methabenzthiazuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<		
8434	Metobromuron	µg/l	0,02	<	<	<	<	0,03	<	<	<	<	<	<	15	<	<	<	<	<	0,03		
8436	Metoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<		
Triazin Herbicides		635																					
8026	Atrazine	µg/l	0,01	<	<	<	<	<	0,01	0,02	0,01	0,01	0,01	<	<	13	<	<	<	<	0,02	0,02	
8138	Cyanazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8180	Desmetryn	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8366	Hexazinone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8415	Metamitron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8435	Metolachlor	µg/l	0,01	<	<	<	<	<	<	0,075	0,02	0,01	<	<	<	12	<	<	<	0,0183	0,085	0,1	
8437	Metribuzin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8512	Prometryn	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8517	Propazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8547	Simazine	µg/l	0,01	<	<	<	<	<	0,02	0,03	0,02	0,03	0,02	0,01	<	13	<	<	0,01	0,0138	0,03	0,03	
8567	Terbutryne	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8568	Terbutylazine	µg/l	0,01	<	<	<	<	<	<	0,1	0,06	0,04	0,015	<	<	13	<	<	<	0,0208	0,084	0,1	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Thiocarbamate Herbicides 640																						
8649	Prosulfocarb	µg/l	0,02	<	<	<	<	<	0,03	<	<	<	<	<	13	<	<	<	0,022	0,03		
Uracil Herbicides 615																						
8392	Lenacil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Unclassified Herbicides 645																						
8044	Bentazon	µg/l	0,02	<	<	<	<	<	0,06	0,07	0,04	0,02	<	<	13	<	<	0,0262	0,07	0,07		
8117	Chlorthal	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
8127	Chloridazon	µg/l	0,01	<	<	<	<	0,09	0,09	0,03	<	<	<	13	<	<	<	0,0219	0,09	0,09		
8158	Dalapon (2,2-Dichloropropionic acid)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
8188	Dicamba	µg/l	0,02	<	<	0,06	<	<	<	<	<	<	<	13	<	<	<	<	0,044	0,06		
8189	Dichlobenil	µg/l	0,01	<	<	<	<	0,02	0,015	0,01	0,01	<	<	13	<	<	<	<	0,02	0,02		
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	0,07	0,045	<	<	<	13	<	<	<	<	0,066	0,07		
8354	Glyphosate	µg/l	0,03	<	<	0,1	0,065	0,17	0,145	0,107	0,07	0,0775	0,112	0,085	26	<	<	0,08	0,0846	0,166	0,21	
8354L	Glyphosate (load)	g/s	0,0105	0,00657	0,108	0,0303	0,0449	0,0299	0,0129	0,0179	0,00906	0,0421	0,0176	0,0326	31	0,00129	0,00406	0,0173	0,028	0,0555	0,196	
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8704	Sulcotrione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8707	Clomazone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
8767	Isoxaflutole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8802	Tepraloxymid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Physiological plant growth regulato 950																						
8478	Paclobutrazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Unclassified plant growth regulator 952																						
6243	Clofibrac acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
8436	Metoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<		
8478	Paclobutrazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Anti-sprouting products 960																						
8076	Carbaryl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Carbamate Insecticides 660																						
8076	Carbaryl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8082	Carbofuran	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8304	Fenoxycarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8424	Methiocarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,044	0,07		
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Pesticide metabolites		954																					
2023	4-Isopropylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2032	3-Chloro-4-methoxyaniline	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2251	N,N-Dimethylsulfamid (DMS)	µg/l				0,07	0,05	0,14			0,09			4	0,05	*	*	0,0875	*	0,14			
8176	Desethylatrazine	µg/l	0,01	0,02	<	0,01	<	0,02	0,02	0,0125	0,01	0,01	0,02	0,01	<	13	<	<	0,01	0,0123	0,02	0,02	
8178	Desisopropylatrazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8681	Desethylterbutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Various pesticides and metabolics		300																					
2251	N,N-Dimethylsulfamid (DMS)	µg/l				0,07	0,05	0,14			0,09			4	0,05	*	*	0,0875	*	0,14			
8054	Bitertanol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8067	Bupirimate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8145	Cymoxanil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8260	Dodemorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	0,07	0,045	<	<	<	<	13	<	<	<	<	0,066	0,07		
8307	Fenpropimorph	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8348	Furalaxyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8373	Imazalil	µg/l	0,01	<	0,02	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,014	0,02		
8522	Propyzamide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8576	Thiabendazole	µg/l	0,01	<	0,02	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,014	0,02		
8657	Dimethomorph	µg/l	0,05	<	<	<	<	<	<	0,06	<	<	<	<	13	<	<	<	<	<	0,06		
8658	DMST	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8661	Pyrimethanil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,009	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<		
8701	Imidacloprid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,04	0,06		
8707	Clomazone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<		
8708	Dimethenamid-p	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<		
8710	Florasulam	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
8715	Mefenpyr-diethyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<		
8767	Isoxaflutole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
8772	Spinosad	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
8802	Tepraloxymid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Ethers			302																				
1428	Diisopropylether	µg/l	0,02	1,05	0,8	1	1,4	0,415	0,23	0,24	0,06	<	0,26	0,275	0,913	26	<	0,027	0,425	0,556	1,33	1,9	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,04	0,352	0,248	0,0525	0,115	0,405	0,33	0,4	0,533	0,245	0,163	0,0715	0,18	53	<	0,0492	0,19	0,253	0,604	1,5	
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,02	<	<	<	0,025	0,135	0,103	0,25	0,14	0,075	0,055	0,035	<	26	<	<	0,045	0,0712	0,16	0,41	
2244	Tertiary amyl methyl ether (TAME)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
Fuel additives			303																				
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,04	0,352	0,248	0,0525	0,115	0,405	0,33	0,4	0,533	0,245	0,163	0,0715	0,18	53	<	0,0492	0,19	0,253	0,604	1,5	
2086	1,2-Dibromoethane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,02	<	<	<	0,025	0,135	0,103	0,25	0,14	0,075	0,055	0,035	<	26	<	<	0,045	0,0712	0,16	0,41	
2244	Tertiary amyl methyl ether (TAME)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
Various organic substances			305																				
1077	Cyclohexane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	0,02	
1764	Tributylphosphate	µg/l	0,1	1,2	<	0,1	0,1	0,11	0,16	<	<	<	<	0,15	0,13	13	<	<	0,1	0,173	0,784	1,2	
1767	Triphenylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2037	2-Aminoacetophenone	µg/l	0,02	<	<	<	<	<	<	0,025	<	<	<	<	<	13	<	<	<	<	0,026	0,03	
2165	methenamine	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
Industrial solvents			431																				
1027	Bromochloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1040	1,2-Dichloroethane	µg/l	0,02	<	0,03	0,025	0,025	<	<	<	<	<	<	<	<	26	<	<	<	<	0,033	0,04	
1044	Dichloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1049	Hexachlorobutadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1056	Tetrachloroethene	µg/l	0,02	<	0,045	0,03	0,03	0,035	0,03	<	<	<	0,025	0,035	0,0267	26	<	<	0,03	0,0277	0,043	0,06	
1057	Tetrachloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1063	Trichloroethene	µg/l	0,02	<	0,035	<	0,025	0,03	0,03	<	0,025	<	<	0,03	<	26	<	<	0,02	0,0231	0,04	0,05	
1064	Trichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1070	1,2,3-Trichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1828	cis-1,2-Dichloroethene	µg/l	0,02	0,025	0,04	0,025	0,03	0,035	0,04	<	<	<	<	0,04	0,0267	26	<	<	0,025	0,0265	0,053	0,06	
1829	trans-1,2-Dichloroethene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1954	1,1,1,2-Tetrachloroethane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*	
1955	1,1,2,2-Tetrachloroethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
8205	1,2-Dichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
industrial chemicals (with arom. nit 434)																				
1683	Aniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1700	N-Methylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1705	3-Chloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1708	2,3-Dichloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1709	2,5-Dichloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1713	2,3,4-Trichloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1716	2,4,5-Trichloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1717	2,4,6-Trichloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1718	3,4,5-Trichloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1786	3-Methylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1787	4-Methylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1862	N,N-Diethylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1864	N-Ethylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2024	2,4-Dimethylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2026	3,5-Dimethylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2027	3,4-Dimethylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2028	2,3-Dimethylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2029	3-Chloro-4-methylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2033	4-Methoxy-2-nitroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2034	2-Nitroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2035	3-Nitroaniline	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2038	2-(Phenylsulfon)aniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2053	N,N-Dimethylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2056	2-Methoxyaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2058	2-(Trifluoromethyl)aniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2175	2,4,5-Trimethylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8063	4-Bromoaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8094	2-Chloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8115	4-Chloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8195	2,4-Dichloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8196	2,6-Dichloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8197	3,4-Dichloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8198	3,5-Dichloroaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8222	2,6-Diethylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial chemicals (with volatile h 437)																				
1035	Dibromomethane	µg/l	0,04	<										1	*	*	*	*	*	*
1039	1,1-Dichloroethane	µg/l	0,04	<										1	*	*	*	*	*	*
1041	1,1-Dichloroethene	µg/l	0,04	<										1	*	*	*	*	*	*
1061	1,1,1-Trichloroethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1962	Chloroethene	µg/l	0,04	<										1	*	*	*	*	*	*
2016	Chloromethane	µg/l	0,04	<										1	*	*	*	*	*	*
2086	1,2-Dibromoethane	µg/l	0,04	<										1	*	*	*	*	*	*
8206	1,3-Dichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
Industrial chemicals (with haloacid 438)																				
1792	Tetrachloro-orthophthalic acid	µg/l	0,02				<	<		<	<			5	<	*	*	<	*	<
8679	2,6-Dichlorobenzoic acid	µg/l	0,02				<	<		<	<			5	<	*	*	<	*	<
Industrial chemicals (with phenols) 439																				
1528	3-Chlorophenol	µg/l	0,5	<		<		<	<		<			7	<	*	*	<	*	<
1529	4-Chlorophenol	µg/l	0,5	<	<		<	<	<		<			7	<	*	*	<	*	<
1531	2,3-Dichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
1533	2,6-Dichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
1534	3,4-Dichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
1535	3,5-Dichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,02				<		<			<		4	<	*	*	<	*	<
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,02				<		<			<		4	<	*	*	<	*	<
1541	2,3,4-Trichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
1542	2,3,5-Trichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
1543	2,3,6-Trichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
1544	3,4,5-Trichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
8104	2-Chlorophenol	µg/l	0,5	<	<		<	<	<		<			7	<	*	*	<	*	<
8602	2,4,5-Trichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<
8603	2,4,6-Trichlorophenol	µg/l	0,02	<	<		<	<	<		<			7	<	*	*	<	*	<



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

			MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial chemicals (with PCBs) 440																						
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Cooling agents 430																						
2019	Trichlorofluoromethane	µg/l	0,04		<											1	*	*	*	*	*	*
Disinfection agents 444																						
8114	4-Chloro-3-methylphenol	µg/l	0,02			<			<		<			<		4	<	*	*	<	*	<
Disinfection byproducts 446																						
1028	Bromodichloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1033	Dibromochloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	0,0233	26	<	<	<	<	<	0,05
1058	Tribromomethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	0,0267	26	<	<	<	<	<	0,06
Flameretardants 380																						
2109	2,4,2',4'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2110	2,4,2',5'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2111	2,3,4,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2112	2,4,5,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2113	2,4,6,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2114	2,4,5,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2115	2,4,5,2',4',6'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2169	2,4,4'-Tribromodiphenylether (PBDE	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2170	2,3,4,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
X-ray contrast agents 340																						
6232	Diatrizoic Acid	µg/l	0,05				<	<	<	<	0,084	0,11	0,078	0,1	0,056	9	<	*	*	0,0587	*	0,11
6234	Iohexol	µg/l					0,09	0,072	0,083	0,095	0,04	0,072	0,079	0,084	0,061	9	0,04	*	*	0,0751	*	0,095
6235	Iomeprol	µg/l					0,076	0,072	0,13	0,12	0,047	0,095	0,096	0,12	0,09	9	0,047	*	*	0,094	*	0,13
6236	Iopamidol	µg/l					0,045	0,043	0,051	0,034	0,052	0,036	0,073	0,082	0,048	9	0,034	*	*	0,0516	*	0,082
6237	Iopanoic acid	µg/l	0,05				<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
6238	Iopromide	µg/l					0,074	0,07	0,08	0,086	0,045	0,091	0,082	0,096	0,12	9	0,045	*	*	0,0827	*	0,12
6239	Iothalamic acid	µg/l	0,05				<	<	<	<	0,2	0,26	<	<	<	9	<	*	*	0,0706	*	0,26
6240	Ioxaglic acid	µg/l	0,02				0,027	0,025	0,025	0,041	<	<	0,026	0,033	0,022	9	<	*	*	0,0243	*	0,041
6241	Ioxitalamic acid	µg/l	0,05				<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2008 up to 31-12-2008

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Antibiotics 310																						
6032	Sulfamethoxazole	µg/l	0,02			<	0,028	0,057	0,048	<	0,025	0,027	<	<	9	<	*	*	0,025	*	0,057	
6183	anhydro-erythromycine	µg/l	0,05			<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<	
6195	Erythromycin	µg/l	0,02			<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<	
6259	Lincomycin	µg/l	0,02			<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<	
8315	6-Chloro-4-hydroxy-3-phenyl-pyridazi	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Beta-adrenergic blocking agents 320																						
6226	Metoprolol	µg/l				0,04	0,035	0,077	0,078	0,13	0,12	0,077	0,098	0,065	9	0,035	*	*	0,08	*	0,13	
6229	Sotalol	µg/l				0,043	0,058	0,11	0,11	0,15	0,12	0,11	0,12	0,095	9	0,043	*	*	0,102	*	0,15	
Analgesic and anti-inflammatory dr 350																						
6077	O-acetylsalicylic acid	µg/l	0,1			<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<	
6249	Diclofenac	µg/l	0,05			<	<	<	<	<	0,051	0,12	0,068	9	<	*	*	<	*	0,12		
6252	Ibuprofen	µg/l	0,02			0,02	<	<	<	<	<	0,04	<	5	<	*	*	<	*	0,04		
6255	Naproxen	µg/l	0,1			<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
6309	Phenazone	µg/l	0,02			<	<	<	<	<	<	<	<	9	<	*	*	<	*	<		
Lipid-lowering drugs 360																						
6242	Bezafibrate	µg/l	0,02			<	<	<	<	<	<	<	<	9	<	*	*	<	*	<		
6243	Clofibrac acid	µg/l	0,02			<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
Various pharmaceuticals 370																						
1860	Carbamazepine	µg/l	0,05	<	<	<	<	<	0,08	0,08	0,09	0,06	0,06	<	13	<	<	<	<	0,086	0,09	
Endrocrin disrupting compounds (400																						
1519	Nonylphenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	0,009	<	<	<	<	<	13	<	<	<	<	0,0064	0,009	
2196	Tetrabutyltin	µg/l	0,0017	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2197	Triphenyltin ion	µg/l	0,0017	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2199	Dibutyltin	µg/l	0,0051	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
2201	Difenyln	µg/l	0,0043	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6703	Activity with respect to 17-beta-estra	ng/l				1,58	2,19	6				1,77		4	1,58	*	*	2,88	*	6		
V127	Monobutyltin	µg/l	0,002	0,002	<	0,002	<	<	<	<	<	<	<	<	12	<	<	<	<	0,002	0,002	
V128	Monophenyltin	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
unspecified substances 980																						
1047	2,2-Dichloropropane	µg/l	0,04	<											1	*	*	*	*	*	*	
2013	1,1-Dichloropropene	µg/l	0,04	<											1	*	*	*	*	*	*	
2036	4-Methyl-3-nitroaniline	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2054	2,5- and 2,6-Dimethylaniline	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.

