

Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds		010																				
0112	Water discharge	m3/s	363	500	424	307	254	135	107	66,7	46,1	78,5	213	450	365	26	46,6	186	244	528	1030	
0120	Water temperature	°C	3,53	4,3	8,62	14,3	16,6	19,5	21,3	18,5	13,6	10,7	6,64	52	2	3,6	14,4	13,3	21,8	23,5		
0120	Water temperature	°C	2	4,3	7,6	12	15,5	20,8	21,1	17,6	12,1	10,4	7,5	13	2	2,92	12,1	13,4	22,1	22,1		
0122	Oxygen	mg/l	13,6	13,1	11,7	10,5	9,5	8,6	7,2	7,6	8,5	9,5	10,5	11,4	13	7,2	7,36	9,5	10	13,4	13,6	
0122	Oxygen	mg/l	13,1	12,8	11,3	9,83	9,33	8,58	7,4	7,55	8,34	9,03	10,7	51	6,9	7,66	9,6	10	13	13,7		
0123	Oxygen saturation	%	98,5	97,9	95,2	89,9	86,6	79,7	67,5	68,9	77,7	82	94,1	52	63,7	67,3	88	86,1	98,9	106		
0126	Turbidity	FTE	26,7	16,2	7,06	4,2	4,68	6,3	6,4	2,55	3,44	4,55	4,88	51	2	2,42	4,8	8,58	18,1	96		
0128	Suspended matter	mg/l	2,2	34,1	8,1	4,8	7,3	6,25	4,9	3,6	6,6	2,8	2,4	13	2,2	2,28	5,7	7,48	23,7	34,1		
0130	Secchi depth	m	2,2	1,1	1,4	1,8	2,2	2	2,2	2,8	2	2,2	0,8	13	0,8	0,92	2,2	1,92	2,56	2,8		
0170	Odour (dilution factor)	-	6	5	8	7	5	6	4	4	5	6	5	13	4	4	6	5,62	7,6	8		
0174	smell quantitative	-	0	0	0	0	0	0	0	0	0	0	0	13	0	0	0	0	0	0		
0180	pH	pH	8,02	7,77	8,1	7,8	7,86	7,7	7,75	7,88	7,84	7,76	8,07	13	7,66	7,68	7,8	7,84	8,09	8,1		
0180	pH	pH	8	7,8	7,93	7,8	7,8	7,7	7,75	7,8	7,99	7,89	8	52	7,57	7,71	7,85	7,85	8,04	8,1		
0200	Conductivity (at 20 °C)	mS/m	45,9	43	43	39,5	43,9	44	49,2	49,3	51,3	52	56,7	13	35,5	37,1	45,9	45,9	54,8	56,7		
0200	Conductivity (at 20 °C)	mS/m	43,7	39,2	41,8	42	42,1	44,1	48,2	48,6	50,4	53,1	56	52	35,5	38,1	45,5	45,7	54,6	56,9		
0204	Residue on ignition, 600 °C	mg/l	1,5	1,6	5,9	3,6		3,85	3,1	3,1	3,3	3,9	1,6	12	1,5	1,53	3,2	3,64	7,65	8,4		
0206	Residue on ignition, 600 °C	mg/l	1,5	1,6	5,9	3,6		3,85	3,1	3,1	3,3	3,9	1,6	12	1,5	1,53	3,2	3,64	7,65	8,4		
0206P	% Residue on ignition, 600 °C	% DS	66	46	90	69		76	73	76	89	74	80	12	46	52	75,5	74,7	89,7	90		
0250	Total hardness	mmol/l	1,83	1,75	1,71	1,68	1,7	1,69		1,75	1,77	1,79	1,93	12	1,5	1,54	1,75	1,73	1,9	1,93		
0250R	Total hardness, (mg/l CaCO3)	mg/l	184	175	171	168	170	169		175	177	179	193	12	150	154	175	173	190	193		
0250R	Total hardness, (mg/l CaCO3)	mg/l	184	176	171	168	172	169		176	175	177	207	13	149	155	175	175	198	207		
Radio activity		020																				
0160	beta Radioactivity, total	Bq/l	0,16	0,15	0,13	0,12	0,15	0,155	0,22	0,19	0,23	0,22	0,23	0,13	13	0,12	0,124	0,16	0,172	0,23	0,23	
0161	alpha Radioactivity, total	Bq/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
0162	Residual beta radioactivity (without K	Bq/l	0,01	0,01			0,02	0,01	0,02		0,03	0,03		8	0,01	*	*	0,0175	*	0,03		
0164	Tritium (H-3)	Bq/l	12	5	7	6	7	7,5	13	7	7	6	8	13	5	5,4	7	8,31	14,2	15		



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Inorganic compounds		030																				
0220	Carbon dioxide	mg/l	6,8	6,2	4,7	4,9	4	4,8	4,1	4	3,6	5,1	4,3	4,9	13	3,6	3,76	4,8	4,78	6,56	6,8	
0222	Bicarbonate	mg/l	168	157	156	148	161	154	161	159	161	159	180	125	13	125	134	159	157	175	180	
0222	Bicarbonate	mg/l	168	157	156	148	161	154	161	159	161	159	180	125	13	125	134	159	157	175	180	
0224	Carbonate	mg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0230	Chloride	mg/l	41,1	35	34,8	32,7	34,7	40,2	47,7	49,1	52,9	55,1	57	27,4	21	27,4	31,1	43,1	42,6	56,3	57,8	
0230	Chloride	mg/l	36	33	34,8	32,7	34,7	40,2	47,7	49,1	52,9	55,1	56,7	38,6	26	27,4	30,7	42,8	42,4	56,5	57,8	
0230L	Chloride (load)	kg/s	18,4	14,6	12,7	11	9,99	4,86	4,66	3,22	1,93	3,41	6,91	19,6	26	1,88	2,57	6,91	9,5	23,3	28,5	
0232	Sulfate	mg/l	44	43	43	38	45	45,5	56	57	59	64	71	37	13	37	37,4	45	49,8	68,2	71	
0232	Sulfate	mg/l	44	43	43	38	45	45,5	56	57	59	64	71	37	13	37	37,4	45	49,8	68,2	71	
0288	Silicate	mg/l	4,7	4,7	3,8	2,9	2,2	2,65	2,6	2,4	2,6	3,3	3,8	3,6	13	2,2	2,28	2,9	3,22	4,7	4,7	
0288	Silicate	mg/l	4,7	4,7	3,8	2,9	2,2	2,65	2,6	2,4	2,6	3,3	3,8	3,6	13	2,2	2,28	2,9	3,22	4,7	4,7	
0381	Bromide	µg/l	96	73	79	71	86	93	118	129	118	99	124	56	13	56	62	96	95	127	129	
0382	Fluoride	mg/l	0,14	0,21	0,19	0,15	0,15	0,245	0,18	0,16	0,16	0,19	0,24	0,17	13	0,14	0,144	0,18	0,187	0,252	0,26	
0382	Fluoride	mg/l	0,14	0,21	0,19	0,15	0,15	0,245	0,18	0,16	0,16	0,19	0,24	0,17	13	0,14	0,144	0,18	0,187	0,252	0,26	
0386	Cyanide, total	µg/l	0,5	0,6	0,7	0,8	<	<	0,725	<	0,6	<	0,5	0,6	13	<	<	0,6	0,535	1,04	1,2	
0386	Cyanide, total	µg/l	0,5	0,6	0,7	0,8	<	<	0,725	<	0,6	<	0,5	0,6	13	<	<	0,6	0,535	1,04	1,2	
0394	Bromate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0396	Chlorate	µg/l	40	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0398	Chlorite	µg/l	40	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Nutrients		040																				
0271	Ammonium (NH4)	mg/l	0,303	0,206	0,152	0,0934	0,0869	0,108	0,119	0,0901	0,0876	0,164	0,184	0,162	52	0,0515	0,0773	0,122	0,145	0,232	0,515	
0274	Kjeldahl Nitrogen	mg/l	0,6	0,7	0,7	0,6	0,6	0,6	0,6	0,6	0,6	0,7	0,6	0,7	13	0,6	0,6	0,6	0,631	0,7	0,7	
0274	Kjeldahl Nitrogen	mg/l	0,6	0,7	0,6	0,6	0,6	0,667	0,65	0,6	0,6	0,65	0,6	0,7	21	0,5	0,6	0,6	0,629	0,7	0,8	
0276	Organic Nitrogen	mg/l	0,4	0,5	0,5	0,5	0,5	0,5	0,5	0,5	0,5	0,5	0,4	0,6	13	0,4	0,4	0,5	0,492	0,56	0,6	
0281	Nitrite-NO2	mg/l	0,131	0,131	0,14	0,125	0,131	0,105	0,126	0,0542	0,0838	0,108	0,2	0,141	21	0,0493	0,0539	0,118	0,117	0,164	0,2	
0283	Nitrate-NO3	mg/l	17,3	15,1	15,5	8,63	10,8	11,5	11,5	12,4	11,5	11,7	15,1	15,1	21	4,87	9,92	12	12,4	16,1	17,3	
0284D	Orthophosphate (PO4)	mg/l	0,215	0,276	0,169	0,215	0,322	0,337	0,46	0,399	0,353	0,261	0,399	0,245	21	0,123	0,159	0,307	0,31	0,423	0,491	
0286D	Total phosphate (PO4)	mg/l	0,337	0,429	0,399	0,567	0,521	0,511	0,583	0,537	0,491	0,491	0,521	0,583	21	0,337	0,337	0,491	0,504	0,613	0,797	



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Group compounds 070																						
0401	Total organic carbon (TOC)	mg/l	3,5	3,7	2,99	4,1	4,1	3,95	3,5	3,8	3,9	4,4	4,5	4,7	13	2,99	3,19	3,9	3,93	4,62	4,7	
0401	Total organic carbon (TOC)	mg/l	3,5	3,7	2,99	4,1	4,1	3,95	3,5	3,8	3,9	4,4	4,5	4,7	13	2,99	3,19	3,9	3,93	4,62	4,7	
0403	Dissolved organic carbon (DOC)	mg/l	3,39	4,51	4,6	4,58	5,69	5,08	6,01	5,4	4,54	4,51	4,36	4,44	13	3,39	3,78	4,54	4,78	5,93	6,01	
0403	Dissolved organic carbon (DOC)	mg/l	3,39	4,51	4,6	4,58	5,69	5,08	6,01	5,4	4,54	4,51	4,36	4,44	13	3,39	3,78	4,54	4,78	5,93	6,01	
0405	Chemical oxygen demand (COD, 0.4	mg/l	11	12	12	14	19	8,5	13	15	11	11	26	11	13	7	8,2	12	13,2	23,2	26	
0406	Biochemical oxygen demand (BOD5	mg/l	1	2	2	1	1	1	1	1	1	1	2	13	1	1	1	1,23	2	2	2	
0410	UV absorbance, 254 nm	1/m	9,1	10,7	9,5	11,4	10,3	10	10,2	10	11,6	10,9	15,1	13	9,1	9,1	10,3	10,7	13,7	15,1	15,1	
0411	UV absorbance, 410 nm	1/m	1,15	1,52	1,41		1,32	0,885			1,04	0,98	2,78	9	0,7	*	*	1,33	*	2,78	2,78	
0412	Colour (Pt/Co scale)	mg/l	25	18	15	18	15	13	13	12	12	14	14	22	13	12	12	14	15,7	23,8	25	
0430	Adsorbable organohalogen compou	µg/l	10	12	8	12	9	10	11	9	12	11	12	11	13	8	8,4	11	10,5	12	12	
0430N	AOX, 0.45 µm filtrate [Cl]	µg/l	1	11	10	7	7	4	5	<	7	8	<	7	13	<	<	7	6,08	10,6	11	
0432	Extractable organohalogen compoun	µg/l	1	<	1,4	<	<	<	<	<	<	<	<	<	13	<	<	<	<	1,04	1,4	
0434	Purgeable organohalogen compoun	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0466	Cholinesterase inhibitors	µg/l	0,1	0,1	<	0,1	0,1	<	0,75	<	<	<	<	<	13	<	<	<	0,169	0,88	1,4	
Summend compounds 080																						
0451	Trihalomethanes, total	µg/l	0,02	0,03	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	0,03	0,05	
V223	C10-13-Chloroalcanes	µg/l	0,1	<	<	<	0,1	<	<	<	<	<	<	<	13	<	<	<	<	<	0,1	
Biological compounds 090																						
0614	Coliform bacteria, (37 °C, confirmed)	n/100 ml	350	300	750	15	10	20	45	45	35	50	40	1800	13	10	12	45	268	1380	1800	
0618	Coliform bacteria, total (37 °C)	n/ml	3,5	3	7,5	0,15	0,1	0,2	0,45	0,45	0,35	0,5	0,4	18	13	0,1	0,12	0,45	2,68	13,8	18	
0624	Coliform bacteria, (44 °C, confirmed)	n/100 ml	62	84	160	10	8	6	2	40	16	30	30	140	13	2	3,6	30	45,7	152	160	
0626	Escherichia coli (confirmed)	n/100 ml	230	88	280	8	6	52	8	6	12	24	46	240	13	6	6	24	80,9	264	280	
0627	Coliform bacteria, thermotolerant (44	n/ml	0,62	0,84	1,6	0,1	0,08	0,06	0,02	0,4	0,16	0,3	0,3	1,4	13	0,02	0,036	0,3	0,457	1,52	1,6	
0628	Escherichia coli	n/ml	2,3	0,88	2,8	0,08	0,06	0,52	0,08					8	0,06	*	*	0,905	*	2,8	2,8	
0630		n/100 ml	2	26	28	40	2	<	2,5	2	6	4	<	10	13	<	<	4	18,1	82	110	
0631		n/ml	0,02	0,26	0,28	0,4	0,02	<	0,025	0,02	0,06	0,04	<	0,1	13	<	<	0,04	0,181	0,82	1,1	
0636		n/ml								0,06	0,12	0,24	0,46	5	0,06	*	*	0,656	*	2,4	2,4	
0657	Enterococci	n/ml	0,01	0,36	0,47	0,04	<	0,015	<	0,03	0,02	0,07	0,16	1,4	13	<	<	0,04	0,235	1,03	1,4	
0663	Clostridium perfringens	n/ml	0,68	0,88	2,5	1,7	0,42	0,69	0,4	0,03	0,2	0,36	0,32	3,7	13	0,03	0,098	0,68	0,967	3,22	3,7	
Hydrobiological compounds 095																						
7100	Chlorophyll-a	µg/l	2	3,5	<	<	3	<	2,67	<	<	<	<	<	26	<	<	<	<	3	6	
7100	Chlorophyll-a	µg/l	2	<	<	<	3	<	2,67	<	<	<	<	<	21	<	<	<	<	3	3	
7110	Phaeophytine	µg/l	2	6	<	<	3	2,5	<	<	<	<	<	26	<	<	<	2,08	4,3	11	11	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Metals	050																					
0240	Sodium	mg/l	25	24	23	20	24	27,5	38	39	42	45	40	19	13	19	19,4	25	30,3	43,8	45	
0240	Sodium	mg/l	25	24	23	20	24	27,5	38	39	42	45	40	19	13	19	19,4	25	30,3	43,8	45	
0242	Potassium	mg/l	5,2	5	4,7	4,4	4,8	5,1	7,1	6,9	8,2	8,9	7,4	4,8	13	4,4	4,52	5,2	5,97	8,62	8,9	
0244	Calcium	mg/l	61,5	58,8	57,2	56,1	56,1	55,5	58,7	56,1	57,1	57,6	61,8	49,9	13	49,9	51,3	57,2	57,1	61,7	61,8	
0244	Calcium	mg/l	61,5	58,8	57,2	56,1	56,1	55,5	58,7	56,1	57,1	57,6	61,8	49,9	13	49,9	51,3	57,2	57,1	61,7	61,8	
0246	Magnesium	mg/l	7,3	6,8	6,9	6,7	7,3	7,5		8,35	8,4	8,6	9,4	6,2	13	6,2	6,4	7,3	7,64	9,08	9,4	
0300	Iron	mg/l	0,26	0,51	0,72	0,41	0,25	0,305	0,27	0,24	0,16	0,28	0,22	1,2	13	0,16	0,184	0,27	0,395	1,01	1,2	
0300	Iron	mg/l	0,26	0,51	0,72	0,41	0,25	0,305	0,27	0,24	0,16	0,28	0,22	1,2	13	0,16	0,184	0,27	0,395	1,01	1,2	
0304	Manganese	mg/l	0,09	0,089	0,073	0,065	0,06	0,057	0,058	0,05	0,044	0,057	0,052	0,094	13	0,044	0,0464	0,06	0,0651	0,0924	0,094	
0304	Manganese	mg/l	0,09	0,089	0,073	0,065	0,06	0,057	0,058	0,05	0,044	0,057	0,052	0,094	13	0,044	0,0464	0,06	0,0651	0,0924	0,094	
0312	Antimony	µg/l	1	<	<	1,3	<	<	<	<	<	<	<	<	13	<	<	<	<	<	1,3	
0312	Antimony	µg/l	1	<	<	1,3	3,1	<	<	<	<	<	<	<	13	<	<	<	<	2,38	3,1	
0314	Arsenic	µg/l	1	1	1	1	1	1,5	2	1	1	1	1	1	13	1	1	1	1,15	2	2	
0314	Arsenic	µg/l	1	1	1	1	1	1,5	2	1	1	1	1	1	13	1	1	1	1,15	2	2	
0316	Barium	µg/l	26	25	27	25	26	27,5	28	29	29	29	31	29	13	25	25	28	27,6	30,2	31	
0316	Barium	µg/l	26	25	27	25	26	27,5	28	29	29	29	31	29	13	25	25	28	27,6	30,2	31	
0318	Beryllium	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
0318	Beryllium	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	0,06	13	<	<	<	<	0,044	0,06	
0322	Boron	mg/l									0,076	0,074	0,062	0,037	4	0,037	*	*	0,0623	*	0,076	
0322	Boron	mg/l	0,044	0,038	0,035	0,031	0,049	0,047	0,066	0,068	0,076	0,074	0,062	0,037	13	0,031	0,0326	0,049	0,0518	0,0752	0,076	
0324	Cadmium	µg/l	0,34	0,14	0,16	0,09	0,07	0,125	0,1	0,08	0,09	0,11	0,09	0,16	13	0,07	0,074	0,11	0,129	0,268	0,34	
0324	Cadmium	µg/l	0,34	0,14	0,16	0,09	0,07	0,125	0,1	0,08	0,09	0,11	0,09	0,16	13	0,07	0,074	0,11	0,129	0,268	0,34	
0326	Chromium	µg/l	1	<	2	2	1	1	1,5	1	<	1	<	<	3	13	<	<	1	1,23	2,6	3
0326	Chromium	µg/l	1	<	2	2	1	1	1,5	1	<	1	<	<	3	13	<	<	1	1,23	2,6	3
0328	Cobalt	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0330	Copper	µg/l	2	2	3	2	2	3	6	3	3	3	2	4	9	2	*	*	2,89	*	6	
0330	Copper	µg/l	2	2	3	2	2	3	6	3	3	3	2	4	13	2	2	3	2,92	5,2	6	
0332	Mercury	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0332	Mercury	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0334	Lead	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0334	Lead	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0338	Molybdenum	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0340	Nickel	µg/l	3	3	3	3	3	3	4	3	3	4	4	4	13	3	3	3	3,31	4	4	
0340	Nickel	µg/l	3	3	3	3	3	3	4	3	3	4	4	4	13	3	3	3	3,31	4	4	
0342	Selenium	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
0342	Selenium	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0343	Strontium	µg/l	180	170	160	160	170	165	180	180	190	180	210	150	13	150	150	180	174	202	210
0344	Thallium	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0345	Tellurium	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0346	Tin	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0350	Vanadium	µg/l	1	<	1,2	1,1	1	1	1,35	1,4	1,6	1,3	1,5	2,9	13	<	<	1,3	1,35	2,38	2,9
0354	Zinc	µg/l	12	13	19	12	8	10	10	13					9	8	*	*	11,9	*	19
0354	Zinc	µg/l	12	13	19	12	8	10	10	13	7	11	8,6	22	13	7	7,4	11	12	20,8	22
0368		mg/l								0,003	0,003	0,002	0,004	4	0,002	*	*	0,003	*	0,004	
0369		mg/l								0,007	0,011	0,0086	0,022	4	0,007	*	*	0,0122	*	0,022	
0375	Uranium	µg/l	0,32	0,33	0,37	0,32	0,43	0,395	0,36	0,37	0,35	0,42	0,29	13	0,29	0,302	0,35	0,362	0,436	0,44	
Metals, after filtration		055																			
0245	Calcium, 0.45 µm filtrate	mg/l	59,5	54,8	58,2	59,5	57,5	55	56,8	56,5	56,4	58,8	63,8	53,6	52	50	52	57	57,4	62,7	66
0248	Magnesium, 0.45 µm filtrate	mg/l	7	6,25	6,82	7,28	7,13	7,5	8,03	8,25	8,62	8,9	9,05	6,66	52	5,5	6,29	7,6	7,61	9,04	9,5
0302	Iron, 0.45 µm filtrate	mg/l	0,028	0,018	0,05	0,046	0,017	0,0235	0,017	0,013	0,015	0,047	0,024	0,072	13	0,013	0,0138	0,024	0,0303	0,0632	0,072
0308	Iron, 0.45 µm filtrate	µg/l	28	18	50	46	17	23,5	17	13					9	13	*	*	26,2	*	50
0309	Boron, 0.45 µm filtrate	µg/l	10	<	39	36	33	44	47	58	78	73	79	61	13	<	15,4	44	48,5	78,6	79
0311	Aluminium, 0.45 µm filtrate	µg/l	10	<	<	23	17	<	<	<	<	<	16	16	13	<	<	<	<	20,6	23
0313	Antimony, 0.45 µm filtrate	µg/l	1	<	<	102	2,4	<	<	<	<	<	<	<	13	<	<	<	8,52	62,2	102
0315	Arsenic, 0.45 µm filtrate	µg/l	1	1	1	<	<	<	1	1	1	1	1	<	13	<	<	1	<	1	1
0319	Berullium, 0.45 µm filtrate	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0325	Cadmium, 0.45 µm filtrate	µg/l	0,05	0,06	0,05	<	0,08	<	0,08	0,105	0,25	0,1	0,06	<	13	<	<	0,06	0,0804	0,214	0,25
0329	Cobalt, 0.45 µm filtrate	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0331	Copper, 0.45 µm filtrate	µg/l	2	2	2	3	2	2,5	3	3	3	3	2	2	13	2	2	2	2,46	3	3
0333	Mercury, 0.45 µm filtrate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0335	Lead, 0.45 µm filtrate	µg/l	3	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0339	Molybdenum, 0.45 µm filtrate	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0341	Nickel, 0.45 µm filtrate	µg/l	2	3	3	3	3	3	3	2,5	3	3	3	2	13	2	2	3	2,77	3	3
0347	Tin, 0.45 µm filtrate	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0349	Titanium, 0.45 µm filtrate	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0351	Vanadium, 0.45 µm filtrate	µg/l	1	<	<	<	<	<	1,1	1,25	<	<	1	<	13	<	<	<	<	1,26	1,3
0353	Silver, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0355	Zinc, 0.45 µm filtrate	µg/l	5	8	9	9	7	<	<	5	8	8	5	6	13	<	<	6	6,15	9	9
0361	Uranium, 0.45 µm filtrate	µg/l	0,32	0,34	0,37	0,31	0,43	0,4	0,355	0,35	0,35	0,42	0,25	13	0,25	0,274	0,35	0,358	0,43	0,43	
0364	Thallium, 0.45 µm filtrate	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0365	Tellurium, 0.45 µm filtrate	µg/l	10	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code	KEI
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Complex buiders	060																					
0420	Anionic detergents	mg/l	0,04	<		<		<			<			4	<	*	*	<	*	<		
0422	Cation-Active Detergents	mg/l	0,1	<		<		<			<			4	<	*	*	<	*	<		
0424	Non-ionic Surfactants	mg/l	0,1	<		<		<			<			4	<	*	*	<	*	<		
1793	Nitrilotriacetic acid (NTA)	µg/l	5	<	<	<	<	<	<	<	5	<	<	13	<	<	<	<	<	5		
1794	Ethylenediaminetetraacetic acid (ED	µg/l		22	19,3	20,3	9	7,3	6,6	11,7	9,2	11,1	14,9	19,3	6,5	13	5,8	6,08	11,1	12,6	21,3	22
1794L	Ethylenediaminetetraacetic acid (ED	g/s		4,49	6,81	8,59	2,72	1,25	0,744	1,3	0,653	0,411	0,805	2,22	2,72	13	0,411	0,508	1,3	2,57	7,88	8,59
2003	Diethylenetriaminepentaacetic acid (µg/l	5	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Mono cyclic aromatic hydrocarb 170																						
1074	Benzene	µg/l	0,02	<	<	<	<	<	0,02	0,02	0,03	<	<	<	13	<	<	<	0,026	0,03		
1074	Benzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	0,02	0,03		
1075	Butylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<		
1080	1,2-Dimethylbenzene	µg/l	0,02	<	<	<	0,02	<	<	<	<	<	<	<	13	<	<	<	0,02	0,02		
1080	1,2-Dimethylbenzene	µg/l	0,02	<	<	<	0,025	<	<	<	<	<	<	<	26	<	<	<	0,02	0,03		
1088	Ethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	0,096		
1089	Ethylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	0,02		
1089	Ethylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1098	Methylbenzene	µg/l	0,02	<	<	0,035	0,115	0,04	<	0,04	<	0,035	<	<	26	<	<	0,02	0,0292	0,075	0,12	
1098	Methylbenzene	µg/l	0,02	<	0,02	<	0,12	0,04	<	0,04	<	0,05	0,02	0,03	13	<	<	0,02	0,0308	0,092	0,12	
1106	Propylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1106	Propylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<		
1112	Chlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<		
1112	Chlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1115	2-Chloromethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<		
1115	2-Chloromethylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1119	1,2-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1119	1,2-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<		
1120	1,3-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1120	1,3-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<		
1121	1,4-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1121	1,4-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<		
1127	Pentachlorobenzene	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1127	Pentachlorobenzene	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1131	1,2,3-Trichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<		
1131	1,2,3-Trichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1132	1,2,4-Trichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<		
1132	1,2,4-Trichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1797	Isopropylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<		
1797	Isopropylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
1832	1,3,5-Trimethylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	0,02	
1832	1,3,5-Trimethylbenzene	µg/l	0,02	<	<	<	<	0,02	<	<	<	<	<	<	13	<	<	<	<	<	0,02	
1951	1,2,4-Trimethylbenzene	µg/l	0,02	<	<	<	0,02	<	<	0,02	0,03	<	<	<	13	<	<	<	0,026	0,03		
1951	1,2,4-Trimethylbenzene	µg/l	0,02	<	<	<	0,025	<	<	<	<	<	<	<	26	<	<	<	0,023	0,03		
1959	4-Chloromethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<		

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
1960	1-Methyl-4-isopropylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,03
1998	t-Butylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2014	Bromobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2018	Isobutylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,04	<	<	<	0,06	<	<	<	<	<	<	<	<	<	<	<	0,053	0,06	<
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,04	<	<	<	0,06	<	<	<	<	<	<	<	<	<	<	<	0,056	0,06	<
2064	s-Butylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Poly cyclic aromatic hydrocarbo 180																					
1161	Acenaphthene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1162	Acenaphthylene	µg/l	0,05	0,0875	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,112	0,15	<
1163	Anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1163	Anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1165	Benzo(a)anthracene	µg/l	0,01	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,01	0,01	<
1166	Benzo(b)fluoranthene	µg/l	0,001	0,005	0,01	0,006	0,002	0,005	0,003	0,003	0,001	0,004	0,001	0,011	13	0,001	0,001	0,003	0,00438	0,0106	0,011
1166	Benzo(b)fluoranthene	µg/l	0,001	0,005	0,01	0,006	0,002	0,005	0,003	0,003	0,001	0,004	0,001	0,011	13	0,001	0,001	0,003	0,00438	0,0106	0,011
1167	Benzo(k)fluoranthene	µg/l	0,001	<	0,002	0,003	0,002	<	0,0015	0,001	0,001	<	0,001	<	13	<	<	0,001	0,00146	0,0036	0,004
1167	Benzo(k)fluoranthene	µg/l	0,001	<	0,002	0,003	0,002	<	0,0015	0,001	0,001	<	0,001	<	13	<	<	0,001	0,00146	0,0036	0,004
1168	Benzo(ghi)perylene	µg/l	0,001	0,0024	0,0052	0,0032	0,0011	0,0031	0,0019	0,0012	0,001	0,0018	0,0008	0,0068	13	0,0008	0,00088	0,0018	0,00251	0,00616	0,0068
1168	Benzo(ghi)perylene	µg/l	0,001	0,0024	0,0052	0,0032	0,0011	0,0031	0,0019	0,0012	0,001	0,0018	0,0008	0,0068	13	0,0008	0,00088	0,0018	0,00251	0,00616	0,0068
1169	Benzo(a)pyrene	µg/l	0,01	0,015	<	<	<	<	<	<	<	<	0,01	13	<	<	<	<	0,016	0,02	<
1169	Benzo(a)pyrene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1172	Chrysene	µg/l	0,01	0,015	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,016	0,02	<
1173	Dibenzo(a,h)anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1180	Phenanthrene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	0,01
1181	Fluoranthene	µg/l	0,01	0,03	0,02	0,01	0,01	0,0125	<	0,01	0,01	0,01	0,01	0,02	13	<	<	0,01	0,0146	0,03	0,03
1181	Fluoranthene	µg/l	0,01	<	<	0,01	<	<	<	<	<	<	<	0,01	13	<	<	<	<	0,01	0,01
1182	Fluorene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,0009	0,0024	0,005	0,0031	0,0009	0,0024	0,0019	0,0011	0,0009	0,0017	0,0007	0,0078	13	0,0007	0,00078	0,0018	0,0024	0,00668	0,0078
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,0009	0,0024	0,005	0,0031	0,0009	0,0024	0,0019	0,0011	0,0009	0,0017	0,0007	0,0078	13	0,0007	0,00078	0,0018	0,0024	0,00668	0,0078
1188	Pyrene	µg/l	0,01	0,025	0,01	<	<	<	<	<	0,01	<	<	0,01	13	<	<	<	<	0,026	0,03
8450	Naphthalene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8450	Naphthalene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	52	<	<	<	<	<	<	<



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Organochlorine pesticides		200																		
8006 Aldrin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8006 Aldrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8117 Chlorthal	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*
8162 o,p-DDD	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*
8163 p,p-DDD	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8163 p,p-DDD	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8164 o,p-DDE	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*
8165 p,p-DDE	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8165 p,p-DDE	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8166 o,p-DDT	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8167 p,p-DDT	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8167 p,p-DDT	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8189 Dichlobenil	µg/l	0,01	<	<	<	<	0,01	<	<	<	<	<	<	<	13	<	<	<	<	0,01
8217 Dieldrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8217 Dieldrin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8263 alpha-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8263 alpha-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8264 beta-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8264 beta-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8268 Endrin	µg/l	0,0005	<	<	<	<	<	0,0251	<	0,001	<	<	<	<	11	<	<	0,00484	0,0402	0,05
8268 Endrin	µg/l	0,0005	<	<	<	<	<	0,0251	<	0,001	<	<	<	<	11	<	<	0,00484	0,0402	0,05
8358 Heptachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8359 Heptachloroepoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8361 Hexachlorobenzene (HCB)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8361 Hexachlorobenzene (HCB)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8362 alpha-Hexachlorocyclohexane (alpha)	µg/l	0,0001	0,0001	<	<	<	<	<	<	<	<	<	0,0001	<	13	<	<	<	0,0001	0,0001
8362 alpha-Hexachlorocyclohexane (alpha)	µg/l	0,0001	0,0001	<	<	<	<	<	<	<	<	<	0,0001	<	13	<	<	<	0,0001	0,0001
8363 beta-Hexachlorocyclohexane (beta)	µg/l	0,0001	0,0001	<	<	<	0,0001	0,0001	0,0001	0,0001	0,0002	0,0001	<	13	<	<	0,0001	<	0,00016	0,0002
8363 beta-Hexachlorocyclohexane (beta)	µg/l	0,0001	0,0001	<	<	<	0,0001	0,0001	0,0001	0,0001	0,0002	0,0001	<	13	<	<	0,0001	<	0,00016	0,0002
8379 Isodrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8393 Lindane (gamma-HCH)	µg/l	0,0005	0,0004	0,0003	0,0004	0,0006	0,00055	0,0005	0,0004	0,0003	0,0004	0,0004	0,0004	13	0,0003	0,0003	0,0004	0,00438	0,0006	0,0006
8393 Lindane (gamma-HCH)	µg/l	0,0005	0,0004	0,0003	0,0004	0,0006	0,00055	0,0005	0,0004	0,0003	0,0004	0,0004	0,0004	13	0,0003	0,0003	0,0004	0,00438	0,0006	0,0006
8629 delta-Hexachlorocyclohexane (delta)	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8631 trans-Heptachloroepoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Organophosphorus and -sulphur p 210																						
8027	Azamethiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<	
8028	Azinphos-ethyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8029	Azinphos-methyl	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8044	Bentazon	µg/l	0,05	<	<	<	<	0,06	<	<	<	<	<	13	<	<	<	<	<	<	0,06	
8108	Chlorfenvinphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8172	Demeton-O + S	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<	
8173	Demeton-S-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8174	Demeton-S-methylsulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<	
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8216	Dicrotophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<	
8238	Dimethoate	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8255	Disulfoton	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<	
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<	
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8343	Phosphamidon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8352	Glufosinate-ammonium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8354	Glyphosate	µg/l	0,03	0,05	0,04	0,04	0,05	0,14	0,085	0,16	0,03	0,12	<	0,16	0,07	13	<	<	0,07	0,0804	0,16	0,16
8354	Glyphosate	µg/l	0,03	0,05	0,04	0,04	0,05	0,14	0,085	0,16	0,03	0,12	<	0,16	0,07	13	<	<	0,07	0,0804	0,16	0,16
8354L	Glyphosate (load)	g/s		0,0102	0,0141	0,0169	0,0115	0,0282	0,0097	0,0137	0,00213	0,00386	0,000809	0,0166	0,0293	18	0,00809	0,002	0,0126	0,0134	0,0296	0,0325
8360	Heptenophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8396	Malathion	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8420	Methamidophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<	
8439	Mevinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8445	Monocrotophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<	
8468	Omethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<	
8475	Oxydemeton-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<	
8479	Paraoxon-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8482	Parathion-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8483	Parathion-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8501	Pirimiphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8526	Pyrazophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8566	Terbufos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8572	Tetrachlorvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8586	Thiometon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8600	Triazophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,58	0,39	0,42	0,52	0,91	1,3	1,9	1,7	2,2	1,8	1,6	0,6	13	0,39	0,402	0,91	1,17	2,08	2,2	
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,58	0,39	0,42	0,52	0,91	1,3	1,9	1,7	2,2	1,8	1,6	0,6	13	0,39	0,402	0,91	1,17	2,08	2,2	
8632L	Aminomethylphosphonic acid (AMP)	g/s	0,118	0,138	0,178	0,13	0,151	0,14	0,201	0,121	0,0756	0,0972	0,18	0,251	18	0,0697	0,0802	0,151	0,148	0,215	0,251	
8643	trans-Chlorfenvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8646	cis-Phosphamidon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8647	trans-Phosphamidon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8680	Edifenphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8702	Nicosulfuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,022	0,03	
8705	Amidosulfuron	µg/l	0,25	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8712	Fosthiazate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8726	Thiacloprid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8746	Buprofezine	µg/l	0,08	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8749	Disulphoton-sulfone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8750	oxydisulfoton	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8755	Terbufos-sulfoxid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8759	Fensulfothione	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8770	Acetamidprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8777	Phenamiphos-sulfoxid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8778	Phenamiphos-sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8779	Fenthion-sulfoxid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8783	Terbufos-sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
V132	Demeton-S	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V250	2,3-bis-sulfanylbutanedioic acid (suc	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
Organonitrogen pesticides		220																				
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8127	Chloridazon	µg/l	0,01	<	<	<	0,01	0,05	0,03	0,01	<	<	<	<	13	<	<	<	0,0131	0,046	0,05	
8392	Lenacil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Carbamate herbicides	260																				
8003 Aldicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8004 Aldicarb-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8005 Aldicarb-sulfoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8040 Bendiocarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8068 Butocarboxim	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8069 Butoxycarboxim	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8076 Carbaryl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8078 Carbetamide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8082 Carbofuran	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8084 Carboxin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8179 Desmedipham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8221 Diethofencarb	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8277 Ethiofencarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8300 Phenmedipham	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8304 Fenoxycarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8349 Furathiocarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
8424 Methiocarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8425 Methomyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8473 Oxamyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8474 Oxycarboxin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8499 Pirimicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8514 Propamocarb	µg/l	0,01	<	<	<	<	0,03	0,02	0,02	0,02	0,01	0,02	0,07	0,04	11	<	<	0,02	0,0236	0,064	0,07
8583 Thiodicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8585 Thiofanox	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8626 Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8634 Butocarboxim-sulfoxide	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8635 Ethiofencarb-sulfoxide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8636 Methiocarb-sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8637 Thiofanox-sulfoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8638 Thiofanox-sulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8639 3-Hydroxycarbofuran	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8649 Prothiocarb	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8722 Pyraclostrobin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8753 Methiocarb Sulphoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8763 Methyl-N-(3-hydroxyphenyl) carbama	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
8766	Iprovalicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
8775	Desmethyl-pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
8782	Ethiofencarb sulfon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Biocides 285																						
2077	Tributyltin	µg/l	0,0021	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8079	Carbendazim	µg/l	0,01	<	<	<	0,01	0,015	0,02	0,02	0,01	0,02	0,01	<	13	<	<	0,01	0,0115	0,02	0,02	
8169	Diethyltoluamide (DEET)	µg/l	0,02	<	<	<	<	<	0,05	0,06	0,04	0,03	<	13	<	<	<	0,0208	0,056	0,06		
8191	Dichlofuanid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<		
8209	Dichlorvos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8521	Propoxur	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Carbamate Fungicides 450																						
8514	Propamocarb	µg/l	0,01	<	<	<	0,03	0,02	0,02	0,02	0,01	0,02	0,07	0,04	11	<	<	0,02	0,0236	0,064	0,07	
8766	Iprovalicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
Benzimidazole Fungicides 470																						
8079	Carbendazim	µg/l	0,01	0,01	<	<	<	0,01	0,015	0,02	0,02	0,01	0,02	0,01	<	13	<	<	0,01	0,0115	0,02	0,02
8576	Thiabendazole	µg/l	0,01	<	<	<	<	<	<	<	<	0,02	<	<	13	<	<	<	<	0,014	0,02	
Conazole Fungicides 480																						
8054	Bitertanol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
8243	Diniconazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
8288	Etridiazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8486	Penconazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8564	Tebuconazole	µg/l	0,01	<	<	<	0,02	<	<	<	<	<	<	11	<	<	<	<	0,017	0,02		
8596	Triadimenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8659	Epoxiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8781	Tricyclazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
Amide Fungicides 490																						
8412	Metalaxyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8505	Prochloraz	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
8591	Tolyfluanid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<		
8660	Flutolanil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Pyrimidine Fungicides 500																						
8067	Bupirimate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8661	Pyrimethanil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Strobilurine Fungicides		510																			
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Unclassified Fungicides		520																			
8084	Carboxin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8145	Cymoxanil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8221	Diethofencarb	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8260	Dodemorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8307	Fenpropimorph	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8487	Pencycuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8507	Procymidone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8595	Triadimefon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8657	Dimethomorph	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8760	Fenhexamid	µg/l	0,01		<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8761	Famoxadone	µg/l	0,02		<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
Chlorophenoxy herbicides		230																			
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	0,07	<	<	<	<	<	13	<	<	<	<	0,052	0,07	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8404	Mecoprop (MCP)	µg/l	0,05	<	<	<	<	0,05	<	<	<	<	<	13	<	<	<	<	<	0,05	<
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Phenylurea herbicides 240																				
8097	Chlorbromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8122	Chlortoluron	µg/l	0,01	0,02	0,04	0,01	<	<	<	<	<	0,01	0,02	13	<	<	<	0,0108	0,032	0,04
8130	Chloroxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8226	Difenoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8229	Diflubenzuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8258	Diuron	µg/l		0,02	0,02	0,02	0,02	0,03	0,035	0,05	0,04	0,03	0,03	13	0,01	0,014	0,03	0,0285	0,046	0,05
8382	Isoproturon	µg/l	0,01	0,02	0,01	0,01	0,09	0,06	0,02	0,01	0,01	<	0,01	13	<	<	0,01	0,0265	0,078	0,09
8394	Linuron	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8418	Methabenzthiazuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8446	Monolinuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8447	Monuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,026	0,03
8487	Pencycuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8784	Triflururon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8785	Chlorofluazuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
Dinitrophenol herbicides 250																				
8244	2,4-Dinitrophenol	µg/l	0,03	<	<	<	<	<	<	<	<	0,04	<	13	<	<	<	<	<	0,04
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8617	Vamidothion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
Phenoxy Herbicides 550																				
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8204	2,4-Dichloroprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	0,07	<	<	<	<	<	13	<	<	<	<	0,052	0,07
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8404	Mecoprop (MCPP)	µg/l	0,05	<	<	<	<	0,05	<	<	<	<	<	13	<	<	<	<	<	0,05
Amide Herbicides 560																				
8522	Propyzamide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Anilide Herbicides 570																				
8417	Metazachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8710	Florasulam	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Chloroacetanilide Herbicides 580																						
8002	Alachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8513	Propachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
(Bis-)Carbamate Herbicides 590																						
8078	Carbetamide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8179	Desmedipham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8300	Phenmedipham	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Sulfonylurea Herbicides 610																						
8702	Nicosulfuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8705	Amidosulfuron	µg/l	0,25	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
Urea Herbicides 620																						
8122	Chlortoluron	µg/l	0,01	0,02	0,04	0,01	<	<	<	<	<	<	0,01	0,02	13	<	<	<	0,0108	0,032	0,04	
8258	Diuron	µg/l	0,02	0,02	0,02	0,02	0,03	0,035	0,05	0,04	0,03	0,03	0,03	0,01	13	0,01	0,014	0,03	0,0285	0,046	0,05	
8382	Isoproturon	µg/l	0,01	0,02	0,01	0,01	0,09	0,06	0,02	0,01	0,01	<	0,01	0,04	13	<	<	0,01	0,0265	0,078	0,09	
8394	Linuron	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8418	Methabenzthiazuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8434	Metobromuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Aryloxyphenoxy- Propionic Herbici 630																						
8675	Haloxypop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Triazin Herbicides 635																						
8026	Atrazine	µg/l	0,01	<	<	<	<	<	<	0,01	0,01	<	<	<	13	<	<	<	<	0,01	0,01	
8138	Cyanazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8180	Desmetryn	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8366	Hexazinone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8415	Metamitron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8435	Metolachlor	µg/l	0,01	<	<	<	<	<	0,01	0,045	0,04	0,02	0,01	<	13	<	<	<	0,0158	0,046	0,05	
8437	Metribuzin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8512	Prometryn	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8517	Propazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8547	Simazine	µg/l	0,01	<	<	<	<	<	<	0,01	0,02	0,02	0,01	0,02	<	13	<	<	<	<	0,02	
8567	Terbutryne	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8568	Terbutylazine	µg/l	0,01	<	<	<	<	<	<	0,0375	0,03	0,03	0,02	0,01	0,02	<	13	<	<	0,0165	0,054	0,07
Thiocarbamate Herbicides 640																						
8649	Prosulfocarb	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Uracil Herbicides 615																					
8392 Lenacil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Unclassified Herbicides 645																					
8044 Bentazon	µg/l	0,05	<	<	<	<	<	0,06	<	<	<	<	<	13	<	<	<	<	<	0,06	
8061 Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8117 Chlorthal	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8127 Chloridazon	µg/l	0,01	<	<	<	0,01	0,05	0,03	0,01	<	<	<	<	13	<	<	<	0,0131	0,046	0,05	
8158 Dalapon (2,2-Dichloropropionic acid)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8188 Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8189 Dichlobenil	µg/l	0,01	<	<	<	<	0,01	<	<	<	<	<	<	13	<	<	<	<	<	0,01	
8280 Ethofumesat	µg/l	0,02	<	<	<	<	0,03	0,035	<	<	<	<	<	13	<	<	<	<	0,042	0,05	
8330 Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8354 Glyphosate	µg/l	0,03	0,05	0,04	0,04	0,05	0,14	0,085	0,16	0,03	0,12	<	0,16	0,07	13	<	<	0,07	0,0804	0,16	0,16
8354 Glyphosate	µg/l	0,03	0,05	0,04	0,04	0,05	0,14	0,085	0,16	0,03	0,12	<	0,16	0,07	13	<	<	0,07	0,0804	0,16	0,16
8354L Glyphosate (load)	g/s		0,0102	0,0141	0,0169	0,0115	0,0282	0,0097	0,0137	0,00213	0,00386	0,000809	0,0166	0,0293	18	0,000809	0,002	0,0126	0,0134	0,0296	0,0325
8607 Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8612 Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8675 Haloxyfop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8676 Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8677 Ioxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8704 Sulcotrione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,022	0,03	
8707 Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8764 Picolinafen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
8767 Isoxaflutole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8802 Tepraloxymid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*	
Physiological plant growth regulator 950																					
8478 Paclobutrazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
Unclassified plant growth regulator 952																					
6243 Clofibrac acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8436 Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8478 Paclobutrazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8491 Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Anti-sprouting products 960																					
8076 Carbaryl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8626 Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Carbamate Insecticides 660																					
8076	Carbaryl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8082	Carbofuran	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8304	Fenoxycarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8424	Methiocarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Organophosphorus Insecticides 670																					
8029	Azinphos-methyl	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8209	Dichlorvos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8396	Malathion	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8420	Methamidophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8475	Oxydemeton-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Benzoylurea Insecticides 690																					
8229	Diflubenzuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8784	Triflumuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Insecticides Produced By Fermenta 700																					
8772	Spinosad	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<	<
Biological Insecticides 680																					
8536	Rotenon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Insecticides		710																			
8425	Methomyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8473	Oxamyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8701	Imidacloprid	µg/l	0,02	<	<	<	<	0,02	<	<	<	0,02	0,02	13	<	<	<	<	0,02	0,02	<
8726	Thiacloprid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8746	Buprofezine	µg/l	0,08	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8757	Tebufenozide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8770	Acetamiprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8771	Methoxyfenozide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8788	Thiametoxam	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
Unclassified Molluscicides		750																			
8583	Thiodicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
Nematicides		860																			
1784	cis-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1784	cis-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8186	Dibromochloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	<
Pesticide metabolites		954																			
2023	4-Isopropylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2032	3-Chloro-4-methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	0,08	<	0,1	<	0,09	<	4	<	*	*	0,0737	*	0,1	<
8113	4-Chloro-2-methylphenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8176	Desethylatrazine	µg/l	0,01	0,02	0,01	<	<	0,01	<	<	<	<	<	13	<	<	<	<	0,016	0,02	<
8178	Desisopropylatrazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8681	Desethylterbutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Various pesticides and metabolics 300																					
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05		<		0,08		0,1			0,09			4	<	*	*	0,0737	*	0,1
8000	Acephate	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8054	Bitertanol	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8067	Bupirimate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8145	Cymoxanil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8237	Dimethirimol	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8260	Dodemorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8279	Ethirimol	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8280	Ethofumesat	µg/l	0,02	<	<	<	<	0,03	0,035	<	<	<	<	<	13	<	<	<	<	0,042	0,05
8307	Fenpropimorph	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8336	Phorate	µg/l	0,2		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8348	Furalaxyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8373	Imazalil	µg/l	0,01	<	<	<	<	<	<	<	<	0,02	<	<	13	<	<	<	<	0,014	0,02
8522	Propyzamide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8536	Rotenon	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8576	Thiabendazole	µg/l	0,01	<	<	<	<	<	<	<	<	0,02	<	<	13	<	<	<	<	0,014	0,02
8591	Tolyfluanid	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8613	Triforine	µg/l	0,05		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8657	Dimethomorph	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8658	DMST	µg/l	0,05		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8661	Pyrimethanil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8701	Imidacloprid	µg/l	0,02	<	<	<	<	0,02	<	<	<	0,02	0,02	<	13	<	<	<	<	0,02	0,02
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8710	Florasulam	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8751	Phorate-sulfoxide	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8752	Phorate-sulphone	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8757	Tebufenozide	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8760	Fenhexamid	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8761	Famoxadone	µg/l	0,02		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8764	Picolinafen	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8767	Isoxaflutole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
8771	Methoxyfenozide	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
8772	Spinosad	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<		
8776	Thiocyclam	µg/l	0,02		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
8788	Thiametoxam	µg/l	0,01		<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
8802	Tepraloxymid	µg/l	0,02	<											1	*	*	*	*	*	*		
V256	Fenpyroximate	µg/l	0,01		<	<	<	<	<	<					7	<	*	*	<	*	<		
Ethers			302																				
1428	Diisopropylether	µg/l	0,02	1,39	0,255	0,25	0,245	0,19	0,16	<	<	<	<	0,337	0,53	26	<	<	0,14	0,28	0,66	2,5	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,109	0,0858	0,0688	0,13	0,241	0,272	0,31	0,508	0,234	0,0835	0,415	0,254	52	0,04	0,0612	0,16	0,224	0,464	0,91		
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,05	0,06	0,08	<	0,05	0,13	0,26	0,08	0,46	<	0,06	0,22	0,14	13	<	<	0,08	0,142	0,412	0,46	
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,1		<	<		0,14	<	<	<		0,13		6	<	*	*	<	*	0,14		
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,02	0,025	<	<	0,04	0,04	0,11	0,045	0,175	0,06	<	<	26	<	<	0,03	0,0473	0,152	0,21		
2244	Tertiary amyl methyl ether (TAME)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<		
Fuel additives			303																				
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,109	0,0858	0,0688	0,13	0,241	0,272	0,31	0,508	0,234	0,0835	0,415	0,254	52	0,04	0,0612	0,16	0,224	0,464	0,91		
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,05	0,06	0,08	<	0,05	0,13	0,26	0,08	0,46	<	0,06	0,22	0,14	13	<	<	0,08	0,142	0,412	0,46	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,02	0,025	<	<	0,04	0,04	0,11	0,045	0,175	0,06	<	<	26	<	<	0,03	0,0473	0,152	0,21		
2244	Tertiary amyl methyl ether (TAME)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<		
Various organic substances			305																				
1077	Cyclohexane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	0,03		
1077	Cyclohexane	µg/l	0,02	<	<	<	<	<	<	0,03	<	<	<	<	13	<	<	<	<	0,022	0,03		
1764	Tributylphosphate	µg/l	0,1	<	<	<	0,12	<	<	<	<	<	<	0,17	13	<	<	<	<	0,154	0,17		
1767	Triphenylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2037	2-Aminoacetophenone	µg/l	0,03	<	<	<	<	<	0,035	0,04	<	0,04	<	<	13	<	<	<	<	0,04	0,04		
2165	methenamine	µg/l	0,5			1,1		1,3	<				1,5		4	<	*	*	1,04	*	1,5		



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial solvents			431																			
1027	Bromochloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1040	1,2-Dichloroethane	µg/l	0,02	0,02	0,11	0,04	0,04	0,02	<	<	<	<	<	0,03	13	<	<	<	0,0254	0,082	0,11	
1040	1,2-Dichloroethane	µg/l	0,02	0,205	0,2	0,035	0,035	0,035	<	<	<	<	<	0,025	26	<	<	<	0,0465	0,164	0,39	
1044	Dichloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1044	Dichloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1049	Hexachlorobutadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1049	Hexachlorobutadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1056	Tetrachloroethene	µg/l	0,02	0,04	0,025	<	0,05	0,035	<	<	<	<	<	<	26	<	<	<	0,0204	0,05	0,06	
1056	Tetrachloroethene	µg/l	0,02	0,05	0,04	<	0,04	0,05	0,02	<	<	<	<	<	13	<	<	<	0,0223	0,05	0,05	
1057	Tetrachloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1057	Tetrachloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1063	Trichloroethene	µg/l	0,02	0,03	<	<	0,035	0,035	<	<	<	<	<	<	26	<	<	<	<	0,04	0,04	
1063	Trichloroethene	µg/l	0,02	0,04	0,02	<	0,03	0,04	<	<	<	<	0,02	0,02	13	<	<	<	<	0,04	0,04	
1064	Trichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1064	Trichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	0,05	
1070	1,2,3-Trichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1070	1,2,3-Trichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1828	cis-1,2-Dichloroethene	µg/l	0,02	0,05	0,03	<	0,04	0,05	0,03	<	<	0,02	0,02	0,03	13	<	<	0,03	0,0262	0,05	0,05	
1828	cis-1,2-Dichloroethene	µg/l	0,02	0,035	<	<	0,05	0,045	0,03	<	<	<	<	0,03	26	<	<	0,02	0,0242	0,05	0,06	
1829	trans-1,2-Dichloroethene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1829	trans-1,2-Dichloroethene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1955	1,1,2,2-Tetrachloroethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
1955	1,1,2,2-Tetrachloroethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8205	1,2-Dichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<	
8205	1,2-Dichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
industrial chemicals (with arom. nit 434)																					
1683	Aniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	0,03	<	13	<	<	<	<	<	0,03
1700	N-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1705	3-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1713	2,3,4-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1716	2,4,5-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1717	2,4,6-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1718	3,4,5-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1786	3-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1862	N,N-Diethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1864	N-Ethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1979	2,4,6-Trimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2024	2,4-Dimethylaniline	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2027	3,4-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2028	2,3-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2029	3-Chloro-4-methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2033	4-Methoxy-2-nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2034	2-Nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2035	3-Nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2038	2-(Phenylsulfon)aniline	µg/l	0,03	<	<	<	<	<	<	<	0,03	0,05	<	<	13	<	<	<	0,042	0,05	<
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2053	N,N-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2055	2,4- and 2,5-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2056	2-Methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2057	2- and 4-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2058	2-(Trifluoromethyl)aniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2059	2,5- and 3,5-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8063	4-Bromoaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8094	2-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8115	4-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8196	2,6-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8197	3,4-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8198	3,5-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8222	2,6-Diethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8239	2,6-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial chemicals (with volatile h 437)																					
1061	1,1,1-Trichloroethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1061	1,1,1-Trichloroethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8206	1,3-Dichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
8206	1,3-Dichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Industrial chemicals (with haloacid 438)																					
1792	Tetrachloro-orthophthalic acid	µg/l	0,02				<	<						5	<	*	*	<	*	<	
8679	2,6-Dichlorobenzoic acid	µg/l	0,02				<	<						5	<	*	*	<	*	<	
Industrial chemicals (with phenols) 439																					
1528	3-Chlorophenol	µg/l	0,5		<		<							6	<	*	*	<	*	<	
1529	4-Chlorophenol	µg/l	0,5		<		<							6	<	*	*	<	*	<	
1531	2,3-Dichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
1533	2,6-Dichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
1534	3,4-Dichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
1535	3,5-Dichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,1		<		<						<	4	<	*	*	<	*	<	
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,1		<		<						<	4	<	*	*	<	*	<	
1541	2,3,4-Trichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
1542	2,3,5-Trichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
1543	2,3,6-Trichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
1544	3,4,5-Trichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
2008	2,3-Dimethylphenol	µg/l	0,1		<		<						<	4	<	*	*	<	*	<	
2010	2,6-Dimethylphenol	µg/l	0,05		<		<							4	<	*	*	<	*	<	
2011	3,4-Dimethylphenol	µg/l	0,05		<		<							4	<	*	*	<	*	<	
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
2081	2-Ethylphenol	µg/l	0,05		<		<						<	4	<	*	*	<	*	<	
8104	2-Chlorophenol	µg/l	0,5		<		<							6	<	*	*	<	*	<	
8602	2,4,5-Trichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	
8603	2,4,6-Trichlorophenol	µg/l	0,02		<		<							6	<	*	*	<	*	<	



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

			MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial chemicals (with PCBs) 440																						
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Disinfection agents 444																						
2005	2-Methylphenol	µg/l	0,05		<			<		<			<			4	<	*	*	<	*	<
Disinfection byproducts 446																						
1028	Bromodichloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1033	Dibromochloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1033	Dibromochloromethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1058	Tribromomethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1058	Tribromomethane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
Flameretardants 380																						
2109	2,4,2',4'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2110	2,4,2',5'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2111	2,3,4,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2112	2,4,5,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2113	2,4,6,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2114	2,4,5,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2115	2,4,5,2',4',6'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2169	2,4,4'-Tribromodiphenylether (PBDE	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2170	2,3,4,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
X-ray contrast agents 340																						
6232	Diatrizoic Acid	µg/l	0,01		0,0445	<	0,025	0,03	0,019				0,23	0,43	0,12	11	<	<	0,03	0,0902	0,39	0,43
6234	Iohexol	µg/l	0,01		0,024	0,02	<	<	<	<			0,092	0,13	0,069	13	<	<	<	0,0303	0,115	0,13
6235	Iomeprol	µg/l	0,02		<	<	<	<	<	0,022			0,2	0,16	0,099	12	<	<	<	0,0467	0,188	0,2
6236	Iopamidol	µg/l	0,01		<	<	<	<	<	<			0,084	0,12	0,043	13	<	<	<	0,0228	0,106	0,12
6238	Iopromide	µg/l	0,01		0,029	0,03	<	<	<	0,021			0,12	0,23	0,14	13	<	<	0,021	0,0484	0,194	0,23
6239	Iothalamic acid	µg/l	0,1		<	<	<	<	<	<			<	<	<	13	<	<	<	<	<	<
6240	Ioxaglic acid	µg/l	0,1		<	<	<	<	<	<			<	<	<	13	<	<	<	<	<	<
6241	Ioxitalamic acid	µg/l	0,02		<	<	<	<	<	<			0,045	0,13	0,05	13	<	<	<	0,025	0,098	0,13

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2009 up to 31-12-2009

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Antibiotics 310																							
6032	Sulfamethoxazole	µg/l	0,01	0,02	0,0125	0,02	0,01	0,02	0,035	0,05	0,05	0,05	0,08	0,05	0,01	15	<	<	0,02	0,031	0,062	0,08	
6195	Erythromycin	µg/l	0,01	<	<	<	<	<	<	0,02	<	<	<	<	<	15	<	<	<	<	0,011	0,02	
6259	Lincomycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<	
8315	6-Chloro-4-hydroxy-3-phenyl-pyridazi	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Beta-adrenergic blocking agents 320																							
6226	Metoprolol	µg/l	0,1	0,13	<	0,1	<	0,1	<	0,12	<	<	0,21	0,15	<	15	<	<	<	<	0,174	0,21	
Analgesic and anti-inflammatory dr 350																							
6249	Diclofenac	µg/l	0,02	0,05	0,04	0,06	0,02	0,02	<	<	<	<	0,06	0,07	0,03	15	<	<	0,02	0,0307	0,064	0,07	
6252	Ibuprofen	µg/l	0,01	0,04	0,035	0,05	0,02	0,02	<	0,01	<	<	0,02	0,04	0,03	13	<	<	0,02	0,0258	0,046	0,05	
6255	Naproxen	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
6309	Phenazone	µg/l	0,01	<	<	<	<	<	<	<	0,01	<	<	<	<	15	<	<	<	<	<	0,01	
Lipid-lowering drugs 360																							
6242	Bezafibrate	µg/l	0,02	<	<	0,02	<	<	<	<	<	<	0,02	0,02	<	15	<	<	<	<	0,02	0,02	
6243	Clofibrac acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
Various pharmaceuticals 370																							
1860	Carbamazepine	µg/l		0,06	0,04	0,05	0,045	0,06	0,06	0,09	0,11	0,12	0,12	0,1	0,03	15	0,03	0,03	0,06	0,0687	0,12	0,12	
8677	Ioxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Endrocrin disrupting compounds (400																							
1519	Nonylphenol	µg/l	0,1	<	<	<	0,11	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,11	
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<	<	<	<	<	1,1	<	13	<	<	<	<	<	1,1	
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,006	
2196	Tetrabutyltin	µg/l	0,0018	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2197	Triphenyltin ion	µg/l	0,0017	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2199	Dibutyltin	µg/l	0,0051	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00702	0,01	
2201	Diphenyltin	µg/l	0,0044	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6703	Activity with respect to 17-beta-estra	ng/l				2,4		1,2					1,4		4	1,2	*	*	2,13	*	3,5	3,5	
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	0,11	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,11	
unspecified substances 980																							
2036	4-Methyl-3-nitroaniline	µg/l	0,03	<	<	<	<	<	<	0,03	<	<	<	<	<	13	<	<	<	<	<	0,03	
2066	3- and 4-Methylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
2068	2,4- and 2,5-Dimethylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
2176	3- and 4-Ethylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	

