

Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code	KEI
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
General compounds 010																							
0112	Water discharge	m3/s	558	697	381	252	340	274	132	68,9	107	167	573	391	365	31	75	270	326	683	1290		
0120	Water temperature	°C	5,28	4,8	5,25	8,43	14,4	17,7	21,7	18,5	13,9	9,98	7,26	52	3	4,55	13	12,6	21,5	24,1			
0122	Oxygen	mg/l	11,8	11,4	11,8	11,7	9,72	8,75	8,18	7,03	8,1	9,04	10,7	52	6,7	7,43	10,1	9,93	12,2	12,5			
0123	Oxygen saturation	%	92,3	88,6	92,5	97,6	89,2	81,4	74,7	64,1	75,3	82,6	92,6	52	59,7	68,2	88	85,3	96,4	99,8			
0126	Turbidity	FTE	10,4	24	10,6	8,9	6,91	10,4	6,04	4,13	2,5	4,39	27,3	13,4	47	1,8	2,8	6,9	10,7	21,4	65,8		
0128	Suspended matter	mg/l	2	30	53	7	4,55	5,4	6	3,2	4,4	<	<	70	5	17	<	4,4	12,4	56,4	70		
0130	Secchi depth	m	0,7	0,4	1,6	1,9	1,8	1,6	2,4	3	3	1,7	0,4	1	13	0,4	0,4	1,7	1,64	3	3		
0170	Odour (dilution factor)	-	3	7	7	6	5	4	3	3	0	5,5	1	5	13	0	0,4	5	4,23	7	7		
0180	pH	pH	7,94	7,95	8,02	8,09	7,95	7,94	7,9	7,9	7,97	7,98	7,95	7,99	50	7,77	7,85	7,95	7,96	8,09	8,21		
0200	Conductivity (at 20 °C)	mS/m	41,5	40,3	48,2	46,5	46,7	44	46,1	50,2	52,9	54,8	39,4	43,3	51	32,6	36,6	47,6	46,3	53,8	56		
0204	Residue on ignition, 600 °C	mg/l	5	26	43		8,25	<	<	<			66	6,8	9	<	*	*	18,4	*	66		
Radio activity 020																							
0160	beta Radioactivity, total	Bq/l	0,12	0,09	0,13	0,15	0,13	0,11	0,12	0,18	0,2	0,2	0,13	0,16	13	0,09	0,098	0,13	0,148	0,206	0,21		
0161	alpha Radioactivity, total	Bq/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0162	Residual beta radioactivity (without K	Bq/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0164	Tritium (H-3)	Bq/l	3	16,1	5,3	9,5	<	11,5	5,8	6,8	9,5	8,3	17,5	<	5	13	<	<	8,3	8,9	18,3	19,7	
Inorganic compounds 030																							
0220	Carbon dioxide	mg/l	5,7	4	3,5	3	3	3	3	3,5	3	2,8	3,5	3	13	2,5	2,7	3	3,37	5,02	5,7		
0222	Bicarbonate	mg/l	177	175	181	179	194	179	175	172	178	193	172	180	12	172	172	179	180	194	194		
0230	Chloride	mg/l	26,7	32,5	49,9	41,9	40	37,9	38	51,2	55,5	58,3	25	37,7	26	21,9	25	40,9	41,8	56,7	61,2		
0230L	Chloride (load)	kg/s	12,8	23,1	19,2	12,5	11,7	10,3	4,05	2,9	4,87	9,32	16,1	7,75	26	2,58	3,14	9,62	11,2	23,3	28,7		
0232	Sulfate	mg/l	41	37	45	46	48	38	43	54	62	63,5	36	46	13	36	36,4	46	47,9	63,6	64		
0288	Silicate	mg/l	3,8	3,6	3,3	1,9	1	2,7	2,6	2,2	2,7	3,15	3,8	4	13	1	1,36	3	2,92	3,92	4		
0380	Bromide	mg/l	0,02	0,045	0,04	0,07	0,075	0,0833	0,095	0,09	0,115	0,14	0,15	0,025	0,095	26	<	0,04	0,09	0,0877	0,153	0,18	
0382	Fluoride	mg/l		0,15	0,16	0,17	0,25	0,19	0,19	0,23	0,23	0,3	0,37	0,2	0,21	13	0,15	0,154	0,21	0,232	0,372	0,38	
0386	Cyanide, total	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0394	Bromate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0396	Chlorate	µg/l	50	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0398	Chlorite	µg/l	40	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code	KEI
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Nutrients		040																					
0271	Ammonium (NH4)	mg/l	0,03	0,208	0,19	0,195	0,1	0,11	0,075	0,063	0,108	0,118	0,11	0,125	0,15	52	<	0,06	0,12	0,128	0,23	0,36	
0274	Kjeldahl Nitrogen	mg/l		0,7	0,8	0,7	1	0,8	0,6	0,6	0,7	0,5	0,75	0,4	0,9	13	0,4	0,44	0,7	0,708	0,96	1	
0276	Organic Nitrogen	mg/l	0,3	0,6	0,6	0,5	0,9	0,7	0,6	0,5	0,6	0,5	0,6	<	0,8	13	<	<	0,6	0,588	0,86	0,9	
0281	Nitrite-NO2	mg/l		0,116	0,12	0,138	0,101	0,119	0,078	0,077	0,086	0,056	0,13	0,1	0,124	13	0,056	0,0644	0,108	0,106	0,146	0,152	
0283	Nitrate-NO3	mg/l		18,2	16,6	18,5	16,8	13,8	12,2	11,6	10,9	11,4	13,8	11,7	15,5	13	10,9	11,1	13,8	14,2	18,4	18,5	
0284D	Orthophosphate (PO4)	mg/l		0,212	0,166	0,159	0,208	0,3	0,31	0,31	0,31	0,307	0,426	0,218	0,205	13	0,159	0,162	0,3	0,274	0,43	0,445	
0286D	Total phosphate (PO4)	mg/l		0,331	0,38	0,399	0,242	0,377	0,392	0,392	0,377	0,365	0,527	0,399	0,328	13	0,242	0,277	0,38	0,388	0,53	0,543	
Group compounds		070																					
0401	Total organic carbon (TOC)	mg/l		4,45	4,9	3,85	3,7	4,1	4,05	4,05	4,25	4,2	4,4	6,75	4,35	26	3,7	3,7	4,25	4,41	5,26	8,7	
0403	Dissolved organic carbon (DOC)	mg/l		3,8	3,95	3,65	3,4	3,97	3,85	3,95	4,3	4,25	4,17	5,35	4,15	26	3,4	3,47	4,1	4,07	4,49	6	
0405	Chemical oxygen demand (COD, 0.4	mg/l		12	14	12	11	7	11	11	9	10	11	15	15	13	7	7,8	11	11,5	15	15	
0406	Biochemical oxygen demand (BOD5	mg/l		1,4	1,8	1,6	1,6	1,25	1,3	0,35	1,3	1,1	1,4	1,7	1,5	13	0,35	0,49	1,4	1,35	1,8	1,8	
0410	UV absorbance, 254 nm	1/m		10,6	11,7	9,5	9,5	8,8	11,4	11,3	10,9	10,6	11,8	14,1	12,2	13	8,8	9,08	11,3	11,1	13,3	14,1	
0411	UV absorbance, 410 nm	1/m		3,21	5,29	1,28	1,84	1,38	0,92	2,36	0,7	1	1,23	5,11	1,15	13	0,7	0,788	1,35	2,07	5,22	5,29	
0412	Colour (Pt/Co scale)	mg/l		24	30		12	12,5	11	13,5	17	10	13	33	14,5	15	10	10,6	14	16,3	31,2	33	
0430	Adsorbable organohalogen compou	µg/l		10	10	6	7	9	10	8	9	9	14	14	17	13	6	6,4	10	10,2	15,8	17	
0432	Extractable organohalogen compoun	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0434	Purgeable organohalogen compoun	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0466	Cholinesterase inhibitors	µg/l	0,2	<	<	0,2	<	<	0,2	<	<	<	<	<	<	13	<	<	<	<	0,2	0,2	
Summend compounds		080																					
0451	Trihalomethanes, total	µg/l	0,1	<	<	<	<	<	<	0,12	<	<	<	<	<	13	<	<	<	<	<	0,12	
2022	Tetra- and Trichloroethene (sum)	µg/l	0,05	<	<	0,08	0,08	<	<	<	<	<	<	<	<	13	<	<	<	<	0,08	0,08	
V325	Aromates, sum	µg/l	0,3	<	<											3	*	*	*	*	*	*	
Biological compounds		090																					
0614	Coliform bacteria, (37 °C, confirmed) n/100 ml			2500	14000	280	72	530	800	60	43	720	5000	4200	600	13	43	49,8	720	2260	10400	14000	
0618	Coliform bacteria, total (37 °C)	n/ml		60000	240000	13000	18000	7900	2200	2100	5000	2300	100000	51000	21000	13	900	1380	13000	48000	224000	240000	
0624	thermotol.bact. Coli group bact. (44 °	n/100 ml		980	1500	87	6	64,5	690	38	26	390	2300	820	480	13	6	14	390	573	1980	2300	
0626	Escherichia coli (confirmed)	n/100 ml	100	620	3400	110	<	<	<	<	<	<	1300	1700	200	13	<	<	<	592	2720	3400	
0634	Enterococces	n/100 ml		45	120	12	2	1	5	4	6	1	38	46	14	13	1	1	6	25,5	102	120	
0636	escherichia coli (direct plating)	n/ml		23000	21000	4200	3600	1700	2000	700	4800	5600	17100	15000	14000	13	700	900	4800	9980	29000	33000	
0664	Clostridium perfringens (incl. spoers) n/100 ml			140	170	62	69	28	88	63	16	19	24,5	200	32	13	10	12,4	62	72	188	200	
Hydrobiological compounds		095																					
7100	Chlorophyll-a	µg/l	2	<	<	<	2	2,5	<	3	<	<	<	2	<	13	<	<	<	<	3	3	
7110	Phaeophytine	µg/l	2	<	<	<	<	4	<	3	<	<	<	6,5	<	26	<	<	<	2,12	4,3	11	

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Metals																				
	050																			
0240 Sodium	mg/l	22	22	34	29	34	21	26	37	41	39,5	17	27	13	17	18,6	29	29,9	41	41
0242 Potassium	mg/l	4,4	4,3	4,8	4,6	4,9	3,8	4,8	6,7	7,8	7,05	4,4	6,2	13	3,8	4	4,8	5,45	7,64	7,8
0244 Calcium	mg/l	61	63	68	64	67	58	61	60	62	63	61	69	13	58	58,8	62	63,1	68,6	69
0300 Iron	mg/l	1,37	2,49	0,343	0,423	0,574	0,334	0,36	0,27	0,152	0,503	3,4	0,53	13	0,152	0,199	0,503	0,871	3,04	3,4
0304 Manganese	mg/l	0,13	0,11	0,11	0,065	0,037	0,053	0,046	0,024	0,023	0,047	0,083	0,08	13	0,023	0,0234	0,054	0,0658	0,122	0,13
0306 Manganese	µg/l	42,3	17,5	67	55,1	31,8	16,3	3,61	15	15,6	58,5	11,7	69,3	13	3,61	6,85	18,9	33,5	68,4	69,3
0310 Aluminium	µg/l	735	1900	139	182	287	186	191	141	52,1	241	2160	268	13	52,1	86,9	241	521	2060	2160
0312 Antimony	µg/l	0,5	<	<	<	<	<	<	<	0,509	<	<	<	13	<	<	<	<	<	0,509
0314 Arsenic	µg/l	1	<	1,2	1,3	<	<	1	1,3	1,3	1,4	1,35	1,2	13	<	<	1,2	1,08	1,4	1,4
0316 Barium	µg/l		28	31	33	26	26	24	27	30	29,5	27	28	13	24	24,8	28	28,3	32,2	33
0318 Beryllium	µg/l	0,05	0,0622	0,11	<	<	<	<	<	<	<	0,154	<	13	<	<	<	<	0,136	0,154
0322 Boron	mg/l		0,029	0,027	0,034	0,035	0,04	0,035	0,039	0,055	0,057	0,05	0,028	13	0,027	0,0274	0,037	0,0397	0,057	0,057
0324 Cadmium	µg/l	0,1	<	0,16	0,15	<	<	<	<	<	<	0,11	<	13	<	<	<	<	0,156	0,16
0326 Chromium	µg/l	0,5	2,11	4,23	0,718	0,717	0,944	1,13	0,761	0,545	<	0,805	6	13	<	<	0,828	1,54	5,29	6
0328 Cobalt	µg/l		1,02	1,42	0,703	0,596	0,643	0,485	0,581	0,538	0,68	0,646	2,09	13	0,442	0,459	0,68	0,83	1,82	2,09
0330 Copper	µg/l		3,18	4,45	1,55	1,82	2,42	2,05	2,83	2,74	2,33	2,7	6,97	13	1,55	1,66	2,51	2,87	5,96	6,97
0332 Mercury	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0334 Lead	µg/l	1	1,4	3,2	3,4	<	<	<	<	<	<	2,6	<	13	<	<	<	1,21	3,32	3,4
0336 Lithium	µg/l		4,79	6,11	5,26	3,89	6,87	8,46	6,82	9,11	9,73	10,4	5,85	13	3,89	4,25	6,11	6,94	10,1	10,4
0338 Molybdenum	µg/l		0,675	1,04	1,21	1,05	1,6	1,8	2,24	2,63	2,78	2,88	1,28	13	0,675	0,821	1,67	1,73	2,84	2,88
0340 Nickel	µg/l		3,2	3,8	4	3	2,6	2,4	2,4	3,4	3,2	3	3,2	13	2,4	2,4	3,2	3,13	3,92	4
0342 Selenium	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0343 Strontium	µg/l		170	170	180	180	200	180	190	200	200	210	160	13	160	164	190	188	212	220
0344 Thallium	µg/l		0,0296	0,0544	0,0197	0,0272	0,0346	0,0412	0,0429	0,045	0,0416	0,0356	0,0637	13	0,0197	0,0199	0,0359	0,0377	0,06	0,0637
0345 Tellurium	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0346 Tin	µg/l	0,05	0,305	0,346	0,0573	0,0963	0,145	0,106	0,0981	0,0776	<	<	0,632	13	<	<	0,0981	0,16	0,518	0,632
0350 Vanadium	µg/l		2,54	5,21	0,883	0,953	1,51	1,72	1,83	1,71	1,64	1,71	6,14	13	0,883	0,911	1,71	2,21	5,77	6,14
0354 Zinc	µg/l		24,8	32,8	11,5	11,5	13,7	9,6	9,98	9,85	9,06	13,4	56,6	13	9,06	9,28	11,5	17,4	47,1	56,6
0373 Rubidium	µg/l		3,39	5,68	2,86	2,95	4,3	4,18	4,42	7,42	7,3	9,37	6,65	13	2,86	2,9	4,42	5,17	8,59	9,37
0375 Uranium	µg/l		0,324	0,313	0,34	0,362	0,368	0,411	0,414	0,411	0,387	0,442	0,375	13	0,313	0,317	0,375	0,376	0,431	0,442
V281 Cesium	µg/l		0,199	0,403	0,0916	0,09	0,163	0,167	0,144	0,302	0,348	0,396	0,649	13	0,09	0,0906	0,194	0,247	0,551	0,649



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code	KEI
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Metals, after filtration		055																					
0245	Calcium, 0.45 µm filtrate	mg/l	58,8	59,8	67,5	63,8	65,2	63,3	60,2	61,3	63	64,6	58	60,8	52	45	54,3	63	62,2	69	71		
0248	Magnesium, 0.45 µm filtrate	mg/l	6,5	6,15	7,38	7,48	7,44	7	7,2	7,93	7,98	8,08	6,2	6,86	52	5,4	5,6	7,4	7,2	8,07	8,5		
0302	Iron, 0.45 µm filtrate	mg/l	0,01	0,046	0,092	0,051	0,054	0,031	0,033	0,024	0,013	<	0,025	0,043	0,038	13	<	<	0,033	0,0369	0,0768	0,092	
0309	Boron, 0.45 µm filtrate	µg/l	24	25,6	28,2	27,9	33,9	41,8	44,7	55,9	61	68,1	26,9	37,8	13	24	24,6	35,8	39,2	65,3	68,1		
0311	Aluminium, 0.45 µm filtrate	µg/l	5	6	10	7	6	<	<	<	<	<	6	<	13	<	<	<	<	8,8	10		
0313	Antimony, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0315	Arsenic, 0.45 µm filtrate	µg/l	0,556	0,548	0,423	0,415	0,583	0,847	0,947	1,02	1,15	0,68	0,782	0,563	13	0,415	0,418	0,644	0,7	1,1	1,15		
0317	Barium, 0.45 µm filtrate	µg/l	24	20,6	24,8	24,8	24,7	27,3	30,1	32,1	30,5	33,8	22,4	26,1	13	20,6	21,3	25,8	26,6	33,1	33,8		
0319	Berullium, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0325	Cadmium, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	0,0521	<	<	0,0569	0,0769	<	13	<	<	<	<	0,0689	0,0769		
0327	Chromium, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	0,53	<	<	<	<	<	13	<	<	<	<	<	0,53		
0329	Cobalt, 0.45 µm filtrate	µg/l	0,351	0,26	0,574	0,434	0,347	0,303	0,354	0,372	0,595	0,493	0,195	0,528	13	0,189	0,191	0,372	0,396	0,587	0,595		
0331	Copper, 0.45 µm filtrate	µg/l	1,36	1,63	1,2	1,34	1,67	1,61	2,21	2,46	2,55	2,32	2,11	1,53	13	1,2	1,26	1,63	1,82	2,51	2,55		
0333	Mercury, 0.45 µm filtrate	µg/l	0,0003	0,0008	0,00091	<	0,0005	0,00049	0,00034	<	<	0,00034	0,00054	0,00083	0,00054	13	<	<	0,0005	0,00479	0,00878	0,0091	
0335	Lead, 0.45 µm filtrate	µg/l	0,1	0,114	0,148	<	<	<	<	<	<	0,149	0,11	<	13	<	<	<	<	0,149	0,149		
0337	Lithium, 0.45 µm filtrate	µg/l	3,38	3,4	4,45	4,32	5,97	7,26	7,33	9,5	9,43	9,87	2,93	5,36	13	2,93	3,11	5,36	6,09	9,72	9,87		
0339	Molybdenum, 0.45 µm filtrate	µg/l	0,694	0,914	1,19	1,03	1,49	1,8	2,23	2,66	2,75	2,79	1,08	1,58	13	0,694	0,782	1,51	1,67	2,77	2,79		
0341	Nickel, 0.45 µm filtrate	µg/l	2,23	2,24	2,43	2,47	2,41	2,27	2,61	3,01	3,78	3,58	2,52	2,8	13	2,03	2,11	2,52	2,67	3,7	3,78		
0347	Tin, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0349	Titanium, 0.45 µm filtrate	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0351	Vanadium, 0.45 µm filtrate	µg/l	0,761	0,83	0,49	0,468	0,723	1,25	1,29	1,35	1,49	1,15	1,15	0,785	13	0,468	0,477	0,84	0,958	1,43	1,49		
0353	Silver, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0355	Zinc, 0.45 µm filtrate	µg/l	5,25	4,84	7,08	5,5	5,62	5,55	4,32	8,33	9,17	4,21	4,71	12	4,21	4,24	5,38	5,85	8,92	9,17			
0359	Rubidium, 0.45 µm filtrate	µg/l	2,12	2,27	2,59	2,6	3,53	3,87	3,93	7,22	7,23	8,81	2,6	3,89	13	2,12	2,18	3,87	4,17	8,18	8,81		
0361	Uranium, 0.45 µm filtrate	µg/l	0,306	0,262	0,329	0,361	0,349	0,416	0,411	0,416	0,407	0,443	0,303	0,348	13	0,262	0,278	0,354	0,362	0,432	0,443		
0362	Selemium, 0.45 µm filtrate	µg/l	0,171	0,163	0,2	0,193	0,199	0,245	0,227	0,239	0,218	0,199	0,179	0,213	13	0,163	0,166	0,2	0,203	0,243	0,245		
0363	Strontium, 0.45 µm filtrate	µg/l	146	134	172	179	183	205	188	204	193	203	142	207	13	134	137	184	180	206	207		
0364	Thallium, 0.45 µm filtrate	µg/l	0,0153	0,0217	0,0159	0,0233	0,0265	0,0382	0,0359	0,0404	0,0398	0,0309	0,0176	0,0206	13	0,0153	0,0155	0,0256	0,0271	0,0402	0,0404		
0365	Tellurium, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
V282	Cesium, 0.45 µm filtrate	µg/l	0,05	<	<	0,0502	<	0,078	0,112	0,0836	0,249	0,34	0,293	<	0,0781	13	<	<	0,0781	0,112	0,321	0,34	

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Complex buiders	060																				
0420 Anionic detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
0422 Cation-Active Detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
0424 Non-ionic Surfactants	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
1793 Nitriotriacetic acid (NTA)	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1794 Ethylenediaminetetraacetic acid (ED)	µg/l	5	21	10	14	18	17	9	9	20	16	12,2	12	25	13	<	5,1	16	15	23,8	25
1794L Ethylenediaminetetraacetic acid (ED)	g/s		6,91	4,75	6,36	5,72	5,17	1,94	1,1	1,32	0,992	1	4,3	4,58	13	0,837	0,899	4,3	3,47	6,69	6,91
2003 Diethylenetriaminepentaacetic acid (DTPA)	µg/l	5	8	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	5,8	8

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Mono cyclic aromatic hydrocarb 170																					
1074	Benzene	µg/l	0,01	<	<	0,0108	0,0109	<	<	<	<	<	<	<	13	<	<	<	<	0,0109	0,0109
1075	Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1080	1,2-Dimethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1088	Ethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1089	Ethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1098	Methylbenzene	µg/l	0,01	<	<	0,0134	0,0149	0,0149	<	<	<	0,0136	<	0,0439	13	<	<	<	0,0116	0,0327	0,0439
1106	Propylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1112	Chlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1115	2-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1116	3-Chloromethylbenzene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1119	1,2-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1120	1,3-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1121	1,4-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1127	Pentachlorobenzene	µg/l	0,00002	0,00003	0,00003	<	<	<	<	0,0001	<	<	0,00005	<	13	<	<	<	0,00231	0,00008	0,0001
1128	1,2,3,4-Tetrachlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*
1130	1,2,4,5-Tetrachlorobenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*
1131	1,2,3-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1132	1,2,4-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1133	1,3,5-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1797	Isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1832	1,3,5-Trimethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1951	1,2,4-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	0,0124	<	13	<	<	<	<	<	0,0124
1952	1,2,3-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1956	3-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1957	4-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1958	2-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1959	4-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1960	1-Methyl-4-isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1998	t-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2014	Bromobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2018	Isobutylbenzene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	0,0112	<	0,0244	<	13	<	<	<	<	0,0191	0,0244
2064	s-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
V220	4-isopropylbenzyl alcohol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Poly cyclic aromatic hydrocarbo 180																						
1161	Acenaphthene	µg/l	0,005	0,0057	0,0076	0,0066	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0072	0,0076	
1162	Acenaphthylene	µg/l	0,05	<	<										2	*	*	*	*	*	*	
1163	Anthracene	µg/l	0,004	0,00918	0,00909	<	<	<	<	<	<	0,0125	<	13	<	<	<	<	0,0112	0,0125		
1165	Benzo(a)anthracene	µg/l	0,001	0,0231	0,028	0,00402	0,00269	0,00321	0,00272	0,00348	0,0034	<	<	13	<	<	0,0034	0,00791	0,0275	0,028		
1166	Benzo(b)fluoranthene	µg/l	0,005	<	0,0053	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,0053		
1167	Benzo(k)fluoranthene	µg/l		0,0109	0,0208	0,00319	0,00295	0,00358	0,00417	0,00328	0,00246	0,00057	0,00101	0,02	13	0,00057	0,00746	0,00321	0,00597	0,0205	0,0208	
1168	Benzo(ghi)perylene	µg/l		0,0236	0,0339	0,00485	0,00435	0,00613	0,00529	0,00549	0,00373	0,00081	0,00128	0,0379	13	0,00081	0,00998	0,00529	0,0104	0,0363	0,0379	
1169	Benzo(a)pyrene	µg/l	0,002	0,0327	0,0305	0,00329	0,00242	0,00341	0,0029	0,00395	0,00293	<	<	13	<	<	0,00296	0,00916	0,0319	0,0327		
1172	Chrysene	µg/l	0,004	0,021	0,0269	0,00409	<	<	0,00422	<	<	<	<	13	<	<	<	0,00781	0,0283	0,0293		
1173	Dibenzo(a,h)anthracene	µg/l	0,003	0,0138	0,00896	<	<	<	<	<	<	<	<	13	<	<	<	0,00361	0,012	0,0138		
1180	Phenanthrene	µg/l		0,0226	0,0224	0,00771	0,00729	0,00573	0,00566	0,00365	0,0086	0,00602	0,00426	0,0311	13	0,00365	0,00374	0,00729	0,0104	0,0277	0,0311	
1181	Fluoranthene	µg/l		0,057	0,0622	0,0129	0,0109	0,0113	0,0124	0,00802	0,014	0,00605	0,00697	0,0753	13	0,00605	0,0061	0,0124	0,0226	0,0701	0,0753	
1182	Fluorene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1183	Indeno(1,2,3-cd)pyrene	µg/l		0,0444	0,0402	0,00418	0,00348	0,00524	0,00833	0,00514	0,00328	0,00052	0,00112	0,0423	13	0,00052	0,00076	0,00476	0,0127	0,0436	0,0444	
1188	Pyrene	µg/l		0,0364	0,056	0,0123	0,00954	0,00912	0,0102	0,00907	0,0111	0,00531	0,00511	0,0547	13	0,00511	0,00519	0,0102	0,018	0,0555	0,056	
8450	Naphthalene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
V137	2-amino-3-chloro-1,4-naphthoquinon	µg/l	0,01	<	<									2	*	*	*	*	*	*		
V377	dibenzo(b,k)fluoroanthe	µg/l	0,05	<	0,08									2	*	*	*	*	*	*		



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organochlorine pesticides		200																			
2132	3-Chloropropene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8006	Aldrin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8099	Chlorobufam	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	
8118	Chlorthal-methyl	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8162	o,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8163	p,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	
8164	o,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8165	p,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8166	o,p-DDT	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	
8167	p,p-DDT	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8167R	o,p-DDT and p,p-DDD	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8199	2,6-Dichlorobenzamide (BAM)	µg/l	0,02	<	<	<	0,02	<	0,02	0,03	0,03	<	<	<	13	<	<	<	<	0,03	
8211	Dichloran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	
8215	Dicofol	µg/l	0,25	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	
8217	Dieldrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8263	alpha-Endosulfan	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8264	beta-Endosulfan	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8268	Endrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8305	Fenpiclonil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	
8358	Heptachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8359	Heptachloroepoxide	µg/l	0,00005	<	0,00006	<	<	<	0,00006	<	<	<	0,00006	<	13	<	<	<	<	0,00006	
8361	Hexachlorobenzene (HCB)	µg/l	0,0002	<	<	<	<	<	0,00021	<	<	<	<	<	13	<	<	<	<	0,00021	
8362	alpha-Hexachlorocyclohexane (alpha)	µg/l	0,00006	<	<	<	<	0,00012	0,00007	0,00007	0,00087	0,00014	0,00011	<	13	<	<	0,00007	0,00129	0,00578	
8363	beta-Hexachlorocyclohexane (beta)	µg/l	0,00005	<	<	0,00005	0,00005	0,00007	0,00012	0,0001	0,00187	0,00021	0,00011	0,00008	0,00007	13	<	<	0,00007	0,00219	0,00121
8379	Isodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8393	Lindane (gamma-HCH)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8428	Methoxychlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	
8441	Mirex	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	
8560	Telodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	
8573	Tetradifon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	
8629	delta-Hexachlorocyclohexane (delta)	µg/l	0,00008	<	0,00015	<	<	<	<	0,00018	<	<	<	<	13	<	<	<	<	0,00168	
8631	trans-Heptachloroepoxide	µg/l	0,0007	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8640	cis-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code	KEI
-------------------	-----

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8641	trans-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	<
8655	Oxychlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	<
8656	epsilon-Hexachlorocyclohexane (eps	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	<
8741	zoxamide	µg/l	0,05	<	<										2	*	*	*	*	*	*	*

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Organophosphorus and -sulphur p 210																						
8028	Azinphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8029	Azinphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8059	Bromophos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8060	Bromophos-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8108	Chlorfenvinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8112	Chlorpyriphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8172	Demeton-O + S	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8173	Demeton-S-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8174	Demeton-S-methylsulfon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8185	Diazinon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8190	Dichlofenthion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8216	Dicrotophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8255	Disulfoton	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8257	Dithianon	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8278	Ethion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8281	Ethoprophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8289	Etrimfos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8296	Fenchlorphos (Ronnel)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8335	Fonofos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8343	Phosphamidon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8352	Glufosinate-ammonium	µg/l	0,015	<	<	<	<	<	<	<	0,0237	<	<	<	24	<	<	<	<	<	0,04	
8354	Glyphosate	µg/l	0,03	<	0,035	0,045	0,05	0,0967	0,135	0,12	0,06	<	0,1	<	0,04	26	<	<	0,05	0,0654	0,126	0,18
8354L	Glyphosate (load)	g/s	0,0164	0,0248	0,0176	0,0151	0,0297	0,0383	0,0128	0,00333	0,00193	0,0148	0,0129	0,0085	26	0,00464	0,00334	0,0136	0,0168	0,0371	0,0572	
8360	Heptenophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8396	Malathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8420	Methamidophos	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8423	Methidathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8439	Mevinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8445	Monocrotophos	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8468	Omethoate	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8475	Oxydemeton-methyl	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8479	Paraoxon-ethyl	µg/l	0,05	<	0,2									2	*	*	*	*	*	*	*
8482	Parathion-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8483	Parathion-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8500	Pirimiphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8526	Pyrazophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8550	Sulfotep	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8566	Terbufos	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8572	Tetrachlorvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8586	Thiometon	µg/l	0,02	<	<									2	*	*	*	*	*	*	*
8590	Tolclofos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8600	Triazophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8604	Trichlorfon	µg/l	0,02	<	<									2	*	*	*	*	*	*	*
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,255	0,24	0,31	0,405	0,653	0,875	1,15	1,73	1,66	1,59	0,47	0,43	26	0,22	0,248	0,53	0,837	1,89	1,94
8632L	Aminomethylphosphonic acid (AMP)	g/s	0,124	0,174	0,121	0,122	0,197	0,253	0,119	0,0968	0,152	0,22	0,308	0,0886	26	0,0805	0,0864	0,126	0,168	0,399	0,455
8643	trans-Chlorfenvinphos	µg/l	0,05	<	<									2	*	*	*	*	*	*	*
8644	cis-Mevinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8646	cis-Phosphamidon	µg/l	0,05	<	<									2	*	*	*	*	*	*	*
8647	trans-Phosphamidon	µg/l	0,05	<	<									2	*	*	*	*	*	*	*
8652	Chlorpyriphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8680	Edifenphos	µg/l	0,05	<	<									2	*	*	*	*	*	*	*
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	0,03	<	13	<	<	<	<	<	<	0,03
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8714	Iodosulfuron-methyl-sodium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8727	Triflusulfuron-methyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8746	Buprofezine	µg/l	0,08	<	<										2	*	*	*	*	*	*
8749	Disulphoton-sulfone	µg/l	0,02	<	<										2	*	*	*	*	*	*
8750	oxydisulfoton	µg/l	0,01	<	<										2	*	*	*	*	*	*
8755	Terbufos-sulfoxid	µg/l	0,01	<	<										2	*	*	*	*	*	*
8759	Fensulfothione	µg/l	0,01	<	<										2	*	*	*	*	*	*
8770	Acetamiprid	µg/l	0,02	<	<										2	*	*	*	*	*	*
8777	Phenamiphos-sulfoxid	µg/l	0,01	<	<										2	*	*	*	*	*	*
8778	Phenamiphos-sulfon	µg/l	0,01	<	<										2	*	*	*	*	*	*
8779	Fenthion-sulfoxid	µg/l	0,01	<	<										2	*	*	*	*	*	*
8780	Fenthion-sulfon	µg/l	0,01	<	<										2	*	*	*	*	*	*
8783	Terbufos-sulfon	µg/l	0,01	<	<										2	*	*	*	*	*	*
V250	2,3-bis-sulfanylbutanedioic acid (suc	µg/l	0,05	<	<			<			<		<		4	<	*	*	<	*	<
Organonitrogen pesticides		220																			
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,01	<	<	<	<	0,0275	<	<	<	<	<	<	13	<	<	<	<	0,0288	0,034
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8347	Fuberidiazole	µg/l	0,05	<	<										2	*	*	*	*	*	*
8392	Lenacil	µg/l	0,05	<	<										2	*	*	*	*	*	*
8662	Tebuphenpyrad	µg/l	0,05	<	<										2	*	*	*	*	*	*
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8730	chloridazon-methyl-desphenyl	µg/l	0,05					<	<	<	<	0,06	<	<	14	<	<	<	<	<	0,06
8732	Chloridazon-desphenyl	µg/l					0,29	0,258	0,29	0,23	0,33	0,7	0,21	0,26	14	0,21	0,21	0,275	0,301	0,535	0,7
8737	picoxystrobin	µg/l	0,01	<	<										2	*	*	*	*	*	*
8738	fipronil	µg/l	0,01	<	<										2	*	*	*	*	*	*
8739	trifloxystrobin	µg/l	0,05	<	<										2	*	*	*	*	*	*
8742	fenamidone	µg/l	0,01	<	<										2	*	*	*	*	*	*
8744	boscalid	µg/l	0,01	<	<										2	*	*	*	*	*	*
V218	Imazamethabenz-Methyl	µg/l	0,05	<	<										2	*	*	*	*	*	*



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Carbamate herbicides	260																				
8003 Aldicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8004 Aldicarb-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8005 Aldicarb-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8040 Bendiocarb	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8068 Butocarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8069 Butoxycarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8076 Carbaryl	µg/l	0,05	<	<										2	*	*	*	*	*	*	*
8078 Carbetamide	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8082 Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8084 Carboxin	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8179 Desmedipham	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8221 Diethofencarb	µg/l	0,04	<	<										2	*	*	*	*	*	*	*
8277 Ethiofencarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8300 Phenmedipham	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8304 Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8424 Methiocarb	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8425 Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8472 Oxadixyl	µg/l	0,05	<	<										2	*	*	*	*	*	*	*
8473 Oxamyl	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8474 Oxy-carboxin	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8499 Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8509 Propham	µg/l	0,02	<	<										2	*	*	*	*	*	*	*
8514 Propamocarb	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8583 Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8585 Thiofanox	µg/l	0,04	<	<										2	*	*	*	*	*	*	*
8597 Triallate	µg/l	0,02	<	<										2	*	*	*	*	*	*	*
8626 Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	*
8634 Butocarboxim-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8635 Ethiofencarb-sulfoxide	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8636 Methiocarb-sulfon	µg/l	0,01	<	<										2	*	*	*	*	*	*	*
8637 Thiofanox-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8638 Thiofanox-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8649 Prosulfocarb	µg/l	0,02	<	<										2	*	*	*	*	*	*	*
8722 Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8753 Methiocarb Sulphoxide	µg/l	0,01	<	<										2	*	*	*	*	*	*	*

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
8763	Methyl-N-(3-hydroxyphenyl) carbama	µg/l	0,02	<	<										2	*	*	*	*	*	*
8766	Iprovalicarb	µg/l	0,01	<	<										2	*	*	*	*	*	*
8775	Desmethyl-pirimicarb	µg/l	0,01	<	<										2	*	*	*	*	*	*
8782	Ethiofencarb sulfon	µg/l	0,01	<	<										2	*	*	*	*	*	*
Biocides		285																			
2077	Tributyltin	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8169	Diethyltoluamide (DEET)	µg/l	0,02	<	<	<	0,02	<	<	0,07	0,04	0,03	0,045	<	13	<	<	<	0,0246	0,076	0,08
8191	Dichlofuanid	µg/l	0,03	<	<										2	*	*	*	*	*	*
8209	Dichlorvos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8521	Propoxur	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Carbamate Fungicides		450																			
8514	Propamocarb	µg/l	0,01	<	<										2	*	*	*	*	*	*
8766	Iprovalicarb	µg/l	0,01	<	<										2	*	*	*	*	*	*
Benzimidazole Fungicides		470																			
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8347	Fuberidiazole	µg/l	0,05	<	<										2	*	*	*	*	*	*
8576	Thiabendazole	µg/l	0,01	<	0,1										2	*	*	*	*	*	*
8584	Thiophanate-methyl	µg/l	0,02	<	<										2	*	*	*	*	*	*
Conazole Fungicides		480																			
8054	Bitertanol	µg/l	0,01	<	<										2	*	*	*	*	*	*
8137	Cyproconazole	µg/l	0,05	<	<										2	*	*	*	*	*	*
8243	Diniconazole	µg/l	0,01	<	<										2	*	*	*	*	*	*
8288	Etridiazole	µg/l	0,02	<	<										2	*	*	*	*	*	*
8448	Myclobutanil	µg/l	0,05	<	<										2	*	*	*	*	*	*
8486	Penconazole	µg/l	0,01	<	<										2	*	*	*	*	*	*
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8564	Tebuconazole	µg/l	0,01	<	<										2	*	*	*	*	*	*
8596	Triadimenol	µg/l	0,01	<	<										2	*	*	*	*	*	*
8659	Epoxiconazole	µg/l	0,05	<	<										2	*	*	*	*	*	*
8690	Difenoconazole	µg/l	0,25	<	<										2	*	*	*	*	*	*
8781	Tricyclazole	µg/l	0,02	<	<										2	*	*	*	*	*	*



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Amide Fungicides		490																			
8412	Metalaxyl	µg/l	0,05	<	<										2	*	*	*	*	*	*
8505	Prochloraz	µg/l	0,01	<	<										2	*	*	*	*	*	*
8660	Flutolanil	µg/l	0,02	<	<										2	*	*	*	*	*	*
8741	zoxamide	µg/l	0,05	<	<										2	*	*	*	*	*	*
8744	boscalid	µg/l	0,01	<	<										2	*	*	*	*	*	*
Pyrimidine Fungicides		500																			
8067	Bupirimate	µg/l	0,05	<	<										2	*	*	*	*	*	*
8292	Fenarimol	µg/l	0,05	<	<										2	*	*	*	*	*	*
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8700	Cyprodinil	µg/l	0,05	<	<										2	*	*	*	*	*	*
Strobilurine Fungicides		510																			
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8737	picoxystrobin	µg/l	0,01	<	<										2	*	*	*	*	*	*
8739	trifloxystrobin	µg/l	0,05	<	<										2	*	*	*	*	*	*



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Fungicides		520																			
8075	Captan	µg/l	0,05	<		<									2	*	*	*	*	*	*
8084	Carboxin	µg/l	0,01	<	<										2	*	*	*	*	*	*
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8145	Cymoxanil	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8211	Dichloran	µg/l	0,05	<	<									2	*	*	*	*	*	*	*
8221	Diethofencarb	µg/l	0,04	<	<									2	*	*	*	*	*	*	*
8257	Dithianon	µg/l	0,1	<		<								2	*	*	*	*	*	*	*
8260	Dodemorph	µg/l	0,02	<	<									2	*	*	*	*	*	*	*
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8314	2-Phenylphenol	µg/l	0,03	<	<									2	*	*	*	*	*	*	*
8334	Folpet	µg/l	0,06	<	<									2	*	*	*	*	*	*	*
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8487	Pencycuron	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8507	Procymidone	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8590	Tolclofos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8595	Triadimefon	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8619	Vinclozolin	µg/l	0,02	<	<									2	*	*	*	*	*	*	*
8657	Dimethomorph	µg/l	0,05	<	<									2	*	*	*	*	*	*	*
8742	fenamidone	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8760	Fenhexamid	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8761	Famoxadone	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8786	Triazoxid	µg/l	0,02	<	<									2	*	*	*	*	*	*	*

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Chlorophenoxy herbicides		230																			
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8404	Mecoprop (MCP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Phenylurea herbicides		240																			
8070	Buturon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8097	Chlorbromuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8122	Chlortoluron	µg/l	0,01	0,01	<	<	<	<	<	<	<	0,03	0,02	13	<	<	<	<	0,026	0,03	
8130	Chloroxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8226	Difenoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8229	Diflubenzuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8258	Diuron	µg/l	0,01	<	<	0,01	<	0,01	0,02	0,02	0,02	0,02	<	13	<	<	0,01	0,0119	0,02	0,02	
8382	Isoproturon	µg/l	0,01	0,01	<	<	<	0,02	<	<	<	0,01	0,07	13	<	<	<	0,0165	0,062	0,07	
8394	Linuron	µg/l	0,01	<	<	<	0,0125	0,01	<	0,01	<	<	<	13	<	<	<	<	0,016	0,02	
8418	Metabenzthiazuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8434	Metobromuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
8446	Monolinuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8447	Monuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8456	Neburon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8487	Pencycuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8665	1-(4-Chlorophenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8666	1-(3-Chloro-4-methylphenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8667	1-(4-Isopropylphenyl) urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8668	1-(4-Isopropylphenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8784	Triflumuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
Dinitrophenol herbicides		250																			
8244	2,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	0,06	<	<	7	<	*	*	<	*	0,06	
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,02	<	<	<	<	<	<	<	0,02	<	<	7	<	*	*	<	*	0,02	
8609	Trietazin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8617	Vamidothion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Phenoxy Herbicides		550																			
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8404	Mecoprop (MCP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Amide Herbicides		560																			
8522	Propyzamide	µg/l	0,02	<	<										2	*	*	*	*	*	*
8682	Dimethenamid	µg/l	0,01	<	<										2	*	*	*	*	*	*
Anilide Herbicides		570																			
8417	Metazachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8674	Diflufenican	µg/l	0,04	<	<										2	*	*	*	*	*	*
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Chloroacetanilide Herbicides		580																			
8002	Alachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8513	Propachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
(Bis-)Carbamate Herbicides		590																			
8025	Asulam	µg/l	0,01	<	<										2	*	*	*	*	*	*
8078	Carbetamide	µg/l	0,01	<	<										2	*	*	*	*	*	*
8179	Desmedipham	µg/l	0,01	<	<										2	*	*	*	*	*	*
8300	Phenmedipham	µg/l	0,01	<	<										2	*	*	*	*	*	*
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
Dinitroaniline Herbicides		600																			
8488	Pendimethalin	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Sulfonylurea Herbicides		610																				
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Urea Herbicides		620																				
8122	Chlortoluron	µg/l	0,01	0,01	<	<	<	<	<	<	<	<	0,03	0,02	13	<	<	<	<	0,026	0,03	
8258	Diuron	µg/l	0,01	<	<	0,01	<	0,01	0,02	0,02	0,02	0,02	0,02	<	<	13	<	<	0,01	0,0119	0,02	0,02
8382	Isoproturon	µg/l	0,01	0,01	<	<	<	0,02	<	<	<	<	0,01	0,07	0,05	13	<	<	<	0,0165	0,062	0,07
8394	Linuron	µg/l	0,01	<	<	<	<	0,0125	0,01	<	0,01	<	<	<	<	13	<	<	<	<	0,016	0,02
8418	Metabenzthiazuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Aryloxyphenoxy- Propionic Herbici		630																				
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8796	Clodinafop-propargyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8798	Fluopicolide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8799	Fluoxastrobin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Triazin Herbicides		635																				
8013	Ametryn	µg/l	0,01	<	<										2	*	*	*	*	*	*	
8026	Atrazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8138	Cyanazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8180	Desmetryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8366	Hexazinone	µg/l	0,05	<	<									2	*	*	*	*	*	*	*	
8415	Metamitron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8435	Metolachlor	µg/l	0,01	<	<	<	<	0,0287	0,046	0,047	0,0252	0,014	0,015	<	13	<	<	0,0102	0,018	0,0471	0,0472	
8437	Metribuzin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8512	Prometryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8517	Propazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8547	Simazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8567	Terbutryne	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8568	Terbutylazine	µg/l	0,02	<	<	<	<	<	0,02	0,11	<	<	<	<	13	<	<	<	<	0,074	0,11	
Thiocarbamate Herbicides		640																				
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8597	Triallate	µg/l	0,02	<	<									2	*	*	*	*	*	*	*	
8649	Prosulfocarb	µg/l	0,02	<	<									2	*	*	*	*	*	*	*	
Uracil Herbicides		615																				
8392	Lenacil	µg/l	0,05	<	<									2	*	*	*	*	*	*	*	



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Herbicides 645																					
8001	Aclonifen	µg/l	0,05	<	<									2	*	*	*	*	*	*	*
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,01	<	<	<	<	0,0275	<	<	<	<	<	13	<	<	<	<	0,0288	0,034	<
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8280	Ethofumesat	µg/l	0,02	<	<	0,03	<	0,03	<	<	<	<	<	7	<	*	*	<	*	0,03	
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8354	Glyphosate	µg/l	0,03	<	0,035	0,045	0,05	0,0967	0,135	0,12	0,06	<	0,1	26	<	<	0,05	0,0654	0,126	0,18	
8354L	Glyphosate (load)	g/s	0,0164	0,0248	0,0176	0,0151	0,0297	0,0383	0,0128	0,00333	0,00193	0,0148	0,0129	0,0085	26	0,00464	0,00334	0,0136	0,0168	0,0371	0,0572
8534	Quizalofop-ethyl	µg/l	0,05	<	<									2	*	*	*	*	*	*	*
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8675	Haloxypop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8677	Ioxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8686	Sebutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	0,03	<	13	<	<	<	<	<	0,03	
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8767	Isoxaflutole	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8802	Tepraloxymid	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
V137	2-amino-3-chloro-1,4-naphthoquinon	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
Physiological plant growth regulator 950																					
8159	Daminozide	µg/l	0,25	<	<									2	*	*	*	*	*	*	*
8478	Paclobutrazole	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
Unclassified plant growth regulator 952																					
6062	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8478	Paclobutrazole	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Anti-sprouting products 960																					
8076	Carbaryl	µg/l	0,05	<	<									2	*	*	*	*	*	*	*
8509	Propham	µg/l	0,02	<	<									2	*	*	*	*	*	*	*
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Insecticides		290																			
8088	Clofentezin	µg/l	0,02	<	<										2	*	*	*	*	*	*
8143	Cyhalothrin	µg/l	0,02	<		<									2	*	*	*	*	*	*
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8769	flonicamid	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8774	Clothianidin	µg/l	0,02	<	<									2	*	*	*	*	*	*	*
Pyrethroid Insecticides		650																			
8143	Cyhalothrin	µg/l	0,02	<		<								2	*	*	*	*	*	*	*
8170	Deltamethrin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Carbamate Insecticides		660																			
8076	Carbaryl	µg/l	0,05	<	<									2	*	*	*	*	*	*	*
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8424	Methiocarb	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Organophosphorus Insecticides		670																			
8029	Azinphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8112	Chlorpyrifos-methyl	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8185	Diazinon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8209	Dichlorvos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8396	Malathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8420	Methamidophos	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8475	Oxydemeton-methyl	µg/l	0,01	<	<									2	*	*	*	*	*	*	*
8501	Pirimiphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8604	Trichlorfon	µg/l	0,02	<	<									2	*	*	*	*	*	*	*
8652	Chlorpyrifos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Benzoylurea Insecticides		690																		
8229	Diflubenzuron	µg/l	0,01	<	<									2	*	*	*	*	*	*
8558	Teflubenzuron	µg/l	0,05	<	<	<			<		<			7	<	*	*	<	*	<
8784	Triflumuron	µg/l	0,01	<	<									2	*	*	*	*	*	*
Insecticides Produced By Fermenta		700																		
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Biological Insecticides		680																		
8536	Rotenon	µg/l	0,01	<	<									2	*	*	*	*	*	*
Unclassified Insecticides		710																		
8088	Clofentezin	µg/l	0,02	<	<									2	*	*	*	*	*	*
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8215	Dicofol	µg/l	0,25	<	<									2	*	*	*	*	*	*
8368	Hexythiazox	µg/l	0,05	<	<									2	*	*	*	*	*	*
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8473	Oxamyl	µg/l	0,01	<	<									2	*	*	*	*	*	*
8662	Tebuphenpyrad	µg/l	0,05	<	<									2	*	*	*	*	*	*
8691	Pyridaben	µg/l	0,01	<		<								2	*	*	*	*	*	*
8692	Pyriproxyphen	µg/l	0,01	<		<								2	*	*	*	*	*	*
8701	Imidacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8703	Pymetrozine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8738	fipronil	µg/l	0,01	<	<									2	*	*	*	*	*	*
8746	Buprofezine	µg/l	0,08	<	<									2	*	*	*	*	*	*
8757	Tebufenozide	µg/l	0,01	<	<									2	*	*	*	*	*	*
8770	Acetamiprid	µg/l	0,02	<	<									2	*	*	*	*	*	*
8771	Methoxyfenozide	µg/l	0,02	<	<									2	*	*	*	*	*	*
8774	Clothianidin	µg/l	0,02	<	<									2	*	*	*	*	*	*
8788	Thiametoxam	µg/l	0,01	<	<									2	*	*	*	*	*	*
Unclassified Molluscicides		750																		
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Nematicides		860																		
1784	cis-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8186	Dibromochloropropane	µg/l	0,02	<	<									3	*	*	*	*	*	*



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Pesticide metabolites		954																				
2023	4-Isopropylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2032	3-Chloro-4-methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	0,05	<	<	<	<	<	4	<	*	*	<	*	0,05	<	<
8113	4-Chloro-2-methylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	<
8176	Desethylatrazine	µg/l	0,01	<	<	<	<	<	0,0142	0,012	0,0136	<	0,0124	13	<	<	<	<	0,0143	0,0144	<	<
8178	Desisopropylatrazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	<
8681	Desethylterbutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	*	*



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Various pesticides and metabolics 300																					
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	0,05	<	<	<	<	<	<	<	4	<	*	*	<	*	0,05	
2272	2-(methylthio)benzothiazole	µg/l	0,03	<	<	<	<	<	<	0,06	<	<	<	13	<	<	<	<	0,052	0,06	
8000	Acephate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8001	Aclonifen	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8025	Asulam	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8054	Bitertanol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8066	Bromopropylate	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8067	Bupirimate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8075	Captan	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8145	Cymoxanil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8159	Daminozide	µg/l	0,25	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8237	Dimethirimol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8260	Dodemorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8279	Ethirimol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8280	Ethofumesat	µg/l	0,02	<	<	0,03	<	0,03	<	<	<	<	<	7	<	*	*	<	*	0,03	
8292	Fenarimol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8334	Folpet	µg/l	0,06	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8336	Phorate	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8348	Furalaxyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8368	Hexythiazox	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8373	Imazalil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8462	Nitrothal-isopropyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8497	Piperonylbutoxid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8522	Propyzamide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8529	Pyrifenox	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8536	Rotenon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8545	Sethoxydim	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8574	Tetramethrin	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8576	Thiabendazole	µg/l	0,01	<	0,1	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8582	Thiocyclam hydrogenoxalate	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8584	Thiophanate-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8613	Triforine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8657	Dimethomorph	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
8658	DMST	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8675	Haloxyfop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8682	Dimethenamid	µg/l	0,01	<	<									2	*	*	*	*	*	*
8691	Pyridaben	µg/l	0,01	<	<									2	*	*	*	*	*	*
8692	Pyriproxyphen	µg/l	0,01	<	<									2	*	*	*	*	*	*
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8700	Cyprodinil	µg/l	0,05	<	<									2	*	*	*	*	*	*
8701	Imidacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8708	Dimethenamid-p	µg/l	0,01	<	<	<	<	0,0325	0,06	0,02	0,01	<	<	13	<	<	<	0,015	0,06	0,06
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8715	Mefenpyr-diethyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8751	Phorate-sulfoxide	µg/l	0,01	<	<									2	*	*	*	*	*	*
8752	Phorate-sulphone	µg/l	0,01	<	<									2	*	*	*	*	*	*
8757	Tebufenozide	µg/l	0,01	<	<									2	*	*	*	*	*	*
8760	Fenhexamid	µg/l	0,01	<	<									2	*	*	*	*	*	*
8761	Famoxadone	µg/l	0,01	<	<									2	*	*	*	*	*	*
8767	Isoxaflutole	µg/l	0,01	<	<									2	*	*	*	*	*	*
8771	Methoxyfenozide	µg/l	0,02	<	<									2	*	*	*	*	*	*
8786	Triazoxid	µg/l	0,02	<	<									2	*	*	*	*	*	*
8788	Thiametoxam	µg/l	0,01	<	<									2	*	*	*	*	*	*
8794	benzyl(purin-6-yl)amine	µg/l	0,01	<	<									2	*	*	*	*	*	*
8796	Clodinafop-propargyl	µg/l	0,01	<	<									2	*	*	*	*	*	*
8797	Flumioxazin	µg/l	0,05	<	<									2	*	*	*	*	*	*
8798	Fluopicolide	µg/l	0,01	<	<									2	*	*	*	*	*	*
8799	Fluoxastrobin	µg/l	0,01	<	<									2	*	*	*	*	*	*
8802	Tepraloxydim	µg/l	0,01	<	<									2	*	*	*	*	*	*
V102	Carphentrazon-ethyl	µg/l	0,05	<	<									2	*	*	*	*	*	*



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Ethers		302																					
1428	Diisopropylether	µg/l	0,413	0,32	0,584	0,336	0,442	0,134	0,103	0,0331	0,0235	0,0356	0,813	1,47	13	0,0235	0,0273	0,336	0,396	1,21	1,47		
1457	Bis(2-(2-methoxyethoxy)ethyl) ether (µg/l	0,05	<	<	<	<	<	<	0,07	0,14	<	<	<	13	<	<	<	<	0,112	0,14		
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,0271	0,0215	0,0382	0,0234	0,0552	0,0682	0,406	0,16	0,0914	0,0585	0,0262	0,0447	13	0,0215	0,0223	0,0447	0,0827	0,308	0,406		
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,05	<	<	<	0,48	0,79	0,16	<	<	<	<	<	13	<	<	<	0,132	0,666	0,79		
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	0,07	0,23	0,15	<	<	<	13	<	<	<	0,0538	0,198	0,23		
2173	Triethyleneglycol dimethylether (Trigl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2275	1,4-Dioxane	µg/l	0,2												3	*	*	*	*	*	*		
Fuel additives		303																					
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,0271	0,0215	0,0382	0,0234	0,0552	0,0682	0,406	0,16	0,0914	0,0585	0,0262	0,0447	13	0,0215	0,0223	0,0447	0,0827	0,308	0,406		
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	0,07	0,23	0,15	<	<	<	13	<	<	<	0,0538	0,198	0,23		
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Various organic substances		305																					
1077	Cyclohexane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1079	Dicyclopentadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1432	Dimethoxymethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1753	Dimethyldisulfide	µg/l	0,01	0,043	0,0307	0,0341	0,0325	0,0198	<	<	0,032	0,0169	<	<	0,0213	13	<	<	0,0213	0,0208	0,0396	0,043	
1764	Tributylphosphate	µg/l	0,1	<	0,365	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,278	0,365		
1765	Triethylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*		
1767	Triphenylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1768	Triphenylphosphine oxide	µg/l	0,05	<	<	<	<	0,2	0,06	<	<	<	<	<	13	<	<	<	<	0,144	0,2		
1769	Tri-isobutylphosphate	µg/l	0,05	<	0,5	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*		
1961	Tetrahydrothiophene (THT)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*		
2037	2-Aminoacetophenone	µg/l	0,03	<	<	<	0,04	<	0,04	0,04	0,03	0,04	<	0,03	<	13	<	<	0,03	<	0,04	0,04	
2092	Methylmethacrylate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
2165	methenamine	µg/l	0,5	0,66	0,93	1,1	1,3	0,41	0,45	0,97	0,94	1,03	0,57	0,72	13	0,41	0,426	0,93	0,815	1,22	1,3		
2183	benzotriazole	µg/l	0,17	0,16	0,24	0,25	0,23	0,17	0,24	0,28	0,54	0,565	0,17	0,29	13	0,16	0,164	0,24	0,298	0,594	0,63		
2184	5-methyl-1-H-benzotriazole (tolyltriaz	µg/l	0,01	0,06	0,06	0,08	0,09	0,07	0,05	0,08	0,16	0,19	<	0,09	13	<	0,023	0,08	0,0927	0,208	0,24		
2256	4-Methylbenzotriazole	µg/l	0,12	0,1	0,17	0,18	0,17	0,12	0,17	0,21	0,37	0,405	0,11	0,19	13	0,1	0,104	0,17	0,209	0,424	0,46		
V129	tetrahydro-2,2,5,5-tetramethylfuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial solvents		431																				
1027	Bromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1040	1,2-Dichloroethane	µg/l	0,01	0,0199	0,0172	0,0174	<	<	<	<	<	<	<	0,0122	13	<	<	<	<	0,0189	0,0199	
1044	Dichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1049	Hexachlorobutadiene	µg/l	0,001	<	<	<	<	<	<	0,00257	<	<	<	<	13	<	<	<	<	0,00174	0,00257	
1056	Tetrachloroethene	µg/l	0,01	0,0208	0,0149	0,0541	0,0431	0,0209	0,041	<	0,0132	0,0176	<	0,0277	13	<	<	0,0176	0,0223	0,0497	0,0541	
1057	Tetrachloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1063	Trichloroethene	µg/l	0,01	0,0174	0,0121	0,0362	0,0287	0,0145	<	<	0,015	0,0256	<	0,0224	13	<	<	0,015	0,0159	0,0332	0,0362	
1064	Trichloromethane	µg/l	0,01	0,0144	0,027	0,0176	0,0186	0,0178	0,0414	<	0,0122	0,0138	0,0188	0,0376	0,0656	13	<	<	0,0186	0,0237	0,0559	0,0656
1070	1,2,3-Trichloropropane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1828	cis-1,2-Dichloroethene	µg/l	0,01	0,0168	<	0,0576	0,0446	0,0291	0,0424	<	0,0153	0,0233	0,0227	<	0,0271	13	<	<	0,0233	0,0248	0,0524	0,0576
1829	trans-1,2-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1954	1,1,1,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1955	1,1,1,2,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2015	Chloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
2275	1,4-Dioxane	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
8205	1,2-Dichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Industrial chemicals (with (per)fluor		433																				
2263	undecafluorohexanoic acid	µg/l			0,0013			0,0027			0,0035			0,0026	4	0,0013	*	*	0,00253	*	0,0035	
2282	perfluoro-1-butanefulfonate linear (L	µg/l			0,0016			0,0037			0,0074			0,0034	4	0,0016	*	*	0,00403	*	0,0074	
2283	henicosafluoroundecanoic acid	µg/l	0,00075		<			<			<			<	4	<	*	*	<	*	<	
2284	Perfluorovaleric acid	µg/l	0,0039		<			<			<			<	4	<	*	*	<	*	<	
2287	Perfluorodecanoic acid (PFDA)	µg/l	0,00058		<			<			<			<	4	<	*	*	<	*	<	
2288	heptafluorobutyric acid	µg/l	0,0039		<			<			<			<	4	<	*	*	<	*	<	
2289	Perfluoroheptanoic acid (PFHpA)	µg/l			0,00091			0,0015			0,002			0,0019	4	0,00091	*	*	0,00158	*	0,002	
2290	Perfluorononanoic acid (PFNA)	µg/l	0,00053		<			<			<			<	4	<	*	*	<	*	<	
2292	Perfluorohexane sulfonate (PFHxS)	µg/l	0,00052		<			0,00073			0,00078			0,00085	4	<	*	*	0,000655	*	0,00085	
2294	Perfluorooctanoate (PFOA)	µg/l			0,0029			0,0034			0,0068			0,0047	4	0,0029	*	*	0,00445	*	0,0068	
2295	heptadecafluorooctane-1-sulphonic	µg/l			0,0028			0,0036			0,0053			0,0039	4	0,0028	*	*	0,0039	*	0,0053	
2315	6:2 fluorotelomer sulfonic acid (6:2 F	µg/l	0,0021		<			0,0037			<			<	4	<	*	*	<	*	0,0037	



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
industrial chemicals (with arom. nit 434)																					
1683	Aniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1700	N-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1705	3-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1708	2,3-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1713	2,3,4-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1716	2,4,5-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1717	2,4,6-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1718	3,4,5-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1786	3-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1862	N,N-Diethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1864	N-Ethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1979	2,4,6-Trimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2024	2,4-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2027	3,4-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2028	2,3-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2029	3-Chloro-4-methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2033	4-Methoxy-2-nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2034	2-Nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2035	3-Nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2038	2-(Phenylsulfon)aniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2053	N,N-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2055	2,4- and 2,5-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2056	2-Methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2057	2- and 4-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2058	2-(Trifluoromethyl)aniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2059	2,5- and 3,5-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2175	2,4,5-Trimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8063	4-Bromoaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8094	2-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8115	4-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8196	2,6-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8197	3,4-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8198	3,5-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8222	2,6-Diethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8239	2,6-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Industrial chemicals (with conazole 435)																						
1779	Benzothiazol	µg/l	0,03	<	<	<	<	<	0,03	0,04	<	0,07	0,07	0,04	0,03	13	<	<	0,03	0,0338	0,076	0,08
2257	5,6-Dimethyl-1H-benzotriazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2258	5-chloroindole	µg/l	0,01	<	<	<	<	<	<	<	<	<	0,05	<	13	<	<	<	<	0,032	0,05	
2273	2(3H)-Benzothiazolone	µg/l	0,03	<	<	<	<	<	<	0,04	0,06	<	<	<	13	<	<	<	<	0,052	0,06	
2312	2-Aminobenzothiazol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8698	Azaconazole	µg/l	0,05	<	<										2	*	*	*	*	*	*	
Industrial chemicals (with volatile h 437)																						
1035	Dibromomethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1039	1,1-Dichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1041	1,1-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1050	Hexachloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1061	1,1,1-Trichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1062	1,1,2-Trichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1962	Chloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2016	Chloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8206	1,3-Dichloropropane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

			MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial chemicals (with phenols) 439																						
1528	3-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1529	4-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1531	2,3-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1533	2,6-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1534	3,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1535	3,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1541	2,3,4-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1542	2,3,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1543	2,3,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1544	3,4,5-Trichlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1847	3-Nitrophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2008	2,3-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2010	2,6-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2011	3,4-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2012	3,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2081	2-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8104	2-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8460	2-Nitrophenol	µg/l	0,02	<	<	<	0,04	<	<	<	<	<	<	<	<	13	<	<	<	<	0,028	0,04
8602	2,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8603	2,4,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Industrial chemicals (with PCBs) 440																						
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB 1)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB 2)	µg/l	0,00002	0,00013	0,0002	0,00005	0,00004	0,000045	0,00005	0,00004	0,00006	<	0,00003	0,00023	0,00003	13	<	<	0,00005	0,000738	0,000218	0,00023
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PCB 3)	µg/l	0,00005	0,00042	0,00054	0,00013	0,0001	0,000105	0,00014	<	0,00012	<	0,00007	0,00063	0,00008	13	<	<	0,00012	0,000192	0,000594	0,00063
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PCB 4)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (PCB 7)	µg/l	0,00004	0,00047	0,00054	0,00011	0,00011	0,000105	0,00008	<	0,0001	<	0,00006	0,00059	0,00007	13	<	<	0,0001	0,000183	0,00057	0,00059
Cooling agents 430																						
2017	Dichlorodifluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2019	Trichlorofluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Disinfection agents		444																			
2005	2-Methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8114	4-Chloro-3-methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Disinfection byproducts		446																			
1028	Bromodichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1033	Dibromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1058	Tribromomethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2302	N-Nitrosodimethylamine (NDMA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Nitroso compounds		160																			
2302	N-Nitrosodimethylamine (NDMA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2303	N-Nitrosomorpholine (NMOR)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2304	N-Nitrosopiperidine (NPIP)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2305	N-Nitrosopyrrolidine (NPYR)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2306	N-Nitrosomethylethylamine (NMEA)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2307	N-Nitrosodiethylamine (NDEA)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2308	N-Nitrosodi-n-propylamine (NDPA)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2309	N-Nitroso-n-dibutylamine (NDBA)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Flameretardants		380																			
2109	2,4,2',4'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2110	2,4,2',5'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2111	2,3,4,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2112	2,4,5,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2113	2,4,6,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2114	2,4,5,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2115	2,4,5,2',4',6'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2169	2,4,4'-Tribromodiphenylether (PBDE	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2170	2,3,4,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
X-ray contrast agents		340																					
6051	Diatrizoic acid	µg/l	0,01	0,03	0,03	<	0,06	0,06	0,05	0,07	0,09	0,07	0,055	0,04	0,07	13	<	0,011	0,06	0,0527	0,09	0,09	
6053	Iohexol	µg/l	0,01	0,06	0,08	<	0,06	0,11	0,04	0,08	0,06	0,1	0,065	0,06	0,09	13	<	0,015	0,06	0,0673	0,106	0,11	
6054	Iomeprol	µg/l	0,01	0,08	0,12	<	0,14	0,16	0,11	0,16	0,17	0,15	0,115	0,15	0,19	13	<	0,027	0,15	0,128	0,182	0,19	
6055	Iopamidol	µg/l	0,01	0,03	0,03	<	0,04	0,07	0,02	0,07	0,07	0,06	0,06	0,06	0,1	13	<	0,011	0,06	0,0519	0,096	0,1	
6056	Iopanoic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6057	Iopromide	µg/l	0,01	0,12	0,13	<	0,19	0,12	0,11	0,18	0,088	0,09	0,115	0,0805	0,16	17	<	0,0338	0,12	0,113	0,182	0,19	
6058	Iothalamic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6059	Ioxaglic acid	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6060	Ioxitalamic acid	µg/l		0,06	0,08	0,06	0,11	0,09	0,09	0,11	0,08	0,08	0,085	0,07	0,1	13	0,03	0,042	0,08	0,0846	0,128	0,14	
Chemotherapy		345																					
6037	Cyclophosphamide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6038	Ifosfamid	µg/l	0,0002	<				0,0002								4	<	*	*	<	*	0,0002	
Antibiotics		310																					
6003	Chloramphenicol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6006	Clarithromycin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6008	Cloxacillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6010	Dicloxacillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6014	Erythromycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6015	Furazolidone	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6018	Nafcillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6021	Oleandomycin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6022	Oxacillin	µg/l	0,011	<	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6027	Roxithromycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6028	Spiramycin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6032	Sulfamethoxazole	µg/l	0,01	0,01	<	0,02	0,02	0,0245	0,02	0,02	0,0195	0,03	0,025	<	0,02	17	<	<	0,02	0,0183	0,03	0,03	
6034	Trimethoprim	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6072	Indomethacin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6079	Lincomycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6083	Monensin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,014	0,02	
6086	Tiamulin	µg/l	0,01	<	<	<	<	0,022	<	<	<	<	<	<	<	17	<	<	<	<	0,0118	0,039	
6091	Sulfaquinoxaline	µg/l	0,0002	<	<	<	<	0,0003	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
6109	theophylline	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8315	6-Chloro-4-hydroxy-3-phenyl-pyridazi	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Antibiotics (Sulphamides) 315																							
6009	Dapsone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
6030	Sulfamethazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
6093	Sulfadimethoxine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
Beta-adrenergic blocking agents an 320																							
6042	Atenolol	µg/l			0,011					0,005			0,011		3	*	*	*	*	*	*		
6044	Bisoprolol	µg/l			0,008			0,006		0,013			0,01		4	0,006	*	*),00925	*	0,013		
6045	Metoprolol	µg/l		0,1	0,0465	0,09	0,09	0,067	0,06	0,06	0,077	0,14	0,1	0,054	0,1	17	0,013	0,0218	0,08	0,0782	0,132	0,14	
6047	Propranolol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	0,0116	0,014	
6048	Sotalol	µg/l	0,05	0,06	<	<	0,07	<	<	<	<	0,05	0,06	0,0535	<	16	<	<	<	<	0,0736	0,082	
6171	hydrochlorthiazide	µg/l	0,004		0,047			0,022						0,095		4	<	*	*	0,0415	*	0,095	
Analgesic and anti-inflammatory dr 350																							
2061	Lidocaine	µg/l	0,01	<	<	<	0,01	<	<	0,01	0,012	0,02	0,02	<	0,01	16	<	<	0,01	<	0,02	0,02	
6068	Diclofenac	µg/l	0,01	0,04	0,028	0,04	0,04	0,011	<	0,01	<	<	0,035	0,016	0,05	17	<	<	0,02	0,0227	0,05	0,05	
6070	Fenoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6071	Ibuprofen	µg/l	0,032	<	0,0395	0,05	0,04	<	<	<	<	<	<	<	<	17	<	<	<	<	0,042	0,05	
6073	Ketoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6074	Naproxen	µg/l	0,02	0,02	0,021	0,03	0,02	<	<	<	<	<	<	<	0,02	17	<	<	<	<	0,03	0,03	
6075	Phenazone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6077	O-acetylsalicylic acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6080	Tolfenamic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6085	Primidone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6131	4-Dimethylaminoantipyrine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6133	paracetamol	µg/l	0,001		0,004			<		<			<		4	<	*	*),00137	*	0,004		
6134	Salicylic acid	µg/l	0,011		<			<		<			<		4	<	*	*	<	*	<		
Antidepressiva en verdovende mid 355																							
6050	Diazepam	µg/l	0,0002		<			0,0006		0,0008			0,0003		4	<	*	*),00045	*	0,0008		
6115	oxazepam	µg/l			0,008			0,005		0,008			0,014		4	0,005	*	*),00875	*	0,014		
6116	temazepam	µg/l			0,003			0,003		0,011			0,007		4	0,003	*	*	0,006	*	0,011		
6172	paroxetine	µg/l	0,003		<			0,24		<					3	*	*	*	*	*	*		



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code KEI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Lipid-lowering drugs		360																				
6049	Pentoxifylline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6061	Bezafibrate	µg/l	0,01	<	<	0,01	0,01	<	<	<	<	<	<	<	17	<	<	<	<	0,01	0,01	
6062	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
6064	Fenofibrate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<	
6065	Fenofibrin acid	µg/l	0,004		0,014			<						4	<	*	*	0,005	*	0,014		
6066	Gemfibrozil	µg/l	0,01	<	<	<	0,02	0,01	<	<	<	<	<	<	16	<	<	<	<	0,013	0,02	
6094	Clofibrate	µg/l	0,085	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
6117	atorvastatin	µg/l	0,003		0,032			<						4	<	*	*	0,00912	*	0,032		
6118	pravastatine	µg/l	0,05		<			<						4	<	*	*	<	*	<		
Various pharmaceuticals		370																				
1613	Caffein	µg/l	0,05	0,29	0,38	0,48	0,39	0,154	0,18	0,27	0,0805	<	0,225	0,245	0,2	17	<	<	0,26	0,235	0,408	0,48
1860	Carbamazepine	µg/l		0,04	0,023	0,04	0,05	0,037	0,03	0,05	0,054	0,08	0,07	0,031	0,04	17	0,016	0,0224	0,04	0,0447	0,072	0,08
6082	Fenoterol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6111	losartan	µg/l	0,0003		<			0,012						4	<	*	*	0,0123	*	0,023		
6112	enalapril	µg/l	0,0002		<			0,0005						4	<	*	*	<	*	0,0005		
6168	Metformin	µg/l			1,4			0,086						4	0,086	*	*	0,814	*	1,4		
6168L	Metformin (load)	g/s			1,43			0,0182						4	0,0182	*	*	0,547	*	1,43		
6169	furosemide	µg/l	0,003		0,02			<						4	<	*	*	0,00612	*	0,02		
8677	loxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8800	Pinoxaden	µg/l	0,01	<	<									2	*	*	*	*	*	*	*	
Endrocrin disrupting compounds (400																				
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2075	Estrone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2076	17 alpha-Ethinylestradiol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2078	Progesterone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	0,00599	<	<	<	<	<	13	<	<	<	<	<	0,00599	
2196	Tetrabutyltin	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2197	Triphenyltin ion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2199	Dibutyltin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2201	Difenyltin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6703	Activity with respect to 17-beta-estra	ng/l		0,08	4	0,39	0,46	0,44	0,27	0,27	0,31	0,27	0,38	12	0,08	0,137	0,3	0,628	2,94	4		
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Keizersveer (M865)

1-1-2013 up to 31-12-2013

sample point code	KEI
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
unspecified substances	980																					
1961	Tetrahydrothiophene (THT)	µg/l	0,05											<	<	<	<	<	<	<	<	
2013	1,1-Dichloropropene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2036	4-Methyl-3-nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2066	3- and 4-Methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2068	2,4- and 2,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2176	3- and 4-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.

