

Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
General compounds 010																							
0112	Water discharge	m3/s	269	387	295	213	91,2	64,3	43,6	81	72,6	68	301	276	364	35,2	44,6	107	178	388	1210		
0120	Water temperature	°C	3,23	5	7,05	10,6	12,6	19,5	23,4	20	17,3	14,4	10,2	2,4	26	1,5	2,79	12,1	12,1	22	24,7		
0122	Oxygen	mg/l	15,6	12,8	12,8	12,3	10,4	7,9	4,85	7,7	8,4	9,35	11	13	26	4,4	6,77	10,6	10,6	15	16,2		
0123	Oxygen saturation	%	117	99,9	104	107	93,7	73,2	43,4	71,5	78,3	85,4	95,5	94,8	26	40,2	61,9	92,6	89,1	112	125		
0128	Suspended matter	mg/l	4	8,5	59	9	12,5	6	5,67	<	<	11	5	38	24	<	<	7	15	52,6	88		
0180	pH	pH	8,18	8,22	8,23	8,11	8,17	8,04	7,83	7,87	7,85	7,97	7,57	8,45	25	7,27	7,83	8,1	8,05	8,35	8,49		
0200	Conductivity (at 20 °C)	mS/m	32	43,6	44,7	45,2	43,1	52,4	63,8	91,4	60,7	63,1	56	39,1	25	<	38,3	54,6	55,3	68,4	113		
0251	Total hardness, 0.45 µm filtrate	mmol/l	1,89	1,87	1,97	1,77	2,21	2,23	2,35	2,08	2,01	1,99	1,6	2,19	26	1,21	1,62	2,04	2,02	2,37	2,52		
0252	temporal hardness	mmol/l	3,07	2,95	3,28	3,02	3,68	3,61	3,51	3,02	2,95	3,13	2,54	3,21	26	1,72	2,59	3,26	3,18	3,74	3,87		
Inorganic compounds 030																							
0222	Bicarbonate	mg/l	187	180	200	185	224	220	214	185	180	191	155	196	26	105	158	199	194	228	236		
0230	Chloride	mg/l	25	29	34,5	26,5	33,5	58,5	127	53	67,5	46	34	37,5	25	15	21	38	46,7	74	187		
0230L	Chloride (load)	kg/s	5,34	9,52	7,92	5,79	3,07	3,04	7,94	2,84	4,3	3,58	6,05	8,4	24	2,2	2,54	4,52	5,48	10	13,3		
0232	Sulfate	mg/l	28,3	26	35,5	29	36	46	60,5	48	50	42	34,5	30,5	26	20	23	37,5	38,7	54,3	66		
0381	Bromide	µg/l	20	21,7	<	23	25,5	32	51	80,5	47,5	50,5	32	29,5	25	<	<	32	37,2	58	105		
0382	Fluoride	mg/l	0,09	0,09	0,185	0,08	0,08	0,1	0,115	0,105	0,11	0,1	0,095	0,09	26	0,07	0,08	0,095	0,103	0,12	0,28		
Nutrients 040																							
0284D	Orthophosphate (PO4)	mg/l	0,09	0,16	0,161	<	<	0,141	0,287	0,461	0,401	0,307	0,273	0,211	0,17	26	<	<	0,184	0,227	0,438	0,476	
Group compounds 070																							
0401	Total organic carbon (TOC)	mg/l	4,17	4,7	3,5	3,9	3,5	4,07	4,15	6,35	5,3	7,2	6,95	6	26	2,7	3,24	4,5	4,92	7,88	9,7		
Summend compounds 080																							
0451	Trihalomethanes, total	µg/l		0,33		1,22				10,9			0,37	2,38	5	0,33	*	*	3,04	*	10,9		
2022	Tetra- and Trichloroethene (sum)	µg/l	0,5							<	<				2	*	*	*	*	*	*		
8671	Pesticides (total)	µg/l	0,0435	0,031	0,035	0,166	0,043	0,282	0,111	0,046		0,071	0,038		11	0,031	0,031	0,046	0,0827	0,259	0,282		
Hydrobiological compounds 095																							
7100	Chlorophyll-a	µg/l	1,6	<	4,45	4,4	5,65	4,75	4	7,85	2,65	3,35	<		21	<	<	2,9	3,92	6,94	12,8		
7110	Phaeophytine	µg/l	0,1	0,375	4,15	0,9	2,75	5,15	2,9	5,35	1,75	3	1,4		21	<	0,52	2	2,78	6,58	8,6		
Metals 050																							
0240	Sodium	mg/l	15,7	17,5	23,5	17,5	22,5	42,7	91	37,5	47,5	32,5	23,5	21	26	10	13,1	24,5	32,4	52,3	132		
0242	Potassium	mg/l	2,97	3,2	4,4	3,4	3,6	4,25	4,85	4,9	5,55	6,1	4,5	3,9	25	2,7	3,06	4	4,25	5,54	8,4		



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Metals, after filtration		055																			
0245	Calcium, 0.45 µm filtrate	mg/l	66,7	65,5	69,5	61	78	77	79,5	71,5	68	67,5	54	69,5	26	41	55,9	71,5	69,2	79,3	84
0248	Magnesium, 0.45 µm filtrate	mg/l	5,47	5,65	5,5	5,65	6,4	7,27	8,75	6,8	7,55	7,2	6	10,6	26	4,2	4,77	6,5	6,86	8,45	15,8
Complex buiders		060																			
1793	Nitilotriacetic acid (NTA)	µg/l	5	<			27			12			5	4	<	*	*	11,6	*	27	
1794	Ethylenediaminetetraacetic acid (ED	µg/l	5	<			<			<			<	4	<	*	*	<	*	<	
1794L	Ethylenediaminetetraacetic acid (ED	g/s					0,156			0,176			0,341	3	*	*	*	*	*	*	
2003	Diethylenetriaminepentaacetic acid (µg/l	5	<			<			<			<	4	<	*	*	<	*	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code NAM

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Mono cyclic aromatic hydrocarb 170																					
1074	Benzene	µg/l	0,2	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1075	Butylbenzene	µg/l	0,2	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1080	1,2-Dimethylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1088	Ethylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1089	Ethylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1098	Methylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1106	Propylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1112	Chlorobenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1115	2-Chloromethylbenzene	µg/l	0,2	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1119	1,2-Dichlorobenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1120	1,3-Dichlorobenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1121	1,4-Dichlorobenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	8	<	*	*	<	*	<
1127	Pentachlorobenzene	µg/l	0,01	<	<	<	<	<			<	<	<	<	4	<	*	*	<	*	<
1128	1,2,3,4-Tetrachlorobenzene	µg/l	0,01	<	<	<	<	<			<	<	<	<	4	<	*	*	<	*	<
1130R	1,2,3,5- and 1,2,4,5-Tetrachlorobenz	µg/l	0,02	<	<	<	<	<			<	<	<	<	4	<	*	*	<	*	<
1131	1,2,3-Trichlorobenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1132	1,2,4-Trichlorobenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1133	1,3,5-Trichlorobenzene	µg/l	0,2	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1797	Isopropylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1832	1,3,5-Trimethylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1951	1,2,4-Trimethylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1959	4-Chloromethylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1960	1-Methyl-4-isopropylbenzene	µg/l	0,2	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1983	1-Chloro-4-nitrobenzene	µg/l	0,01	<	<	<	<	<			<	<	<	<	4	<	*	*	<	*	<
1998	t-Butylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
2014	Bromobenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	8	<	*	*	<	*	<
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,2	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
2064	s-Butylbenzene	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
2121	1-Chloro-2,4-dinitrobenzene	µg/l	0,01	<	<	<	<	<			<	<	<	<	4	<	*	*	<	*	<
2124	1-Chloro-2-nitrobenzene	µg/l	0,01	<	<	<	<	<			<	<	<	<	4	<	*	*	<	*	<
2125	1-Chloro-3-nitrobenzene	µg/l	0,01	<	<	<	<	<			<	<	<	<	4	<	*	*	<	*	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Poly cyclistic aromatic hydrocarbo 180																						
1161	Acenaphthene	µg/l	0,025	<	0,0421	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0303	0,0421	
1162	Acenaphthylene	µg/l	0,025	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1163	Anthracene	µg/l	0,025	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1165	Benzo(a)anthracene	µg/l	0,025	<	0,0433	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,031	0,0433	
1166	Benzo(b)fluoranthene	µg/l	0,025	<	0,0487	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0342	0,0487	
1167	Benzo(k)fluoranthene	µg/l	0,025	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1168	Benzo(ghi)perylene	µg/l	0,025	<	0,061	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0416	0,061	
1169	Benzo(a)pyrene	µg/l	0,01	<	0,0366	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0247	0,0366	
1172	Chrysene	µg/l	0,025	<	0,0575	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0395	0,0575	
1173	Dibenzo(a,h)anthracene	µg/l	0,025	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1180	Phenanthrene	µg/l	0,025	<	0,0835	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0551	0,0835	
1181	Fluoranthene	µg/l	0,025	<	0,148	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,094	0,148	
1182	Fluorene	µg/l	0,025	<	0,0302	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,0302	
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,025	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1188	Pyrene	µg/l	0,025	<	0,112	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0747	0,112	
1965	1-Chloronaphthalene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
2040	2-Chloronaphthalene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8023	Anthraquinone	µg/l	0,01	<	0,031	<	<	<	<	0,021	<	<	<	<	4	<	*	*	0,0155	*	0,031	
8450	Naphthalene	µg/l	0,025	<	0,106	0,0303	<	<	<	0,0326	<	<	<	<	13	<	<	<	0,0251	0,0781	0,106	
V137	2-amino-3-chloro-1,4-naphthoquinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Organochlorine pesticides		200																		
8006	Aldrin	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8162	o,p-DDD	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8163	p,p-DDD	µg/l	0,02	<			<			<			<	4	<	*	*	<	*	<
8164	o,p-DDE	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8165	p,p-DDE	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8166	o,p-DDT	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8167	p,p-DDT	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8189	Dichlobenil	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8199	2,6-Dichlorobenzamide (BAM)	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8217	Dieldrin	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8263	alpha-Endosulfan	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8264	beta-Endosulfan	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8265	Endosulfansulfate	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8268	Endrin	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8358	Heptachlor	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8359	Heptachloroepoxide	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8361	Hexachlorobenzene (HCB)	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8362	alpha-Hexachlorocyclohexane (alpha)	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8363	beta-Hexachlorocyclohexane (beta)	µg/l	0,02	<			<			<			<	3	*	*	*	*	*	*
8379	Isodrin	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8393	Lindane (gamma-HCH)	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8428	Methoxychlor	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8533	Quintocene	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8556	Tecnazene	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8560	Telodrin	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8629	delta-Hexachlorocyclohexane (delta)	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8631	trans-Heptachlorepoxyde	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8640	cis-Chlordane	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8641	trans-Chlordane	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organophosphorus and -sulphur p 210																					
8028	Azinphos-ethyl	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8029	Azinphos-methyl	µg/l	0,02	<			<			<			<	4	<	*	*	<	*	<	
8044	Bentazon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8059	Bromophos-methyl	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8060	Bromophos-ethyl	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8108	Chlorfenvinphos	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8112	Chlorpyriphos-methyl	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8136	Coumaphos	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8185	Diazinon	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8188	Dicamba	µg/l	0,03	<	<	<	<	<	<		0,126	0,065	0,058	12	<	<	<	0,0354	0,108	0,126	
8238	Dimethoate	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8255	Disulfoton	µg/l	0,05				<			<			<	3	*	*	*	*	*	*	
8281	Ethoprophos	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8298	Fenitrothion	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8309	Fenthion	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8335	Fonofos	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8354	Glyphosate	µg/l	0,04			<	0,105	0,125	0,275	0,235	0,13	0,115	<	18	<	<	0,095	0,119	0,381	0,39	
8354L	Glyphosate (load)	g/s			0,00856	0,00948	0,00826	0,017	0,0124	0,00818	0,00909	0,00666	0,00636	18	0,0011	0,00377	0,00733	0,00955	0,0207	0,0277	
8360	Heptenophos	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8396	Malathion	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8423	Methidathion	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8439	Mevinphos	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8482	Parathion-ethyl	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8483	Parathion-methyl	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8501	Pirimiphos-methyl	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8566	Terbufos	µg/l	0,02	<			<			<			<	4	<	*	*	<	*	<	
8590	Tolclofos-methyl	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8600	Triazophos	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8632	Aminomethylphosphonic acid (AMP)	µg/l				0,185	0,35	0,775	1,2	0,64	0,685	0,515	0,625	18	0,13	0,13	0,61	0,569	1,14	1,36	
8632L	Aminomethylphosphonic acid (AMP)	g/s			0,0375	0,0323	0,0477	0,0687	0,0342	0,0431	0,0414	0,0706	0,0379	18	0,0177	0,0302	0,0398	0,0459	0,0812	0,0966	
8642	cis-Chlorfenvinphos	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8652	Chlorpyriphos	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<	
8702	Nicosulfuron	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,05	<			<			<			<	4	<	*	*	<	*	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organonitrogen pesticides		220																			
8057	Bromacil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,03	<	<	<	0,112	<	<	<	<	<	<	<	13	<	<	<	<	0,0732	0,112
8392	Lenacil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
Carbamate herbicides		260																			
8003	Aldicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8078	Carbetamide	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8082	Carbofuran	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8425	Methomyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8626	Chlorpropham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
Biocides		285																			
8079	Carbendazim	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8169	Diethyltoluamide (DEET)	µg/l	0,05	<	<	<	<	<	0,06	0,05	<	<	<	<	13	<	<	<	<	0,056	0,06
8209	Dichlorvos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
Benzimidazole Fungicides		470																			
8079	Carbendazim	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Unclassified Fungicides		520																			
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
Chlorophenoxy herbicides		230																			
8106	Chlorfenprop-Methyl	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8330	Fluroxypyr	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8404	Mecoprop (MCP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Phenylurea herbicides 240																				
8097	Chlorbromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8122	Chlortoluron	µg/l	0,03	0,0435	<	<	<	<	<	<	<	<	<	12	<	<	<	<	0,0485	0,056
8229	Diflubenzuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8233	Dimefuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8258	Diuron	µg/l	0,04	<	<	<	<	0,056	0,057	0,046	<	<	<	13	<	<	<	<	0,0566	0,057
8382	Isoproturon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8394	Linuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8418	Methabenzthiazuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8446	Monolinuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Dinitrophenol herbicides 250																				
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Phenoxy Herbicides 550																				
8106	Chlorfenprop-Methyl	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8204	2,4-Dichloroprop (2,4-DP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8404	Mecoprop (MCCPP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Amide Herbicides 560																				
8522	Propyzamide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8682	Dimethenamid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Anilide Herbicides 570																				
8417	Metazachlor	µg/l	0,03	<	<	<	<	<	<	<	0,071	<	<	12	<	<	<	<	0,0542	0,071
Chloroacetanilide Herbicides 580																				
8002	Alachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8513	Propachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
(Bis-)Carbamate Herbicides 590																				
8078	Carbetamide	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8626	Chlorpropham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
Dinitroaniline Herbicides 600																				
8488	Pendimethalin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Sulfonylurea Herbicides		610																			
8702	Nicosulfuron	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Urea Herbicides		620																			
8122	Chlortoluron	µg/l	0,03	0,0435	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	0,0485	0,056
8258	Diuron	µg/l	0,04	<	<	<	<	<	0,056	0,057	0,046	<	<	<	13	<	<	<	<	0,0566	0,057
8382	Isoproturon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8394	Linuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8418	Methabenzthiazuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Triazin Herbicides		635																			
8026	Atrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8138	Cyanazine	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8366	Hexazinone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8415	Metamitron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8435	Metolachlor	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8437	Metribuzin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8512	Prometryn	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8517	Propazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8547	Simazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8567	Terbutryne	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8568	Terbutylazine	µg/l	0,03	<	<	<	<	<	<	<	0,037	<	<	<	13	<	<	<	<	0,033	0,037
Uracil Herbicides		615																			
8392	Lenacil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Herbicides 645																					
8044	Bentazon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,03	<	<	<	0,112	<	<	<	<	<	<	13	<	<	<	<	0,0732	0,112	<
8188	Dicamba	µg/l	0,03	<	<	<	<	<	<	<	0,126	0,065	0,058	12	<	<	<	0,0354	0,108	0,126	<
8189	Dichlobenil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8280	Ethofumesat	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8330	Fluroxypyr	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8354	Glyphosate	µg/l	0,04	<	<	<	<	0,105	0,125	0,275	0,235	0,13	0,115	18	<	<	0,095	0,119	0,381	0,39	<
8354L	Glyphosate (load)	g/s		<	<	<	0,00856	0,00948	0,00826	0,017	0,0124	0,00818	0,00909	18	0,0011	0,00377	0,00733	0,00955	0,0207	0,0277	<
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8686	Sebutylazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8704	Sulcotrione	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
V137	2-amino-3-chloro-1,4-naphthoquinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
Physiological plant growth regulator 950																					
1689		µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
Unclassified plant growth regulator 952																					
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8491	Pentachlorophenol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Anti-sprouting products 960																					
8626	Chlorpropham	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
Carbamate Insecticides 660																					
8082	Carbofuran	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
Organophosphorus Insecticides 670																					
8029	Azinphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8112	Chlorpyriphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8136	Coumaphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8209	Dichlorvos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8298	Fenitrothion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8501	Pirimiphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8652	Chlorpyriphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Benzoylurea Insecticides 690																					
8229	Diflubenzuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Unclassified Insecticides 710																					
8425	Methomyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8692	Pyriproxyphen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
Nematicides 860																					
1784	cis-1,3-Dichloropropene	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
1785	trans-1,3-Dichloropropene	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
8186	Dibromochloropropane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
Pesticide metabolites 954																					
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8176	Desethylatrazine	µg/l	0,03	<	0,031	0,035	<	0,043	0,042	<	<	<	<	<	13	<	<	<	0,0426	0,043	<
8178	Desisopropylatrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8681	Desethylterbutylazine	µg/l	0,07	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Various pesticides and metabolics 300																					
1170	Biphenyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2272	2-(methylthio)benzothiazole	µg/l	0,01	<	0,012	<	<	0,013	<	<	0,055	<	<	<	4	<	*	*	0,0212	*	0,055
8280	Ethofumesat	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8373	Imazalil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8497	Piperonylbutoxid	µg/l	0,01	<	<	<	<	<	<	0,026	<	<	<	<	4	<	*	*	0,0102	*	0,026
8522	Propyzamide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8682	Dimethenamid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8692	Pyriproxyphen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
Ethers 302																					
1428	Diisopropylether	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	<	8	<	*	*	<	*	<
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,2	<	<	<	<	<	<	0,25	<	<	<	<	7	<	*	*	<	*	0,25
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
Fuel additives 303																					
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,2	<	<	<	<	<	<	0,25	<	<	<	<	7	<	*	*	<	*	0,25
2086	1,2-Dibromoethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Various organic substances 305																				
1405	Dibenzopyridin (Acridin)	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
1764	Tributylphosphate	µg/l	0,01	0,038			0,015			0,05			<	4	<	*	*	0,027	*	0,05
1871	Tris(2-chloroethyl)phosphate	µg/l	0,05	<			<			<				3	*	*	*	*	*	*
2062	4,4'-Sulfonyldiphenol	µg/l	0,08	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8625	Carbon disulfide	µg/l	0,2	<	<	<	<			<				5	<	*	*	<	*	<
Industrial solvents 431																				
1027	Bromochloromethane	µg/l	0,15	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1040	1,2-Dichloroethane	µg/l	0,2	0,34	0,23	0,2	<			0,59	<	<	<	9	<	*	*	0,207	*	0,59
1044	Dichloromethane	µg/l	0,5	<	<	<	<		<					6	<	*	*	<	*	<
1049	Hexachlorobutadiene	µg/l	0,15	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1056	Tetrachloroethene	µg/l	0,2	<	<	<	<			0,23	<	<	<	9	<	*	*	<	*	0,23
1057	Tetrachloromethane	µg/l	0,2	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1063	Trichloroethene	µg/l	0,15	<	<	<	<			0,18	<	<	<	9	<	*	*	<	*	0,18
1064	Trichloromethane	µg/l	0,2	0,33	<	1,22	<			<		0,37	2,38	8	<	*	*	0,587	*	2,38
1070	1,2,3-Trichloropropane	µg/l	0,15	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1828	cis-1,2-Dichloroethene	µg/l	0,15	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1829	trans-1,2-Dichloroethene	µg/l	0,15	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1954	1,1,1,2-Tetrachloroethane	µg/l	0,15	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
1955	1,1,1,2-Tetrachloroethane	µg/l	0,2	<	<	<	<			<		<	<	7	<	*	*	<	*	<
2015	Chloroethane	µg/l	0,5	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
8205	1,2-Dichloropropane	µg/l	0,2	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
industrial chemicals (with arom. nit 434)																				
1708	2,3-Dichloroaniline	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
1709	2,5-Dichloroaniline	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
8196	2,6-Dichloroaniline	µg/l	0,01	<			<			<			<	4	<	*	*	<	*	<
V141	N-ethyltoluene-4-sulphonamide	µg/l	0,01	<			<			0,019			<	4	<	*	*	<	*	0,019
V142	N-methylbenzenesulphonamide	µg/l	0,01	<			<			<			<	3	*	*	*	*	*	*

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial chemicals (with volatile h 437)																				
1035	Dibromomethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
1039	1,1-Dichloroethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1041	1,1-Dichloroethene	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	8	<	*	*	<	*	<
1050	Hexachloroethane	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
1061	1,1,1-Trichloroethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
1062	1,1,2-Trichloroethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
1962	Chloroethene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	8	<	*	*	<	*	<
2016	Chloromethane	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	8	<	*	*	<	*	<
2086	1,2-Dibromoethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
8206	1,3-Dichloropropane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
8429	Monobromomethane (Methylbromide	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
Industrial chemicals (with PCBs) 440																				
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
Industrial chemicals (with anilides) 442																				
1414	Methylchinolin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
V143	Phenanthridine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
Cooling agents 430																				
2017	Dichlorodifluoromethane	µg/l	5	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
2019	Trichlorofluoromethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
Disinfection byproducts 446																				
1028	Bromodichloromethane	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
1033	Dibromochloromethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<
1058	Tribromomethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max							
X-ray contrast agents		340																									
6232	Diatrizoic Acid	µg/l	0,02	0,03	0,03	0,06	0,1	0,08	0,12	0,11	0,21	0,08	0,1	0,06	13	0,01	0,018	0,08	0,0785	0,174	0,21						
6234	Iohexol	µg/l	0,02	0,04	0,03	0,03	0,1	0,04	0,05	<	0,12	0,08	0,05	<	13	<	<	0,04	0,0485	0,112	0,12						
6235	Iomeprol	µg/l		0,06	0,07	0,05	0,07	0,2	0,15	0,28	0,2	0,34	0,13	0,23	13	0,04	0,044	0,13	0,152	0,316	0,34						
6236	Iopamidol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<						
6237	Iopanoic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<						
6238	Iopromide	µg/l	0,01	0,045	0,07	0,05	0,1	0,23	0,14	0,23	0,18	0,33	0,21	0,13	<	13	<	0,019	0,13	0,136	0,29	0,33					
6239	Iothalamic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	0,06	<	13	<	<	<	<	0,038	0,06					
6240	Ioxaglic acid	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<					
6241	Ioxitalamic acid	µg/l	0,01	0,0175	0,03	0,02	0,05	0,01	0,04	0,04	0,03	0,13	<	0,07	<	13	<	<	0,03	0,0358	0,106	0,13					
Antibiotics		310																									
6032	Sulfamethoxazole	µg/l	0,01	<	<	<	<	<	<	0,01	0,01	0,01	<	0,02	<	13	<	<	<	<	0,016	0,02					
6259	Lincomycin	µg/l	0,01	<											<	4	<	*	*	<	*	<					
Beta-adrenergic blocking agents		320																									
6226	Metoprolol	µg/l	0,02	<											<	4	<	*	*	<	*	<					
6229	Sotalol	µg/l	0,05	<				0,07							0,06					0,05		0,07					
Analgesic and anti-inflammatory dr		350																									
6077	O-acetylsalicylic acid	µg/l	0,02	<											<	4	<	*	*	<	*	<					
6249	Diclofenac	µg/l	0,01	<	0,02	<	<	<	<	<	0,02	0,01	0,03	0,04	13	<	<	<	0,0127	0,036	0,04						
6252	Ibuprofen	µg/l		0,03	0,09	0,05	0,06	0,08	0,07	0,04	0,05	0,09	0,06	0,12	0,06	13	0,02	0,028	0,06	0,0638	0,108	0,12					
6255	Naproxen	µg/l	0,02	<	0,03	<	<	0,03	<	0,02	<	0,03	<	0,04	0,02	13	<	<	<	<	0,036	0,04					
6309	Phenazone	µg/l	0,01	<											<	4	<	*	*	<	*	<					
Various pharmaceuticals		370																									
1613	Caffein	µg/l			1,1					0,61				0,1					0,66	4	0,1	*	*	0,618	*	1,1	
1661	methyl salicylate	µg/l	0,01							<						1	*	*	*	*	*	*	*	*	*		
1860	Carbamazepine	µg/l	0,01	<		0,012	0,01	0,016			0,07	0,016		0,012	0,024	0,019	10	<	<	0,014	0,0189	0,0654	0,07				
V139	3-methyl-4-(2,6,6-trimethyl-2-cyclohe	µg/l	0,01		0,043									0,016		4	<	*	*	0,0202	*	0,043					
V140		µg/l	0,01		<									0,011		4	<	*	*	<	*	0,011					
food supplement		375																									
V138	4'-methoxyacetophenone	µg/l	0,01		<									<	4	<	*	*	<	*	<	<					
Endrocrin disrupting compounds (400																									
2072	Bisphenol A	µg/l	0,04		<									<	4	<	*	*	<	*	<	<					
6356	Estrone	µg/l	0,01		<									<	4	<	*	*	<	*	<	<					
6703	Activity with respect to 17-beta-estra	ng/l			0,704				0,42						2	*	*	*	*	*	*	*	*				



Namêche (M540)

1-1-2010 up to 31-12-2010

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
unspecified substances	980																			
1047 2,2-Dichloropropane	µg/l	0,15	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<
2013 1,1-Dichloropropene	µg/l	0,2	<	<	<	<	<			<	<	<	<	9	<	*	*	<	*	<

