

Namêche (M540)

1-1-2012 up to 31-12-2012

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>General compounds 010</b>																							
0112	Water discharge	m3/s	571	199	179	159	212	137	177	76,8	59,9	143	167	452	366	21,4	61,7	150	212	455	1150		
0120	Water temperature	°C	7,8	3,5	8,1	11,1	16,5	13,3	20	20,5	17,9	12	8,75	6,55	26	0,9	5,5	11	12,3	20,3	22,4		
0122	Oxygen	mg/l	13,1	17	13,9	12,4	10,7	9,65	9,4	8,8	8,55	11,4	12,8	13,1	26	8	8,57	11,8	11,7	14,9	18,9		
0123	Oxygen saturation	%	108	126	116	109	99	85,5	87,3	81,1	79,5	101	108	105	26	74,4	76,6	106	100	117	133		
0128	Suspended matter	mg/l	4	19	9	14	10	12,7	10,5	10	<	<	12	7,5	26	<	<	9,5	12,4	23,6	53		
0180	pH	pH	7,81	8,21	8,35	8,4	8,13	7,96	7,92	8,02	7,91	8,11	8,17	8,17	26	7,65	7,86	8,12	8,1	8,4	8,53		
0200	Conductivity (at 20 °C)	mS/m	38,1	51,3	48,2	50,8	43,4	53,7	47,1	50,3	64,4	46,4	46,7	40,4	26	34,7	36,8	46,4	48,1	62,5	67,8		
0251	Total hardness, 0.45 µm filtrate	mmol/l	1,57	2,08	2	2,02	1,74	1,93	1,74	1,82	2,37	1,85	1,98	1,65	26	1,46	1,5	1,94	1,89	2,22	2,53		
0252	temporal hardness	mmol/l	2,33	2,84	2,71	3,19	2,89	3,24	2,92	3,48	4,19	3,32	3,62	3,04	26	2,19	2,47	3,16	3,14	3,88	4,31		
<b>Inorganic compounds 030</b>																							
0222	Bicarbonate	mg/l	142	173	165	194	176	198	178	213	256	202	221	185	26	133	150	193	192	237	263		
0230	Chloride	mg/l	15,5	34	31	35,5	28,3	44,5	37,5	39,5	57	31,3	23	25	26	14	17	31	33,2	56	71		
0230L	Chloride (load)	kg/s	8,4	6,47	6,94	3,74	4,8	6,37	5,02	2,77	2,88	3,78	3,85	11,8	26	2,19	2,58	4,21	5,47	9,78	14,5		
0232	Sulfate	mg/l	21,5	32	33,5	38	28	35	30,5	33,5	48	36	35	24,5	26	21	21,7	33,5	32,9	44,9	49		
0381	Bromide	µg/l	20	<	36,5	35	62	29,3	42,5	37	41,5	54	37	28,5	26	<	<	33,5	36,5	58	86		
0382	Fluoride	mg/l	0,095	0,095	0,1	0,095	0,0967	0,105	0,105	0,1	0,11	0,0967	0,1	0,1	26	0,09	0,09	0,1	0,0996	0,11	0,11		
<b>Nutrients 040</b>																							
0284D		mg/l	0,09	0,166	0,239	0,103	<	0,113	0,23	0,237	0,193	0,233	0,192	0,147	0,146	26	<	<	0,172	0,169	0,287	0,297	
<b>Group compounds 070</b>																							
0401	Total organic carbon (TOC)	mg/l	7,15	3,4	3,45	3,65	4,4	4,2	4,1	3,8	3,1	4	4,5	5,25	26	2,9	3,07	3,85	4,25	5,53	9,8		
<b>Summend compounds 080</b>																							
0451	Trihalomethanes, total	µg/l	0,16	0,22											2	*	*	*	*	*	*		
2022	Tetra- and Trichloroethene (sum)	µg/l		0,11			0,27				0,12				3	*	*	*	*	*	*		
8671	Pesticides (total)	µg/l				0,045		0,049		0,033		0,03	0,093	0,072	6	0,03	*	*	0,0537	*	0,093		
<b>Hydrobiological compounds 095</b>																							
7100	Chlorophyll-a	µg/l	1	1,3	1,4	24,9	36	13,6	<	3,9	2,9	2,85	1,67	<	2,5	25	<	<	2,5	7,95	37,2	46,7	
7110	Phaeophytine	µg/l		1,9	0,75	7,7	14,3	9,73	0,9	4	2,4	2,25	3,1	1,75	25	0,2	0,8	2,9	4,76	13,7	21,2		
<b>Metals 050</b>																							
0240	Sodium	mg/l	9,5	21,5	19,5	22,5	18,7	30	26	27,5	40,5	22,3	15,5	16	26	9	10,7	20	22,3	37,2	51		
0242	Potassium	mg/l	2,3	2,9	2,7	2,85	2,4	3,1	3,1	3	3,6	3,27	2,85	2,9	26	2,1	2,2	2,95	2,91	3,53	3,7		



# Namêche (M540)

1-1-2012 up to 31-12-2012

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Metals, after filtration</b>		<b>055</b>																			
0245	Calcium, 0.45 µm filtrate	mg/l	55,5	73	69,5	69	60,3	67	60	63	81,5	64	69	57,5	26	51	52,4	67	65,5	76,2	88
0248	Magnesium, 0.45 µm filtrate	mg/l	4,35	6,1	6,35	6,8	5,53	6,15	5,85	5,9	7,6	5,87	6,2	5,2	26	4,2	4,47	6,2	5,97	7,36	7,7
0311	Aluminium, 0.45 µm filtrate	µg/l	21	12,5	10,5	8,5	11,3	7	6						14	5	5,5	9,5	11,4	21	24
<b>Complex buiders</b>		<b>060</b>																			
1793	Nitrioltriacetic acid (NTA)	µg/l	5		7		67		<			<		4	<	*	*	19,7	*	67	
1794	Ethylenediaminetetraacetic acid (ED	µg/l	5		<		<		<			5		4	<	*	*	<	*	5	
1794L	Ethylenediaminetetraacetic acid (ED	g/s			0,776		0,29		0,138			1,09		4	0,138	*	*	0,574	*	1,09	
2003	Diethylenetriaminepentaacetic acid (	µg/l	5		<		<		<			<		4	<	*	*	<	*	<	



# Namêche (M540)

1-1-2012 up to 31-12-2012

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Mono cyclic aromatic hydrocarb 170</b>																					
1074	Benzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,1
1075	Butylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1080	1,2-Dimethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1088	Ethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1089	Ethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1098	Methylbenzene	µg/l	0,1	<	<	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,1
1106	Propylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1112	Chlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1115	2-Chloromethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1119	1,2-Dichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1120	1,3-Dichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1121	1,4-Dichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1127	Pentachlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
1128	1,2,3,4-Tetrachlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
1130R	1,2,3,5- and 1,2,4,5-Tetrachlorobenz	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
1131	1,2,3-Trichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1132	1,2,4-Trichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1133	1,3,5-Trichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1797	Isopropylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1832	1,3,5-Trimethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1951	1,2,4-Trimethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1959	4-Chloromethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1960	1-Methyl-4-isopropylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1998	t-Butylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2014	Bromobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2064	s-Butylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<



**Namêche (M540)**

1-1-2012 up to 31-12-2012

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Poly cyclistic aromatic hydrocarbo 180</b>																							
1161	Acenaphthene	µg/l	0,0125	<	<			<	<	<	<	<	<	<	<	<	<	<	<	<			
1162	Acenaphthylene	µg/l	0,0125	<	<			<	<	<	<	<	<	<	<	<	<	<	<	<			
1163	Anthracene	µg/l	0,0125	<	<			<	<	<	<	<	<	<	<	<	<	<	<	<			
1165	Benzo(a)anthracene	µg/l	0,0125	<	<			<	<	<	<	<	<	<	<	<	<	<	<	<			
1166	Benzo(b)fluoranthene	µg/l	0,0125	<	<			<	<	<	<	<	0,0203	11	<	<	<	<	0,0189	0,0203			
1167	Benzo(k)fluoranthene	µg/l	0,0125	<	<			<	<	<	<	<	<	10	<	<	<	<	<	<			
1168	Benzo(ghi)perylene	µg/l	0,0125	<	<			<	<	<	0,0126	<	0,0305	11	<	<	<	<	0,0269	0,0305			
1169	Benzo(a)pyrene	µg/l	0,005	0,0062	<			0,00625	<	<	<	<	0,0071	0,0055	0,0132	11	<	<	0,00518	0,0126	0,0132		
1172	Chrysene	µg/l	0,0125	<	<			<	<	<	<	<	<	<	0,0155	11	<	<	<	0,0136	0,0155		
1173	Dibenzo(a,h)anthracene	µg/l	0,0125	<	<			<	<	<	<	<	<	<	<	<	<	<	<	<			
1180	Phenanthrene	µg/l	0,0125	0,0136	0,0188			<	<	<	<	<	<	<	0,0179	9	<	*	*	<	*	0,0188	
1181	Fluoranthene	µg/l	0,0125	0,0212	0,0143			0,0145	<	<	<	<	0,0134	<	0,0415	11	<	<	0,0137	0,0377	0,0415		
1182	Fluorene	µg/l	0,0125	<	<			<	<	<	<	<	<	<	<	<	<	<	<	<	<		
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,0125	<	<			<	<	<	<	<	<	<	0,0133	10	<	<	<	0,0126	0,0133		
1188	Pyrene	µg/l	0,0125	0,0148	<			0,0129	<	<	<	<	0,0132	<	0,0356	11	<	<	<	0,0324	0,0356		
1965	1-Chloronaphthalene	µg/l	0,01					<		<			<	3	*	*	*	*	*	*	*		
2040	2-Chloronaphthalene	µg/l	0,01					<		<			<	3	*	*	*	*	*	*	*		
8450	Naphthalene	µg/l	0,0125	<	0,0364			0,0386	<	0,0211	0,0301	0,0153	0,0204	<	0,0396	11	<	<	0,0211	0,0235	0,0478	0,0499	

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2012 up to 31-12-2012

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Organochlorine pesticides</b>		<b>200</b>																		
8006	Aldrin	µg/l	0,01																	
8119	Chlorothalonil	µg/l	0,05																	
8162	o,p-DDD	µg/l	0,01																	
8163	p,p-DDD	µg/l	0,01																	
8164	o,p-DDE	µg/l	0,01																	
8165	p,p-DDE	µg/l	0,01																	
8166	o,p-DDT	µg/l	0,01																	
8167	p,p-DDT	µg/l	0,01																	
8189	Dichlobenil	µg/l	0,01																	
8199	2,6-Dichlorobenzamide (BAM)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8217	Dieldrin	µg/l	0,01																	
8263	alpha-Endosulfan	µg/l	0,01																	
8264	beta-Endosulfan	µg/l	0,01																	
8265	Endosulfansulfate	µg/l	0,01																	
8268	Endrin	µg/l	0,01																	
8358	Heptachlor	µg/l	0,01																	
8359	Heptachloroepoxide	µg/l	0,01																	
8361	Hexachlorobenzene (HCB)	µg/l	0,01																	
8362	alpha-Hexachlorocyclohexane (alpha)	µg/l	0,01																	
8363	beta-Hexachlorocyclohexane (beta)	µg/l	0,02																	
8379	Isodrin	µg/l	0,01																	
8393	Lindane (gamma-HCH)	µg/l	0,01																	
8428	Methoxychlor	µg/l	0,01																	
8533	Quintocene	µg/l	0,01																	
8556	Tecnazene	µg/l	0,01																	
8560	Telodrin	µg/l	0,01																	
8629	delta-Hexachlorocyclohexane (delta)	µg/l	0,01																	
8631	trans-Heptachloroepoxide	µg/l	0,01																	
8640	cis-Chlordane	µg/l	0,01																	
8641	trans-Chlordane	µg/l	0,01																	

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Namêche (M540)

1-1-2012 up to 31-12-2012

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Organophosphorus and -sulphur p 210</b>																					
8028	Azinphos-ethyl	µg/l	0,01																		
8029	Azinphos-methyl	µg/l	0,02																		
8044	Bentazon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8059	Bromophos-methyl	µg/l	0,01																		
8060	Bromophos-ethyl	µg/l	0,01																		
8108	Chlorfenvinphos	µg/l	0,01																		
8112	Chlorpyriphos-methyl	µg/l	0,01																		
8136	Coumaphos	µg/l	0,01										0,019	3	*	*	*	*	*	*	
8185	Diazinon	µg/l	0,01																		
8188	Dicamba	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<	
8238	Dimethoate	µg/l	0,01																		
8255	Disulfoton	µg/l	0,025																		
8281	Ethoprophos	µg/l	0,01																		
8298	Fenitrothion	µg/l	0,01																		
8309	Fenthion	µg/l	0,01																		
8335	Fonofos	µg/l	0,01																		
8354	Glyphosate	µg/l	0,08	<	<	<	<	0,08	0,11	<	0,11	<	<	13	<	<	<	<	0,11	0,11	
8354L	Glyphosate (load)	g/s	0,0313	0,00733	0,0155	0,00207	0,00947	0,0114	0,0129	0,0022	0,00547	0,019	0,0131	0,0253	13	0,00207	0,00213	0,0128	0,0127	0,0289	0,0313
8360	Heptenophos	µg/l	0,01																		
8396	Malathion	µg/l	0,01																		
8423	Methidathion	µg/l	0,01																		
8439	Mevinphos	µg/l	0,01																		
8482	Parathion-ethyl	µg/l	0,01																		
8483	Parathion-methyl	µg/l	0,01																		
8501	Pirimiphos-methyl	µg/l	0,01																		
8566	Terbufos	µg/l	0,01																		
8590	Tolclofos-methyl	µg/l	0,01																		
8600	Triazophos	µg/l	0,01																		
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,04	0,1	0,19	0,12	0,25	0,19	0,27	0,5	0,63	0,22	0,15	0,13	13	0,04	0,064	0,19	0,234	0,578	0,63
8632L	Aminomethylphosphonic acid (AMP)	g/s	0,025	0,0183	0,059	0,0125	0,0387	0,0272	0,0316	0,0275	0,0313	0,0599	0,0328	0,0366	13	0,0125	0,0148	0,0313	0,0338	0,0595	0,0599
8652	Chlorpyriphos	µg/l	0,01																		
8702	Nicosulfuron	µg/l	4	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8704	Sulcotrione	µg/l	0,01																		

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2012 up to 31-12-2012

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Organonitrogen pesticides 220</b>																					
8057	Bromacil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8392	Lenacil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Carbamate herbicides 260</b>																					
8003	Aldicarb	µg/l	0,03	<	<				<	<	<	<	<	8	<	*	*	<	*	<	
8078	Carbetamide	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8082	Carbofuran	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8425	Methomyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8499	Pirimicarb	µg/l	0,01						<	<	<	<	<	3	*	*	*	*	*	*	
8626	Chlorpropham	µg/l	0,01						<	<	<	<	<	3	*	*	*	*	*	*	
<b>Biocides 285</b>																					
8079	Carbendazim	µg/l	0,03	<	<	<	0,045	<	<	<	0,033	<	<	<	13	<	<	<	<	0,0402	0,045
8169	Diethyltoluamide (DEET)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8209	Dichlorvos	µg/l	0,01						<	<	<	<	<	3	*	*	*	*	*	*	
<b>Benzimidazole Fungicides 470</b>																					
8079	Carbendazim	µg/l	0,03	<	<	<	0,045	<	<	<	0,033	<	<	<	13	<	<	<	<	0,0402	0,045
<b>Unclassified Fungicides 520</b>																					
8119	Chlorothalonil	µg/l	0,05								<	<	<	3	*	*	*	*	*	*	
8590	Tolclofos-methyl	µg/l	0,01						<	<	<	<	<	3	*	*	*	*	*	*	
<b>Chlorophenoxy herbicides 230</b>																					
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8330	Fluroxypyr	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,036	
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8404	Mecoprop (MCP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



**Namêche (M540)**

1-1-2012 up to 31-12-2012

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Phenylurea herbicides</b>		<b>240</b>																			
8097	Chlorbromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8122	Chlortoluron	µg/l	0,03	<	<	<	<	<	<	<	<	0,034	0,033	13	<	<	<	<	0,0336	0,034	<
8229	Diflubenzuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8233	Dimefuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8258	Diuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8382	Isoproturon	µg/l	0,03	<	<	<	<	<	<	<	<	0,059	0,039	13	<	<	<	<	0,051	0,059	<
8394	Linuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8418	Methabenzthiazuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8446	Monolinuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Dinitrophenol herbicides</b>		<b>250</b>																			
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Phenoxy Herbicides</b>		<b>550</b>																			
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8204	2,4-Dichloroprop (2,4-DP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	0,036
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8404	Mecoprop (MCP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Amide Herbicides</b>		<b>560</b>																			
8522	Propyzamide	µg/l	0,01					<					<	3	*	*	*	*	*	*	*
8682	Dimethenamid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Anilide Herbicides</b>		<b>570</b>																			
8417	Metazachlor	µg/l	0,03	<	<	<	<	<	<	<	0,03	<	<	13	<	<	<	<	<	<	0,03
V376	flufenacet	µg/l	0,03								<	<	<	3	*	*	*	*	*	*	*
<b>Chloroacetanilide Herbicides</b>		<b>580</b>																			
8002	Alachlor	µg/l	0,01					<					<	3	*	*	*	*	*	*	*
8513	Propachlor	µg/l	0,01					<					<	3	*	*	*	*	*	*	*
<b>(Bis-)Carbamate Herbicides</b>		<b>590</b>																			
8078	Carbetamide	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8626	Chlorpropham	µg/l	0,01					<					<	3	*	*	*	*	*	*	*
<b>Sulfonylurea Herbicides</b>		<b>610</b>																			
8702	Nicosulfuron	µg/l	4	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.





# Namêche (M540)

1-1-2012 up to 31-12-2012

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Urea Herbicides</b>		<b>620</b>																				
8122	Chlortoluron	µg/l	0,03	<	<	<	<	<	<	<	<	<	0,034	0,033	13	<	<	<	<	0,0336	0,034	
8258	Diuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8382	Isoproturon	µg/l	0,03	<	<	<	<	<	<	<	<	<	0,059	0,039	13	<	<	<	<	0,051	0,059	
8394	Linuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8418	Methabenzthiazuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8434	Metobromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Triazin Herbicides</b>		<b>635</b>																				
8026	Atrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8138	Cyanazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8366	Hexazinone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8415	Metamitron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8435	Metolachlor	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8437	Metribuzin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
8512	Prometryn	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8517	Propazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8547	Simazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8567	Terbutryne	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8568	Terbutylazine	µg/l	0,03	<	<	<	<	<	<	0,049	<	<	<	<	13	<	<	<	<	0,0354	0,049	
<b>Uracil Herbicides</b>		<b>615</b>																				
8392	Lenacil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Unclassified Herbicides</b>		<b>645</b>																				
8044	Bentazon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8127	Chloridazon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8188	Dicamba	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	9	<	*	*	<	*	<	
8189	Dichlobenil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
8280	Ethofumesat	µg/l	0,01	<	<	<	<	<	0,061	<	<	<	<	<	3	*	*	*	*	*	*	
8330	Fluroxypyr	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8354	Glyphosate	µg/l	0,08	<	<	<	<	<	<	0,08	0,11	<	0,11	<	13	<	<	<	<	0,11	0,11	
8354L	Glyphosate (load)	g/s	0,0313	0,00733	0,0155	0,00207	0,00947	0,0114	0,0129	0,0022	0,00547	0,019	0,0131	0,0253	13	0,00207	0,00213	0,0128	0,0127	0,0289	0,0313	
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
8686	Sebutylazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2012 up to 31-12-2012

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Unclassified plant growth regulator 952</b>																					
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8491	Pentachlorophenol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Anti-sprouting products 960</b>																					
8626	Chlorpropham	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
<b>Carbamate Insecticides 660</b>																					
8082	Carbofuran	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
<b>Organophosphorus Insecticides 670</b>																					
8029	Azinphos-methyl	µg/l	0,02				<			<			<	3	*	*	*	*	*	*	*
8112	Chlorpyriphos-methyl	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
8136	Coumaphos	µg/l	0,01				<			<			0,019	3	*	*	*	*	*	*	*
8185	Diazinon	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
8209	Dichlorvos	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
8238	Dimethoate	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
8281	Ethoprophos	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
8298	Fenitrothion	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
8396	Malathion	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
8501	Pirimiphos-methyl	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
8652	Chlorpyriphos	µg/l	0,01				<			<			<	3	*	*	*	*	*	*	*
<b>Benzoylurea Insecticides 690</b>																					
8229	Diflubenzuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Unclassified Insecticides 710</b>																					
8425	Methomyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Nematicides 860</b>																					
1784	cis-1,3-Dichloropropene	µg/l	0,1	<		<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,1	<		<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8186	Dibromochloropropane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Pesticide metabolites 954</b>																					
8176	Desethylatrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8178	Desisopropylatrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8681	Desethylterbutylazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2012 up to 31-12-2012

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Various pesticides and metabolics 300</b>																					
1170	Biphenyl	µg/l	0,02					<					<	3	*	*	*	*	*	*	
2272	2-(methylthio)benzothiazole	µg/l	0,01					<					0,01	3	*	*	*	*	*	*	
8280	Ethofumesat	µg/l	0,01					0,061					<	3	*	*	*	*	*	*	
8373	Imazalil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8497	Piperonylbutoxid	µg/l	0,01					<					<	3	*	*	*	*	*	*	
8522	Propyzamide	µg/l	0,01					<					<	3	*	*	*	*	*	*	
8682	Dimethenamid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Ethers 302</b>																					
1428	Diisopropylether	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,15	<	<	<	<	<	<	0,18	0,67	<	<	13	<	<	<	<	0,474	0,67	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,15	<	<	<	<	<	<	0,17	<	<	<	13	<	<	<	<	<	0,17	
<b>Fuel additives 303</b>																					
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,15	<	<	<	<	<	0,18	0,67	<	<	<	13	<	<	<	<	0,474	0,67	
2086	1,2-Dibromoethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,15	<	<	<	<	<	<	0,17	<	<	<	13	<	<	<	<	<	0,17	
<b>Various organic substances 305</b>																					
1004	Heptane	µg/l	0,1		<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
1006	n-hexane	µg/l	0,1		<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
1014	Octane	µg/l	0,1		<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
1405	Dibenzopyridin (Acridin)	µg/l	0,01					<					<	3	*	*	*	*	*	*	
1764	Tributylphosphate	µg/l						0,015		0,044			0,024	3	*	*	*	*	*	*	
1871	Tris(2-chloroethyl)phosphate	µg/l	0,03			<		<				0,1		4	<	*	*	0,0362	*	0,1	
1963	Di(2-chloroisopropyl) ether	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
2062	4,4'-Sulfonyldiphenol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8625	Carbon disulfide	µg/l	0,1	<	0,2	<	<	<	<	<	<	<	<	13	<	<	<	<	0,14	0,2	



# Namêche (M540)

1-1-2012 up to 31-12-2012

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Industrial solvents</b>		<b>431</b>																			
1027	Bromochloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1040	1,2-Dichloroethane	µg/l	0,1	<	5,25	0,17	<	0,135	<	0,11	0,19	0,19	<	<	13	<	<	<	0,498	3,24	5,25
1044	Dichloromethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1049	Hexachlorobutadiene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1056	Tetrachloroethene	µg/l	0,1	<	0,11	<	<	0,16	<	<	<	0,12	<	<	13	<	<	<	<	0,21	0,27
1057	Tetrachloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1063	Trichloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1064	Trichloromethane	µg/l	0,1	0,16	0,22	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,196	0,22
1070	1,2,3-Trichloropropane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1828	cis-1,2-Dichloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1829	trans-1,2-Dichloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1954	1,1,1,2-Tetrachloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1955	1,1,2,2-Tetrachloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2015	Chloroethane	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	<
8205	1,2-Dichloropropane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>industrial chemicals (with arom. nit</b>		<b>434</b>																			
V141	N-ethyltoluene-4-sulphonamide	µg/l	0,01					<					<		3	*	*	*	*	*	*
<b>Industrial chemicals (with volatile h</b>		<b>437</b>																			
1035	Dibromomethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1039	1,1-Dichloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1041	1,1-Dichloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
1050	Hexachloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1061	1,1,1-Trichloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1962	Chloroethene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2016	Chloromethane	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2086	1,2-Dibromoethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8206	1,3-Dichloropropane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8429	Monobromomethane (Methylbromide)	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2012 up to 31-12-2012

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Industrial chemicals (with PCBs) 440</b>																						
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,01					<						<	3	*	*	*	*	*	*	
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5	µg/l	0,01					<						<	3	*	*	*	*	*	*	
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB	µg/l	0,01					<						<	3	*	*	*	*	*	*	
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB	µg/l	0,01					<						<	3	*	*	*	*	*	*	
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,01					<						<	3	*	*	*	*	*	*	
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,01					<						<	3	*	*	*	*	*	*	
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (	µg/l	0,01					<						<	3	*	*	*	*	*	*	
<b>Industrial chemicals (with anilides) 442</b>																						
1414	Methylchinolin	µg/l	0,01					<						<	3	*	*	*	*	*	*	
V143	Phenanthridine	µg/l	0,01					<						<	3	*	*	*	*	*	*	
<b>Cooling agents 430</b>																						
2017	Dichlorodifluoromethane	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2019	Trichlorofluoromethane	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Disinfection byproducts 446</b>																						
1028	Bromodichloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1033	Dibromochloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1058	Tribromomethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>X-ray contrast agents 340</b>																						
6232	Diatrizoic Acid	µg/l	0,01	0,01	0,02	0,02	0,01	0,0125	<	<	<	0,01	0,02	<	<	13	<	<	0,01	0,0108	0,02	0,02
6234	Iohexol	µg/l	0,07	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6235	Iomeprol	µg/l	0,01	0,02	0,12	0,1	0,08	0,105	0,05	0,08	<	0,12	0,1	0,03	0,11	13	<	0,011	0,08	0,0788	0,144	0,16
6236	Iopamidol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6237	Iopanoic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6238	Iopromide	µg/l		0,02	0,08	0,05	0,08	0,08	0,05	0,05	0,06	0,07	0,12	0,03	0,04	13	0,02	0,024	0,05	0,0623	0,12	0,12
6239	Iothalamic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,014	0,02	
6240	Ioxaglic acid	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6241	Ioxitalamic acid	µg/l	0,01	0,09	0,04	0,05	0,07	0,0325	0,02	0,03	0,03	0,04	0,08	0,02	<	13	<	<	0,04	0,0415	0,086	0,09
<b>Antibiotics 310</b>																						
6032	Sulfamethoxazole	µg/l	0,01	<	<	<	<	<	<	<	0,01	<	<	<	13	<	<	<	<	<	0,01	
6259	Lincomycin	µg/l	0,01		<			<			<			<	4	<	*	*	<	*	<	
<b>Beta-adrenergic blocking agents 320</b>																						
6226	Metoprolol	µg/l	0,01		<			<			<			<	4	<	*	*	<	*	<	
6229	Sotalol	µg/l	0,05		<			<			<			<	4	<	*	*	<	*	<	

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



# Namêche (M540)

1-1-2012 up to 31-12-2012

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Analgesic and anti-inflammatory dr 350</b>																							
6249	Diclofenac	µg/l	0,01	<	0,02	0,03	<	<	0,01	<	<	<	0,02	0,02	0,03	13	<	<	0,01	0,0131	0,03	0,03	
6252	Ibuprofen	µg/l	0,01	3,5	0,07	0,05	0,03	0,02	0,02	0,02	0,02	0,02	0,04	13	0,01	0,014	0,02	0,296	2,13	3,5			
6255	Naproxen	µg/l	0,02	<	0,02	0,03	0,02	<	<	<	<	<	0,02	13	<	<	<	<	0,026	0,03			
6309	Phenazone	µg/l	0,01		<		<		<			<		4	<	*	*	<	*	<			
<b>Various pharmaceuticals 370</b>																							
1613	Caffein	µg/l			0,55		0,16		0,09			0,33		4	0,09	*	*	0,283	*	0,55			
1860	Carbamazepine	µg/l	0,01	<	0,015	0,021	0,021	0,011	<	<	0,02	0,031	<	<	13	<	<	0,0123	0,027	0,031			
V139	3-methyl-4-(2,6,6-trimethyl-2-cyclohe	µg/l	0,01				<				<		0,01	3	*	*	*	*	*	*			
<b>Endocrin disrupting compounds ( 400</b>																							
2072	Bisphenol A	µg/l	0,005		0,014		<		<			<		4	<	*	*	0,00537	*	0,014			
6356	Estrone	µg/l	0,001		<		<		<			<		4	<	*	*	<	*	<			
6703	Activity with respect to 17-beta-estra	ng/l			0,16		0,06		0,09			0,12		4	0,06	*	*	0,108	*	0,16			
<b>unspecified substances 980</b>																							
1047	2,2-Dichloropropane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
2013	1,1-Dichloropropene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			

