

## Namêche (M540)

1-1-2015 up to 31-12-2015

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>General compounds</b>		<b>010</b>																					
0112	Water discharge	m3/s	496	417	275	220	144	74,8	51,2	56	76,4	58,2	132	225	364	36,4	48,2	132	184	450	697		
0120	Water temperature	°C	4,95	4,85	7,95	12,1	17	19,2	23	21,7	18,1	12,8	9,65	8,65	26	3,9	5,09	12,9	13,3	22,2	23,3		
0128	Suspended matter	mg/l	4	30	16	15	9	6,5	<	6,5	4,5	<	<	10,5	10	26	<	<	7	9,65	23	42	
0180	pH	pH	8,18	8,33	8,21	8,24	8,23	8,05	8,2	7,97	8	8	8,14	8,18	26	7,82	7,86	8,18	8,14	8,3	8,38		
0200	Conductivity (at 20 °C)	mS/m	40,3	42,9	46,8	48,2	53,9	56	69	63,3	56,5	62,8	57	39,6	26	30,7	40,3	52	53,2	69,7	73,2		
0251	Total hardness, 0.45 µm filtrate	mmol/l	1,71	1,88	1,94	2,07	2,32	2,42	2,48	2,29	2,17	2,15	2,02	1,66	26	1,59	1,62	2,18	2,09	2,45	2,54		
0252	temperal hardness	mmol/l	2,67	2,81	2,94	2,96	3,4	3,44	3,5	3,24	3,06	3,07	2,97	2,36	26	2,22	2,44	3,06	3,03	3,49	3,62		
<b>Inorganic compounds</b>		<b>030</b>																					
0222	Bicarbonate	mg/l	163	171	180	181	207	210	214	197	187	188	181	144	26	135	149	187	185	213	221		
0230	Chloride	mg/l	17	19	22	26	25	33,5	73,5	53,5	40	57,3	49	30	26	15	18,1	29,5	37,5	69,8	82		
0230L	Chloride (load)	kg/s	7,6	6,65	5,88	5,35	3,48	2,46	3,38	2,49	3,39	3,08	5,16	5,61	26	1,89	2,18	4,01	4,52	7,75	9,27		
0232	Sulfate	mg/l	21	22,5	26	30,7	38,5	42,5	56,5	53	47,5	46,7	45	32	26	21	21	38	38,5	56,3	60		
0381	Bromide	µg/l	20	<	<	30	30,7	26,5	32	57,5	48	33	57,3	43,5	26	<	<	32,5	36,1	57,8	65		
0382	Fluoride	mg/l	0,095	0,085	0,09	0,0933	0,105	0,105	0,115	0,105	0,095	0,107	0,105	0,09	26	0,08	0,08	0,1	0,0992	0,113	0,13		
<b>Nutrients</b>		<b>040</b>																					
0284D	Orthophosphate (PO4)	mg/l	0,1	0,175	0,114	<	<	0,184	0,229	0,332	0,328	0,335	0,337	0,245	0,185	26	<	<	0,216	0,22	0,375	0,404	
<b>Group compounds</b>		<b>070</b>																					
0401	Total organic carbon (TOC)	mg/l	2	4,15	3,15	3,45	3,3	3,85	3,2	2,3	3,8	3,5	4,27	4,85	3,95	26	<	2,57	3,6	3,66	4,62	6,4	
<b>Summend compounds</b>		<b>080</b>																					
0451	Trihalomethanes (sum)	µg/l										0,1	0,17		2	*	*	*	*	*	*		
2022	Tetra- and Trichloroethene (sum)	µg/l			0,11				0,18	0,27	0,16	0,345			6	0,11	*	*	0,235	*	0,42		
8671	Pesticides (total)	µg/l		0,056			0,175	0,088	0,095			0,042	0,147	0,049	7	0,042	*	*	0,0931	*	0,175		
<b>Hydrobiological compounds</b>		<b>095</b>																					
7100	Chlorophyll-a	µg/l	1	<	<	2,05	4,13	7,7	4,55	6,9	9,5	4	4,5	1,4	25	<	<	3,7	4,02	9,24	12,5		
7110	Phaeophytine	µg/l	1	1,95	1,25	1,4	3,7	6,8	5,15	4,5	6,45	4,1	3,43	2,75	25	<	<	3,6	3,68	7,64	9,4		
<b>Metals</b>		<b>050</b>																					
0240	Sodium	mg/l	11	11,5	14	16,3	16,5	21	44	36,5	27,5	38,7	34,5	20	26	9	10,7	19	24,5	49,3	52		
0242	Potassium	mg/l	2,2	2,1	2,1	2,47	2,75	3,2	3,9	3,9	4	4,27	4,1	2,9	26	2	2	3	3,17	4,33	4,5		
<b>Metals, after filtration</b>		<b>055</b>																					
0245	Calcium, 0.45 µm filtrate	mg/l	60	66,5	68	72	81	83,5	84,5	77,5	75	73,3	69,5	56,5	26	54	56,4	75,5	72,3	84,3	86		
0248	Magnesium, 0.45 µm filtrate	mg/l	4,85	5,05	5,65	6,4	7,2	7,8	8,9	8,25	6,95	7,6	6,75	5,9	26	4,7	4,94	7,1	6,79	8,4	9,4		

**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Complex buiders 060</b>																					
1793	Nitritriacetic acid (NTA)	µg/l	5		<		<			<			<	4	<	*	*	<	*	<	<
1794	Ethylenediaminetetraacetic acid (ED	µg/l	5		<		5			5			<	4	<	*	*	<	*	5	5
1794L	Ethylenediaminetetraacetic acid (ED	g/s			0,47		0,367			0,734			0,458	4	0,367	*	*	0,507	*	0,734	
2003	Diethylenetriaminepentaacetic acid (	µg/l	5		<		<			<			<	4	<	*	*	<	*	<	<
<b>Mono cyclistic aromatic hydrocarb 170</b>																					
1074	Benzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1075	Butylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1080	1,2-Dimethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1088	Ethenylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1089	Ethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1098	Methylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1106	Propylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1112	Chlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1115	2-Chloromethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1119	1,2-Dichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1120	1,3-Dichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1121	1,4-Dichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1127	Pentachlorobenzene	µg/l	0,02		<		<			<			<	3	*	*	*	*	*	*	*
1128	1,2,3,4-Tetrachlorobenzene	µg/l	0,02		<		<			<			<	3	*	*	*	*	*	*	*
1130R	1,2,3,5- and 1,2,4,5-Tetrachlorobenz	µg/l	0,02		<		<			<			<	3	*	*	*	*	*	*	*
1131	1,2,3-Trichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1132	1,2,4-Trichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1133	1,3,5-Trichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1797	Iso-propylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1832	1,3,5-Trimethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1951	1,2,4-Trimethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1952	1,2,3-Trimethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1959	4-Chloromethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1960	1-Methyl-4-iso-propylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1998	t-Butylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2014	Bromobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2064	s-Butylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Poly cyclic aromatic hydrocarbo 180</b>																							
1161	Acenaphthene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	0,0145	<	13	<	<	<	<	<	0,0145		
1162	Acenaphthylene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	0,0238	<	13	<	<	<	<	0,0168	0,0238		
1163	Anthracene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1165	Benzo(a)anthracene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1166	Benzo(b)fluoranthene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	0,0129	<	13	<	<	<	<	<	0,0129		
1167	Benzo(k)fluoranthene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1168	Benzo(ghi)perylene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1169	Benzo(a)pyrene	µg/l	0,005	0,0053	<	<	0,0073	<	<	<	<	<	0,0108	<	13	<	<	<	<	0,0094	0,0108		
1172	Chrysene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	0,0156	<	13	<	<	<	<	<	0,0156		
1173	Dibenzo(a,h)anthracene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1180	Phenanthrene	µg/l	0,0125	0,0152	<	0,0126	<	0,0168	0,0178	0,014	0,0182	<	<	0,0525	0,014	13	<	<	0,014	0,0148	0,0388	0,0525	
1181	Fluoranthene	µg/l	0,0125	0,0182	0,0157	0,0197	0,0193	0,0138	0,0172	0,0162	0,013	<	<	0,0468	0,017	13	<	<	0,0162	0,0166	0,036	0,0468	
1182	Fluorene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	<	0,0176	<	13	<	<	<	<	0,0131	0,0176	
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,0125	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1188	Pyrene	µg/l	0,0125	0,0132	0,0125	0,0138	0,0157	<	<	<	<	<	0,0301	0,0133	13	<	<	<	<	0,0243	0,0301		
1965	1-Chloronaphthalene	µg/l	0,02		<								<	3	*	*	*	*	*	*	*		
2040	2-Chloronaphthalene	µg/l	0,02		<								<	3	*	*	*	*	*	*	*		
8450	Naphthalene	µg/l	0,0125	0,0141	0,0206	0,0225	0,0132	<	0,0166	0,0162	<	<	0,0242	0,143	13	<	<	0,0141	0,0232	0,0956	0,143		

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Organochlorine pesticides</b>		<b>200</b>																		
8006	Aldrin	µg/l	0,02												3	*	*	*	*	*
8162	o,p-DDD	µg/l	0,02												3	*	*	*	*	*
8163	p,p-DDD	µg/l	0,02												3	*	*	*	*	*
8164	o,p-DDE	µg/l	0,02												3	*	*	*	*	*
8165	p,p-DDE	µg/l	0,02												3	*	*	*	*	*
8166	o,p-DDT	µg/l	0,02												3	*	*	*	*	*
8167	p,p-DDT	µg/l	0,019												3	*	*	*	*	*
8189	Dichlobenil	µg/l	0,02												3	*	*	*	*	*
8199	2,6-Dichlorobenzamide (BAM)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8217	Dieldrin	µg/l	0,02												3	*	*	*	*	*
8263	alpha-Endosulfan	µg/l	0,02												3	*	*	*	*	*
8264	beta-Endosulfan	µg/l	0,02												3	*	*	*	*	*
8265	Endosulfansulfate	µg/l	0,02												3	*	*	*	*	*
8268	Endrin	µg/l	0,02												3	*	*	*	*	*
8358	Heptachlor	µg/l	0,02												3	*	*	*	*	*
8359	Heptachloroepoxide (cis + trans)	µg/l	0,02												3	*	*	*	*	*
8361	Hexachlorobenzene (HCB)	µg/l	0,02												3	*	*	*	*	*
8362	alpha-Hexachlorocyclohexane (alpha)	µg/l	0,02												3	*	*	*	*	*
8363	beta-Hexachlorocyclohexane (beta-H)	µg/l	0,02												3	*	*	*	*	*
8379	Isodrin	µg/l	0,02												3	*	*	*	*	*
8393	Lindane (gamma-HCH)	µg/l	0,02												3	*	*	*	*	*
8428	Methoxychlor	µg/l	0,02												3	*	*	*	*	*
8533	Quintocene	µg/l	0,02												3	*	*	*	*	*
8556	Tecnazene	µg/l	0,02												3	*	*	*	*	*
8560	Telodrin	µg/l	0,02												3	*	*	*	*	*
8629	delta-Hexachlorocyclohexane (delta-	µg/l	0,02												3	*	*	*	*	*
8631	trans-Heptachloroepoxide	µg/l	0,02												3	*	*	*	*	*
8640	cis-Chlordane	µg/l	0,02												3	*	*	*	*	*
8641	trans-Chlordane	µg/l	0,02												3	*	*	*	*	*

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Organophosphorus and -sulphur p 210</b>																				
8028	Azinphos-ethyl	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8029	Azinphos-methyl	µg/l	0,035		<					<			<	3	*	*	*	*	*	*
8044	Bentazon	µg/l	0,03	<	<	<	<	0,06	<	<	<	<	<	13	<	<	<	<	0,042	0,06
8059	Bromophos-methyl	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8060	Bromophos-ethyl	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8108	Chlorfenvinphos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8112	Chlorpyriphos-methyl	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8136	Coumaphos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8185	Diazinon	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8188	Dicamba	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8255	Disulfoton	µg/l	0,025		<					<			<	3	*	*	*	*	*	*
8281	Ethoprophos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8298	Fenitrothion	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8309	Fenthion	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8335	Fonofos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8354	Glyphosate	µg/l	0,08		<					<			<	3	*	*	*	*	*	*
8354L	Glyphosate (load)	g/s		0,00376						0,00587			0,00366	3	*	*	*	*	*	*
8360	Heptenophos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8396	Malathion	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8423	Methidathion	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8439	Mevinphos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8482	Parathion-ethyl	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8483	Parathion-methyl	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8501	Pirimiphos-methyl	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8566	Terbufos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8590	Tolclofos-methyl	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8600	Triazophos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8632	Aminomethylphosphonic acid (AMPA)	µg/l			0,08					0,43			0,17	3	*	*	*	*	*	*
8632L	Aminomethylphosphonic acid (AMPA)	g/s			0,015					0,0631			0,0312	3	*	*	*	*	*	*
8652	Chlorpyriphos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	0,041	<	13	<	<	<	<	0,0306	0,041
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Organonitrogen pesticides</b>		<b>220</b>																					
8057	Bromacil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8127	Chloridazon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8392	Lenacil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8471	Oxadiazon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*		
8732	Chloridazon-desphenyl	µg/l		0,33	0,5	0,71	0,7	1,6	0,78	0,67	0,65	0,97	0,84	0,58	0,43	13	0,33	0,37	0,67	0,738	1,39	1,6	
<b>Carbamate herbicides</b>		<b>260</b>																					
8003	Aldicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<		
8078	Carbetamide	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
8082	Carbofuran	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<		
8424	Methiocarb	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<		
8425	Methomyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<		
8499	Pirimicarb	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*		
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*		
<b>Biocides</b>		<b>285</b>																					
8079	Carbendazim	µg/l	0,03	<	<	<	<	<	<	0,052	<	<	<	<	13	<	<	<	<	0,0372	0,052		
8169	Diethyltoluamide (DEET)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*		
8209	Dichlorvos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*		
8519	Propiconazole	µg/l	0,08	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*		
<b>Benzimidazole Fungicides</b>		<b>470</b>																					
8079	Carbendazim	µg/l	0,03	<	<	<	<	<	<	0,052	<	<	<	<	13	<	<	<	<	0,0372	0,052		
<b>Conazole Fungicides</b>		<b>480</b>																					
8519	Propiconazole	µg/l	0,08	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*		
<b>Unclassified Fungicides</b>		<b>520</b>																					
8590	Tolclofos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*		
<b>Chlorophenoxy herbicides</b>		<b>230</b>																					
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<		
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
8330	Fluroxypyr	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
8401	4-Chloro-2-methylphenoxyacetic acid	µg/l	0,03	<	<	<	<	<	<	0,049	<	<	<	<	13	<	<	<	<	0,0354	0,049		
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
8404	Mecoprop (MCPP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



# Namêche (M540)

1-1-2015 up to 31-12-2015

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Phenylurea herbicides</b>		<b>240</b>																			
8097	Chlorbromuron	µg/l	0,03		<		<		<		<		<	4	<	*	*	<	*	<	
8122	Chlortoluron	µg/l	0,03	<	<	<	<	<	<	<	<	0,041	<	13	<	<	<	<	0,0306	0,041	
8229	Diflubenzuron	µg/l	0,03		<		<		<		<		<	4	<	*	*	<	*	<	
8233	Dimefuron	µg/l	0,03		<		<		<		<		<	4	<	*	*	<	*	<	
8258	Diuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8382	Isoproturon	µg/l	0,03	<	0,056	<	<	<	<	<	<	0,106	0,049	13	<	<	<	<	0,086	0,106	
8394	Linuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8418	Metabenzthiazuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8434	Metobromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8446	Monolinuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Dinitrophenol herbicides</b>		<b>250</b>																			
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Phenoxy Herbicides</b>		<b>550</b>																			
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8204	2,4-Dichloroprop (2,4-DP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8401	4-Chloro-2-methylphenoxyacetic acid	µg/l	0,03	<	<	<	<	<	0,049	<	<	<	<	13	<	<	<	<	0,0354	0,049	
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8404	Mecoprop (MCCPP)	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Amide Herbicides</b>		<b>560</b>																			
8522	Propyzamide	µg/l	0,02		<		<		<		<		0,022	3	*	*	*	*	*	*	
8682	Dimethenamid	µg/l	0,03	<	<	<	<	0,134	<	<	<	<	<	13	<	<	<	<	0,0864	0,134	
<b>Anilide Herbicides</b>		<b>570</b>																			
8417	Metazachlor	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8515	Propanil	µg/l	0,1		<		<	<	<	<	<	<	<	9	<	*	*	<	*	<	
8674	Diflufenican	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V376	flufenacet	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Chloroacetanilide Herbicides</b>		<b>580</b>																			
8002	Alachlor	µg/l	0,02		<		<		<		<		<	3	*	*	*	*	*	*	
8513	Propachlor	µg/l	0,02		<		<		<		<		<	3	*	*	*	*	*	*	
<b>(Bis-)Carbamate Herbicides</b>		<b>590</b>																			
8078	Carbetamide	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8626	Chlorpropham	µg/l	0,02		<		<		<		<		<	3	*	*	*	*	*	*	

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Sulfonylurea Herbicides</b>		<b>610</b>																				
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	0,041	<	13	<	<	<	<	0,0306	0,041	
<b>Urea Herbicides</b>		<b>620</b>																				
8122	Chlortoluron	µg/l	0,03	<	<	<	<	<	<	<	<	<	0,041	<	13	<	<	<	<	0,0306	0,041	
8258	Diuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8382	Isoproturon	µg/l	0,03	<	0,056	<	<	<	<	<	<	<	0,106	0,049	13	<	<	<	<	0,086	0,106	
8394	Linuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8418	Metabenzthiazuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8434	Metobromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Triazin Herbicides</b>		<b>635</b>																				
8026	Atrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8138	Cyanazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8366	Hexazinone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8415	Metamitron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8435	Metolachlor	µg/l	0,03	<	<	<	<	0,042	0,036	<	<	<	<	<	13	<	<	<	<	0,0396	0,042	
8437	Metribuzin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
8512	Prometryn	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8517	Propazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8547	Simazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8567	Terbutryne	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8568	Terbutylazine	µg/l	0,03	<	<	<	<	<	<	<	0,052	0,043	<	<	13	<	<	<	<	0,0484	0,052	
<b>Uracil Herbicides</b>		<b>615</b>																				
8392	Lenacil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	





**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Unclassified Herbicides 645</b>																					
8044	Bentazon	µg/l	0,03	<	<	<	<	0,06	<	<	<	<	<	13	<	<	<	<	0,042	0,06	
8127	Chloridazon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8188	Dicamba	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8189	Dichlobenil	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8280	Ethofumesat	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8330	Fluroxypyr	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8354	Glyphosate	µg/l	0,08		<					<			<	3	*	*	*	*	*	*	
8354L	Glyphosate (load)	g/s			0,00376					0,00587			0,00366	3	*	*	*	*	*	*	
8471	Oxadiazon	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8612	Trifluralin	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8686	Sebutylazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,03		<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
<b>Unclassified plant growth regulator 952</b>																					
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8491	Pentachlorophenol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Anti-sprouting products 960</b>																					
8626	Chlorpropham	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
<b>Carbamate Insecticides 660</b>																					
8082	Carbofuran	µg/l	0,03		<		<			<		<		4	<	*	*	<	*	<	
8424	Methiocarb	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8499	Pirimicarb	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
<b>Organophosphorus Insecticides 670</b>																					
8029	Azinphos-methyl	µg/l	0,035		<					<			<	3	*	*	*	*	*	*	
8112	Chlorpyriphos-methyl	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8136	Coumaphos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8185	Diazinon	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8209	Dichlorvos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8238	Dimethoate	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8281	Ethoprophos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8298	Fenitrothion	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8396	Malathion	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8501	Pirimiphos-methyl	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
8652	Chlorpyriphos	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
<b>Benzoylurea Insecticides 690</b>																					
8229	Diflubenzuron	µg/l	0,03		<		<			<		<		4	<	*	*	<	*	<	

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Unclassified Insecticides 710</b>																						
8425	Methomyl	µg/l	0,03		<		<			<		<		4	<	*	*	<	*	<		
<b>Nematicides 860</b>																						
1784	cis-1,3-Dichloropropene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
1785	trans-1,3-Dichloropropene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8186	Dibromochloropropane (DBCP)	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
<b>Pesticide metabolites 954</b>																						
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	0,14	0,27	0,3	<	0,46	<	0,08	0,16	0,19	0,21	0,2	0,23	13	<	<	0,19	0,192	0,396	0,46
8176	Desethylatrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8178	Desisopropylatrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8681	Desethylterbutylazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
<b>Various pesticides and metabolics 300</b>																						
1170	Biphenyl	µg/l	0,02		<								<	3	*	*	*	*	*	*		
1780	N-Butylbenzenesulfonamide	µg/l	0,1		<								<	3	*	*	*	*	*	*		
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	0,14	0,27	0,3	<	0,46	<	0,08	0,16	0,19	0,21	0,2	0,23	13	<	<	0,19	0,192	0,396	0,46
2272	2-(methylthio)benzothiazole	µg/l	0,02		<								<	3	*	*	*	*	*	*		
8280	Ethofumesat	µg/l	0,02		<								<	3	*	*	*	*	*	*		
8373	Imazalil	µg/l	0,03		<		<					<		4	<	*	*	<	*	<		
8497	Piperonylbutoxid	µg/l	0,02		<								<	3	*	*	*	*	*	*		
8522	Propyzamide	µg/l	0,02		<								0,022	3	*	*	*	*	*	*		
8682	Dimethenamid	µg/l	0,03	<	<	<	<	0,134	<	<	<	<	<	13	<	<	<	<	0,0864	0,134		
<b>Ethers 302</b>																						
1428	Di-iso-propylether	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,1	<	<	<	<	<	0,2	0,28	0,21	<	<	13	<	<	<	<	0,252	0,28		
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
<b>Fuel additives 303</b>																						
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,1	<	<	<	<	<	0,2	0,28	0,21	<	<	13	<	<	<	<	0,252	0,28		
2086	1,2-Dibromoethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Various organic substances</b>		<b>305</b>																					
1004	Heptane	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1006	n-hexane	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1014	Octane	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1405	Dibenzopyridin (Acridin)	µg/l	0,02		<					<				3	*	*	*	*	*	*	*		
1764	Tributylphosphate	µg/l	0,02		<					0,031				3	*	*	*	*	*	*	*		
1765	Triethylphosphate (TEP)	µg/l	0,04		<					0,042				3	*	*	*	*	*	*	*		
1963	Di(2-chloro-iso-propyl) ether	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<		
2062	4,4'-Sulfonyldiphenol	µg/l	0,03		<					<				3	*	*	*	*	*	*	*		
2090	Acetone	µg/l	0,5	<	<			<		<	<	<	<	9	<	*	*	<	*	<	<		
2183	benzotriazole	µg/l		0,075	0,145	0,447	0,335	0,241	0,22	2,5	1,12	1,11	0,933	0,433	0,15	13	0,075	0,103	0,433	0,665	1,95	2,5	
2184	5-methyl-1-H-benzotriazole (tolyltriaz	µg/l		0,051	0,062	0,096	0,085	0,115	0,147	0,317	0,283	0,22	0,339	0,125	0,093	13	0,051	0,0554	0,125	0,175	0,383	0,427	
8625	Carbon disulfide	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
<b>Industrial solvents</b>		<b>431</b>																					
1027	Bromochloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1040	1,2-Dichloroethane	µg/l	0,1	<	<	0,23	<	<	<	0,75	0,18	0,15	0,21	0,15	0,11	13	<	<	0,15	0,172	0,542	0,75	
1044	Dichloromethane	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1049	Hexachlorobutadiene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1056	Tetrachloroethene	µg/l	0,1	<	<	0,11	<	<	<	0,18	0,16	0,16	0,2	<	13	<	<	<	0,105	0,216	0,24		
1057	Tetrachloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1063	Trichloroethene	µg/l	0,1	<	<	<	<	<	<	0,11	<	0,145	<	<	13	<	<	<	<	0,152	0,18		
1064	Trichloromethane	µg/l	0,1	<	<	<	<	<	<	<	0,1	0,11	<	<	13	<	<	<	<	0,142	0,17		
1070	1,2,3-Trichloropropane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1828	cis-1,2-Dichloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1829	trans-1,2-Dichloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1954	1,1,1,2-Tetrachloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1955	1,1,1,2-Tetrachloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2015	Chloroethane	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8205	1,2-Dichloropropane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Industrial chemicals (with (per)fluor 433</b>																						
2263	undecafluorohexanoic acid	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2264	Perfluorododecanoic acid (PFDoA)	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2269	heptacosafuorotetradecanoic acid	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2282	perfluoro-1-butanefluoride linear (P	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2283	henicosafuoroundecanoic acid (PFU	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2284	Perfluorovaleric acid (PFPeA)	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2287	Perfluorodecanoic acid (PFDA)	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2288	heptafluorobutyric acid (PFBA)	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2289	Perfluoroheptanoic acid (PFHpA)	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2290	Perfluorononanoic acid (PFNA)	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2292	Perfluorohexane sulfonate (PFHxS)	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2294	Perfluorooctanoate (PFOA)	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
2295	heptadecafluorooctane-1-sulphonic a	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
V234	Perfluorodecane sulfonate (PFDS)	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
V235	Perfluorooctane sulfonamide (PFOS	µg/l	0,02		<		<			<			<	4	<	*	*	<	*	<		
<b>industrial chemicals (with arom. nit 434</b>																						
V141	N-ethyltoluene-4-sulphonamide	µg/l	0,02		<					<			<	3	*	*	*	*	*	*		
<b>Industrial chemicals (with volatile h 437</b>																						
1035	Dibromomethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1039	1,1-Dichloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1041	1,1-Dichloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1050	Hexachloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
1061	1,1,1-Trichloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1062	1,1,2-Trichloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1962	Chloroethene	µg/l	0,2	<	<	<	0,48	<	<	<	<	0,37	0,33	0,38	12	<	<	<	<	0,45	0,48	
2016	Chloromethane	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
2086	1,2-Dibromoethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8206	1,3-Dichloropropane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8429	Monobromomethane (Methylbromide	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code NAM

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Industrial chemicals (with PCBs) 440</b>																					
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,02			<								<	3	*	*	*	*	*	*
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5	µg/l	0,02			<								<	3	*	*	*	*	*	*
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB	µg/l	0,02			<								<	3	*	*	*	*	*	*
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB	µg/l	0,02			<								<	3	*	*	*	*	*	*
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,02			<								<	3	*	*	*	*	*	*
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,02			<								<	3	*	*	*	*	*	*
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (	µg/l	0,02			<								<	3	*	*	*	*	*	*
<b>Industrial chemicals (with anilides) 442</b>																					
1414	Methylchinolin	µg/l	0,02			<								<	3	*	*	*	*	*	*
V143	Phenanthridine	µg/l	0,02			<								<	3	*	*	*	*	*	*
<b>Cooling agents 430</b>																					
2017	Dichlorodifluoromethane	µg/l	0,2											<	6	<	*	*	<	*	<
2019	Trichlorofluoromethane	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Disinfection byproducts (with halog) 446</b>																					
1028	Bromodichloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1033	Dibromochloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1058	Tribromomethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
<b>X-ray contrast agents 340</b>																					
6051	Diatrizoic acid (Amidotrizoic acid)	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6053	Iohexol	µg/l	0,1	<	<	<	<	<	<	<	0,12	<	<	8	<	*	*	<	*	0,12	
6054	Iomeprol	µg/l	0,1	<	<	<	0,19	0,31	0,34	0,2	0,71	0,42	0,11	10	<	<	0,195	0,243	0,681	0,71	
6055	Iopamidol	µg/l	0,1	<	<	<	<	<	<	0,1	<	0,22	<	9	<	*	*	<	*	0,22	
6056	Iopanoic acid	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6057	Iopromide	µg/l	0,1	<	<	<	0,13	0,21	0,18	0,11	0,33	0,23	<	11	<	<	0,11	0,131	0,31	0,33	
6058	Iothalamic acid	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6059	Ioxaglic acid	µg/l	0,1	<	<	<	<	<	<	<	0,2	0,1	<	12	<	<	<	<	0,17	0,2	
6233	Iodipamide	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
<b>Antibiotics 310</b>																					
6032	Sulfamethoxazole	µg/l	0,07			<		<						4	<	*	*	<	*	<	
6079	Lincomycin	µg/l	0,02	<	<	<	<	<						9	<	*	*	<	*	<	
<b>Beta-adrenergic blocking agents an 320</b>																					
6048	Sotalol	µg/l			0,029		0,025			0,061		0,054		4	0,025	*	*	0,0423	*	0,061	



**Namêche (M540)**

1-1-2015 up to 31-12-2015

sample point code	NAM
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Analgesic and anti-inflammatory dr 350</b>																					
2061	Lidocaine	µg/l	0,02		<					0,021			<	3	*	*	*	*	*	*	
6068	Diclofenac	µg/l	0,02	<	<	<	<	<	<	<	0,07	<	<	12	<	<	<	<	0,09	0,12	
6071	Ibuprofen	µg/l	0,02	<	<	0,03	<	<	<	0,05	0,04	<	<	10	<	<	<	0,022	0,049	0,05	
6074	Naproxen	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	0,024	0,03	
6075	Phenazone	µg/l	0,02	<	<	<		<		<				5	<	*	*	<	*	<	
<b>Antidepressiva en verdoevende mid 355</b>																					
V399	enlafaxine	µg/l	0,02		<			0,032		0,041	0,028	<	<	6	<	*	*	0,0218	*	0,041	
<b>Various pharmaceuticals 370</b>																					
1613	Caffein	µg/l					0,162			0,208		0,322		3	*	*	*	*	*	*	
1860	Carbamazepine	µg/l	0,03	<	<	<	<	<	0,045	0,047	0,048	0,04	<	13	<	<	<	<	0,0476	0,048	
6168	Metformin	µg/l		0,635	0,59	0,555	0,928	0,78	0,925	0,885	1,08	1,22	2,23	13	0,55	0,552	0,885	0,987	1,95	2,23	
6168L	Metformin (load)	g/s		0,31	0,268	0,225	0,245	0,0751	0,068	0,0416	0,0522	0,178	0,121	13	0,0416	0,0459	0,117	0,154	0,348	0,373	
V139	3-methyl-4-(2,6,6-trimethyl-2-cyclohe	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
V395	Crotamiton	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
<b>Fragrance, colour and flavour addit 372</b>																					
V394	6-Acetyl-1,1,2,4,4,7-hexamethyltetrali	µg/l	0,04		<					<			0,05	3	*	*	*	*	*	*	
V396	Galaxolide (HHCB)	µg/l	0,03		<					0,041			<	3	*	*	*	*	*	*	
V397	Musk (keton)	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
V398	Musk (xyleen)	µg/l	0,03		<					<			<	3	*	*	*	*	*	*	
<b>Endrocrin disrupting compounds ( 400</b>																					
1519	Nonylphenol	µg/l	0,02		<					<			<	3	*	*	*	*	*	*	
2072	Bisphenol A	µg/l	0,05		<					<			<	3	*	*	*	*	*	*	
6703	Activity with respect to 17-beta-estra	ng/l		0,21				0,16					0,23	3	*	*	*	*	*	*	

