

Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds 010																						
0120	Water temperature	°C	5,43	7,65	7,95	11,4	16,4	19,2	19,8	18,9	16,7	13,3	10,1	5,13	26	3,4	4,2	11,7	12,3	19,5	20,8	
0122	Oxygen	mg/l	12,5	12,1	11,6	10,5	9,95	8,1	9,1	8,6	9,6	10	10,9	10,9	15	8,1	8,34	10	10,2	12,3	12,5	
0123	Oxygen saturation	%	96,3	98,2	96,6	87,6	92,8	75,5	84,3	80,2	89,3	90,9	94,4	92,5	13	75,5	76,9	90,9	89,5	97,5	98,2	
0126	Turbidity	FTE	3,6	2,5	4,1	2,5	2,2	4,4	3,55	2,6	2,3	1,85	1,85	1,5	13	1,5	1,64	2,5	2,81	4,32	4,4	
0128	Suspended matter	mg/l	10,6	11,3	8,38	2,96	12,5	5,85	8,5	4,18	3,7	7,87	4,83	3,38	52	1,1	2,3	4,4	6,87	18	30	
0170	Odour (dilution factor)	-	2	3	3	5	5	4	3	2	2	6	1	3	13	1	1,4	3	3,23	5,6	6	
0180	pH	pH	8,08	8,24	7,95	7,69	8,26	8,05	8,29	8,24	8,27	8,31	8,44	8,31	46	7,32	7,92	8,25	8,2	8,42	8,64	
0182	Equilibrium pH	pHs	7,72	7,72	7,7	7,76	7,57	7,5	7,53	7,58	7,6	7,63	7,63	7,66	13	7,5	7,5	7,63	7,62	7,74	7,76	
0184	Saturation index	SI	0,33	0,58			0,7	0,66	0,81	0,66	0,75	0,66	0,69	0,62	11	0,33	0,38	0,66	0,661	0,894	0,93	
0200	Conductivity (at 20 °C)	mS/m	50,5	50,2	50,3	46,8	48,6	56,8	55,9	60	58,8	61,4	69,7	66,2	52	43,7	45,6	56,8	56,1	67,9	74,1	
0250	Total hardness	mmol/l	2,11	2,13	2,13	1,92	2,05	2,2	2,11	2,08	2,09	2,11	2,43	2,41	13	1,92	1,97	2,11	2,14	2,42	2,43	
0250R	Total hardness, (mg/l CaCO3)	mg/l	211	213	213	192	205	220	211	208	209	212	243	241	15	192	200	212	216	242	243	
Radio activity 020																						
0160	beta Radioactivity, total	Bq/l	0,13			0,12			0,13		0,14			0,17	5	0,12	*	*	0,138	*	0,17	
0161	alpha Radioactivity, total	Bq/l	0,1	<		<			<		<			<	5	<	*	*	<	*	<	
0162	Residual beta radioactivity (without K	Bq/l	0,01			0,01			0,01		0,01			0,01	5	0,01	*	*	0,01	*	0,01	
Inorganic compounds 030																						
0222	Bicarbonate	mg/l	174	161	164	149	170	177	165	164	162	170	179	187	13	149	153	170	168	184	187	
0224	Carbonate	mg/l	1	<	<	<	<	<	1,7	<	<	<	<	<	13	<	<	<	<	1,94	2,9	
0230	Chloride	mg/l	59,3	60,2	59,7	53	58	71,8	73,2	87,7	83,4	93,5	114	102	52	45,7	52,1	73,9	75,7	105	128	
0232	Sulfate	mg/l	50	50	53	40	44	54	57,5	58	58	62	66	66	13	40	41,6	57	55,1	66	66	
0288	Silicate	mg/l	4	3,7	3,4	3,3	2,4	1,58	1,99	2,04	2,3	2,4	3	3,2	16	1,58	1,78	2,4	2,68	3,79	4	
0382	Fluoride	mg/l	0,14	0,13	0,14	0,14	0,13	0,18	0,145	0,15	0,14	0,14	0,16	0,18	13	0,13	0,13	0,14	0,148	0,18	0,18	
0386	Cyanide, total	µg/l	0,5	<	0,9	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,64	0,9	
0394	Bromate	µg/l	0,3	0,6	0,6	0,4	0,6	0,7	0,75	0,5	0,6	0,7	0,7	0,6	13	0,3	0,34	0,6	0,6	0,76	0,8	



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Nutrients		040																				
0271	Ammonium (NH4)	mg/l	0,2	0,16	0,1	0,09	0,04	0,17	0,065	0,13	0,07	0,1	0,11	0,12	15	0,04	0,04	0,1	0,105	0,182	0,2	
0274	Kjeldahl Nitrogen	mg/l	0,6	0,5	0,5	0,5	0,3	0,5	0,45	0,4	0,3	0,4	0,5	0,4	13	0,3	0,3	0,5	0,446	0,56	0,6	
0276	Organic Nitrogen	mg/l	0,5	0,4	0,4	0,4	0,3	0,4	0,4	0,3	0,3	0,3	0,4	0,3	13	0,3	0,3	0,4	0,369	0,46	0,5	
0281	Nitrite-NO2	mg/l	0,093	0,117	0,115	0,076	0,054	0,075	0,054	0,055	0,029	0,026	0,035	0,041	15	0,026	0,0278	0,054	0,0613	0,116	0,117	
0283	Nitrate-NO3	mg/l	14	14	15,2	14	11,9	8,5	8,35	9,1	7,2	7,3	10,5	11,8	15	7,2	7,26	11,8	10,9	14,5	15,2	
0284D	Orthophosphate (PO4)	mg/l	0,245	0,184	0,245	0,184	0,184	0,215	0,215	0,399	0,307	0,337	0,337	0,307	15	0,184	0,184	0,245	0,258	0,362	0,399	
0286D	Total phosphate (PO4)	mg/l	0,399	0,399	0,399	0,276	0,276	0,368	0,414	0,491	0,399	0,368	0,429	0,399	15	0,276	0,276	0,399	0,38	0,454	0,491	
Group compounds		070																				
0210	Anions	meq/l	5,96	5,69	5,7	4,94	5,43	6,12	6,07	6,46	6,21	6,78	7,57	7,52	13	4,94	5,14	6,12	6,19	7,55	7,57	
0212	Cations	meq/l	5,8	5,84	5,74	5,07	5,39	6,1	6,03	6,22	6,19	6,48	7,65	7,4	13	5,07	5,2	6,1	6,15	7,55	7,65	
0401	Total organic carbon (TOC)	mg/l	2,5	2,9	2,9	2,9	2,7	2,9	2,85	2,3	2,3	2,5	2,7	2,9	13	2,3	2,3	2,8	2,71	2,9	2,9	
0403	Dissolved organic carbon (DOC)	mg/l	2,4	3,1	2,8	2,6	2,5	2,6	2,4	2,3	2,3	2,4	2,5	2,8	13	2,3	2,3	2,5	2,55	2,98	3,1	
0404	Chemical oxygen demand (COD)	mg/l	5	12		11			<		11		11	5	<	*	*	9,5	*	12		
0406	Biochemical oxygen demand (BOD5)	mg/l	3	<		<			<		<		<	5	<	*	*	<	*	<		
0410	UV absorbance, 254 nm	1/m	8,5			10,1			7,2		6,4		8,7	5	6,4	*	*	8,18	*	10,1		
0412	Colour (Pt/Co scale)	mg/l	11	12	15	13	11	11	8,5	9	7	7	16	13	7	7	11	10,8	15,6	16		
0430	Adsorbable organohalogen compou	µg/l	9,5	13	11,5	8,5	10,5	11,5	13,8	11,5	15	20	21	13	8,5	8,9	12	13,8	20,6	21		
Summend compounds		080																				
0451	Trihalomethanes, total	µg/l	0,1	<		<			<		<		<	5	<	*	*	<	*	<		
2022	Tetra- and Trichloroethene (sum)	µg/l	0,08	<		<			<		<		<	5	<	*	*	<	*	<		
V223	C10-13-Chloroalcanes	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Biological compounds		090																				
0618	Coliform bacteria, total (37 °C)	n/ml	0,43	0,4	0,43	0,15	4	0,18	0,24	0,09	0,49	0,08	0,24	0,18	13	0,08	0,084	0,24	0,55	2,6	4	
0628	Escherichia coli	n/ml	0,08	0,22	0,08	0,04	0,02	0,12	0,35	0,12	0,46	0,02	0,06	0,08	13	0,02	0,02	0,08	0,154	0,484	0,5	
0657	Enterococci	n/ml	0,01	0,04	0,03	<	0,01	<	<	0,0225	<	0,26	<	0,02	0,02	<	<	0,01	0,0346	0,172	0,26	
0663	Clostridium perfringens	n/ml	0,2	0,21	0,32	0,16	0,11	0,22	0,2	0,1	0,08	0,06	0,07	0,05	13	0,05	0,054	0,11	0,152	0,308	0,32	
Hydrobiological compounds		095																				
7100	Chlorophyll-a	µg/l	2	<	<	<	<	2,5	2,5	7,33	2,5	<	<	<	<	<	<	<	2,15	4	18	
7110	Phaeophytine	µg/l	2	<	<	3,5	<	<	<	3	<	<	<	<	<	<	<	<	<	3,9	6	

Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Metals																					
	050																				
0240 Sodium	mg/l	30,8	31	31,8	27	29,8	38,8	39,4	47,8	45,4	50	61,8	54,2	52	24	26,3	40,5	40,3	56,4	69	
0242 Potassium	mg/l	4,4	4,5	4,3	3,6	3,6	4,2	4,4	4,6	4,5	4,9	5,9	5,8	13	3,6	3,6	4,5	4,55	5,86	5,9	
0244 Calcium	mg/l	69,1	69,9	68,7	63,3	66,3	70	67,3	65,1	67,2	66,6	75,8	76,8	13	63,3	64	67,4	68,7	76,4	76,8	
0246 Magnesium	mg/l	9,4	9,4	10	8,3	9,6	11	10,5	11	10	11	13	12	13	8,3	8,74	10	10,4	12,6	13	
0300 Iron	mg/l	0,23	0,18	0,28	0,17	0,1	0,25	0,175	0,16	0,16	0,094	0,13	0,09	13	0,09	0,0916	0,16	0,169	0,268	0,28	
0304 Manganese	mg/l	0,047	0,043	0,025	0,036	0,033	0,076	0,056	0,059	0,05	0,033	0,032	0,02	15	0,012	0,0198	0,036	0,0413	0,0682	0,076	
0314 Arsenic	µg/l	2			1			2		2			2	5	1	*	*	1,8	*	2	
0316 Barium	µg/l	44			37			52		48			47	5	37	*	*	45,6	*	52	
0324 Cadmium	µg/l	0,05	0,05		0,48			<		0,07			0,08	5	<	*	*	0,141	*	0,48	
0326 Chromium	µg/l	1	<		<			1		<			<	5	<	*	*	<	*	1	
0330 Copper	µg/l		3		3			4		3			3	5	3	*	*	3,2	*	4	
0332 Mercury	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0334 Lead	µg/l	1	<		<			1		1			<	5	<	*	*	<	*	1	
0340 Nickel	µg/l	1	2		1			3		<			<	5	<	*	*	1,4	*	3	
0342 Selenium	µg/l	1	<		<			<		<			<	5	<	*	*	<	*	<	
0354 Zinc	µg/l		10		9			14		11			13	5	9	*	*	11,4	*	14	



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Metals, after filtration		055																					
0302	Iron, 0.45 µm filtrate	mg/l	0,01	0,02	0,02	0,04	0,04	<	<	<	<	<	<	<	13	<	<	<	0,0127	0,04	0,04		
0308	Iron, 0.45 µm filtrate	µg/l	5	<	<	23	<	<	10	<	<	<	<	54	5	<	*	*	18,4	*	54		
0309	Boron, 0.45 µm filtrate	µg/l		49	44	47	36	42	51	59,5	60	63	81	92	58	13	36	38,4	56	57,1	87,6	92	
0313	Antimony, 0.45 µm filtrate	µg/l	0,5	<	<	0,832	<	0,564	<	<	<	<	<	<	13	<	<	<	<	0,725	0,832		
0315	Arsenic, 0.45 µm filtrate	µg/l		1,2	1	1	1,1	0,9	1,5	1,75	2	1,9	1,8	1,5	13	0,9	0,94	1,5	1,45	1,96	2		
0325	Cadmium, 0.45 µm filtrate	µg/l	0,05	0,071	0,065	0,07	0,055	<	<	<	<	<	0,053	0,062	<	13	<	<	<	<	0,0706	0,071	
0327	Chromium, 0.45 µm filtrate	µg/l	0,5	<	<	0,695	<	<	<	<	<	<	<	<	13	<	<	<	<	0,684	0,695		
0329	Cobalt, 0.45 µm filtrate	µg/l		0,31	0,32	0,22	0,25	0,21	0,32	0,27	0,29	0,29	0,26	0,25	13	0,18	0,192	0,26	0,265	0,32	0,32		
0331	Copper, 0.45 µm filtrate	µg/l		2,02	2,41	2,37	2,39	2,4	3,42	2,25	2,42	1,98	2,49	2,71	13	1,98	2	2,41	2,43	3,14	3,42		
0333	Mercury, 0.45 µm filtrate	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0335	Lead, 0.45 µm filtrate	µg/l	0,1	<	0,1	<	0,15	<	0,12	1,02	<	<	<	<	13	<	<	<	0,217	1,26	2		
0339	Molybdenum, 0.45 µm filtrate	µg/l		1,5	1,5	1,7	1,1	1,2	1,4	2,05	2	2,3	2,1	2,2	13	1,1	1,14	1,8	1,76	2,26	2,3		
0341	Nickel, 0.45 µm filtrate	µg/l		2,01	2,43	1,78	2,07	1,7	2,34	1,95	1,83	1,65	1,69	2,64	13	1,63	1,64	1,84	1,99	2,56	2,64		
0347	Tin, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0349	Titanium, 0.45 µm filtrate	µg/l	1	<	<	1,1	1	<	<	<	<	<	<	<	13	<	<	<	<	1,06	1,1		
0351	Vanadium, 0.45 µm filtrate	µg/l		0,92	0,96	1,1	0,9	0,93	1,3	1,75	2	1,7	1,8	1,6	13	0,9	0,908	1,3	1,38	1,92	2		
0353	Silver, 0.45 µm filtrate	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0355	Zinc, 0.45 µm filtrate	µg/l		7,5	10	10	12	8,4	10	4,75	6,9	4,4	5	15	13	3,3	3,74	8,4	10,2	26,4	34		
0361	Uranium, 0.45 µm filtrate	µg/l		0,67	0,57	0,64	0,51	0,68	0,69	0,765	0,75	0,81	0,76	0,73	13	0,51	0,534	0,73	0,702	0,798	0,81		
0364	Thallium, 0.45 µm filtrate	µg/l		0,03	0,03	0,03	0,02	0,23	0,03	0,03	0,02	0,02	0,02	0,01	13	0,01	0,014	0,03	0,04	0,15	0,23		
0365	Tellurium, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	0,23	13	<	<	<	<	0,158	0,23		
Complex buidlers		060																					
0420	Anionic detergents	mg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
0425	Non-ionic + cationic detergents	mg/l	0,1	0,4	<	0,16	<	<	1,3	<	<	<	<	<	5	<	*	*	0,392	*	1,3		



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Mono cyclic aromatic hydrocarb 170																					
1074	Benzene	µg/l	0,01	0,01	0,03	<	0,01	<	<	<	<	<	<	<	12	<	<	<	<	0,024	0,03
1075	Butylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1080	1,2-Dimethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1088	Ethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1089	Ethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1098	Methylbenzene	µg/l	0,01	<	0,01	<	0,03	<	0,01	0,0125	<	0,01	<	<	12	<	<	<	<	0,027	0,03
1106	Propylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1112	Chlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1115	2-Chloromethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1116	3-Chloromethylbenzene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1119	1,2-Dichlorobenzene	µg/l	0,01	<	<	<	0,02	<	<	<	<	<	<	<	12	<	<	<	<	0,0155	0,02
1120	1,3-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1121	1,4-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1127	Pentachlorobenzene	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	0,0001	13	<	<	<	<	<	0,0001
1131	1,2,3-Trichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1132	1,2,4-Trichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1133	1,3,5-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1797	Isopropylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1832	1,3,5-Trimethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1951	1,2,4-Trimethylbenzene	µg/l	0,01	<	0,01	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	0,01
1952	1,2,3-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1956	3-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1957	4-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1958	2-Ethyltoluene	µg/l	0,01	<	0,01	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	0,01
1959	4-Chloromethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1960	1-Methyl-4-isopropylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
1998	t-Butylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
2014	Bromobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,01	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	0,01
2064	s-Butylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Poly cyclistic aromatic hydrocarbo 180																						
1161	Acenaphthene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
1163	Anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1165	Benzo(a)anthracene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
1166	Benzo(b)fluoranthene	µg/l	0,001	0,002	0,002	0,002	0,001	0,001	0,002	0,0015	0,002	0,002	<	0,001	<	<	0,002	0,00146	0,002	0,002		
1167	Benzo(k)fluoranthene	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1168	Benzo(ghi)perylene	µg/l		0,0011	0,0008	0,0015	0,001	0,001	0,0018	0,0014	0,0013	0,0008	0,0005	0,0009	0,0003	13	0,0003	0,00038	0,001	0,00106	0,00192	0,002
1169	Benzo(a)pyrene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1172	Chrysene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
1173	Dibenzo(a,h)anthracene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
1180	Phenanthrene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
1181	Fluoranthene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1182	Fluorene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<		
1183	Indeno(1,2,3-cd)pyrene	µg/l		0,001	0,0009	0,0014	0,001	0,0009	0,002	0,00115	0,0014	0,0008	0,0006	0,0009	0,0002	13	0,0002	0,00036	0,0009	0,00103	0,0018	0,002
1188	Pyrene	µg/l	0,005	0,0074	<	<	0,005	<	<	0,008	<	<	<	5	<	*	*	0,00508	*	0,008		
8450	Naphthalene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	26	<	<	<	<	<	<		

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organochlorine pesticides	200																				
2132 3-Chloropropene	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8006 Aldrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8162 o,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8163 p,p-DDD	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8164 o,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8165 p,p-DDE	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8166 o,p-DDT	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8167 p,p-DDT	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8167R o,p-DDT and p,p-DDD	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8217 Dieldrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8263 alpha-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8264 beta-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8268 Endrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8358 Heptachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8359 Heptachloroepoxide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8361 Hexachlorobenzene (HCB)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8362 alpha-Hexachlorocyclohexane (alpha)	µg/l	0,0001	0,0002	0,0003	0,0005	0,0002	0,0002	<	0,0002	0,0002	0,0003	0,0002	0,0004	0,0002	13	<	0,00011	0,0002	000242	0,00046	0,0005
8363 beta-Hexachlorocyclohexane (beta)	µg/l		0,0002	0,0003	0,0002	0,0003	0,0004	0,0005	0,00085	0,0007	0,0008	0,0007	0,0005	0,0003	13	0,0002	0,0002	0,0005	000508	0,00086	0,0009
8379 Isodrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8393 Lindane (gamma-HCH)	µg/l		0,0005	0,0006	0,0007	0,0005	0,0006	0,0005	0,00045	0,0004	0,0004	0,0004	0,0004	13	0,0004	0,0004	0,0005	000485	0,00066	0,0007	
8428 Methoxychlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8560 Telodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8629 delta-Hexachlorocyclohexane (delta)	µg/l	0,0001	<	<	<	<	<	<	<	<	0,0001	<	<	13	<	<	<	<	0,0001	0,0001	
8631 trans-Heptachloroepoxide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8640 cis-Chlordane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
8641 trans-Chlordane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organophosphorus and -sulphur p 210																					
8028	Azinphos-ethyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	
8029	Azinphos-methyl	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8044	Bentazon	µg/l	0,02	<	<	<	<	0,03	<	<	<	<	<	<	5	<	*	*	<	*	
8108	Chlorfenvinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8173	Demeton-S-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8188	Dicamba	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8255	Disulfoton	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8352	Glufosinate-ammonium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	
8354	Glyphosate	µg/l	0,03	<	0,04	<	<	0,07	0,05	0,095	<	<	0,06	<	13	<	<	0,0396	0,112	0,14	
8360	Heptenophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8439	Mevinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8482	Parathion-ethyl	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8483	Parathion-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8526	Pyrazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8600	Triazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,34	0,4	0,29	0,23	0,34	0,49	0,685	0,72	0,75	0,67	0,68	0,59	13	0,23	0,254	0,59	0,528	0,738	0,75
8652	Chlorpyriphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8714	Iodosulfuron-methyl-sodium	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8727	Triflusulfuron-methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Organonitrogen pesticides		220																				
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8127	Chloridazon	µg/l	0,01	<	<	<	<	0,01	0,02	0,02	<	<	<	<	13	<	<	<	<	0,026	0,03	
Carbamate herbicides		260																				
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Biocides		285																				
2077	Tributyltin	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Conazole Fungicides		480																				
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Pyrimidine Fungicides		500																				
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
Strobilurine Fungicides		510																				
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Unclassified Fungicides		520																				
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Chlorophenoxy herbicides		230																				
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<			<		<					<	5	<	*	*	<	*	<	
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,02	<			<		<					<	5	<	*	*	<	*	<	
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,02	<			<		<					<	5	<	*	*	<	*	<	
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,02	<			<		<					<	5	<	*	*	<	*	<	
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<			<		<					<	5	<	*	*	<	*	<	
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,02	<			<		<					<	5	<	*	*	<	*	<	
8404	Mecoprop (MCPP)	µg/l	0,02	<			<		<					<	5	<	*	*	<	*	<	
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,02	<			<		<					<	5	<	*	*	<	*	<	
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,02	<			<		<					<	5	<	*	*	<	*	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Phenylurea herbicides		240																				
8097	Chlorbromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8122	Chlortoluron	µg/l	0,01	0,03	0,01	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,026	0,03	<	
8258	Diuron	µg/l	0,01	0,01	0,01	<	0,02	0,02	0,035	0,03	0,02	0,02	0,03	0,07	13	<	<	0,02	0,0242	0,058	0,07	
8382	Isoproturon	µg/l	0,008	0,085	0,03	0,04	0,03	0,1	0,03	0,025	0,02	0,01	<	0,03	0,05	14	<	<	0,03	0,0403	0,105	0,11
8394	Linuron	µg/l	0,008	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8418	Methabenzthiazuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8434	Metobromuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8446	Monolinuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8447	Monuron	µg/l	0,009	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
Dinitrophenol herbicides		250																				
8244	2,4-Dinitrophenol	µg/l	0,04	<			<			<			<	5	<	*	*	<	*	<	<	
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,05	<			<			<			<	5	<	*	*	<	*	<	<	
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,05	<			<			<			<	5	<	*	*	<	*	<	<	
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,03	<			<			<			<	5	<	*	*	<	*	<	<	
Phenoxy Herbicides		550																				
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,02	<			<			<			<	5	<	*	*	<	*	<	<	
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,02	<			<			<			<	5	<	*	*	<	*	<	<	
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,02	<			<			<			<	5	<	*	*	<	*	<	<	
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<			<			<			<	5	<	*	*	<	*	<	<	
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,02	<			<			<			<	5	<	*	*	<	*	<	<	
8404	Mecoprop (MCPP)	µg/l	0,02	<			<			<			<	5	<	*	*	<	*	<	<	
Anilide Herbicides		570																				
8417	Metazachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
Chloroacetanilide Herbicides		580																				
8002	Alachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
(Bis-)Carbamate Herbicides		590																				
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	

maandag 15 juli 2013

Page 10 of 18

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Sulfonylurea Herbicides		610																				
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Urea Herbicides		620																				
8122	Chlortoluron	µg/l	0,01	0,03	0,01	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,026	0,03		
8258	Diuron	µg/l	0,01	0,01	0,01	<	0,02	0,02	0,035	0,03	0,02	0,02	0,03	0,07	13	<	<	0,02	0,0242	0,058	0,07	
8382	Isoproturon	µg/l	0,008	0,085	0,03	0,04	0,03	0,1	0,03	0,025	0,02	0,01	<	0,03	0,05	14	<	<	0,03	0,0403	0,105	0,11
8394	Linuron	µg/l	0,008	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8418	Methabenzthiazuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8434	Metobromuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
Triazin Herbicides		635																				
8026	Atrazine	µg/l	0,01	<	<	<	<	<	0,02	0,02	<	<	<	<	13	<	<	<	<	0,02	0,02	
8415	Metamitron	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8435	Metolachlor	µg/l	0,01	<	<	<	<	<	0,035	0,02	<	<	<	<	12	<	<	<	0,0112	0,037	0,04	
8512	Prometryn	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
8517	Propazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8547	Simazine	µg/l	0,01	<	<	<	<	<	<	0,04	<	<	<	<	13	<	<	<	<	0,026	0,04	
8567	Terbutryne	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8568	Terbutylazine	µg/l	0,02	<	<	<	<	<	0,035	<	<	<	<	<	13	<	<	<	<	0,036	0,04	



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Herbicides 645																					
8044	Bentazon	µg/l	0,02	<	<	<	<	0,03	<	<	<	<	<	5	<	*	*	<	*	0,03	
8127	Chloridazon	µg/l	0,01	<	<	<	0,01	0,02	0,02	<	<	<	<	13	<	<	<	<	0,026	0,03	
8188	Dicamba	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,022	0,03	
8354	Glyphosate	µg/l	0,03	<	0,04	<	<	0,07	0,05	0,095	<	<	0,06	13	<	<	<	0,0396	0,112	0,14	
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8707	Clomazone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Unclassified plant growth regulator 952																					
8436	Metoxuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Anti-sprouting products 960																					
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Carbamate Insecticides 660																					
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Organophosphorus Insecticides 670																					
8029	Azinphos-methyl	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Unclassified Insecticides 710																					
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8701	Imidacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8703	Pymetrozine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Unclassified Molluscicides 750																					
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Nematicides 860																				
1784	cis-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8186	Dibromochloropropane	µg/l	0,04	<				<		<			<	5	<	*	*	<	*	<
Pesticide metabolites 954																				
2023	4-Isopropylaniline	µg/l	0,02	<				<		<			<	5	<	*	*	<	*	<
2032	3-Chloro-4-methoxyaniline	µg/l	0,04	<				<		<			<	5	<	*	*	<	*	<
8176	Desethylatrazine	µg/l	0,01	0,01	<	0,01	<	0,02	0,01	0,01	0,02	0,01	<	13	<	<	0,01	<	0,02	0,02
Various pesticides and metabolics 300																				
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,022	0,03
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,009	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
8701	Imidacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8707	Clomazone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8708	Dimethenamid-p	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8715	Mefenpyr-diethyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Ethers 302																				
1428	Diisopropylether	µg/l	0,01	0,05	0,14	0,05	0,24	0,03	<	<	<	<	<	12	<	<	<	0,0454	0,21	0,24
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,06	0,11	0,02	0,02	0,08	0,02	0,0175	0,01	0,02	<	12	<	<	0,02	0,0321	0,101	0,11
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,1	0,19		<				0,33		1,4	0,99	6	<	*	*	0,602	*	1,4
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,04	0,0437	<	<	<	<	<	<	<	<	<	26	<	<	<	<	0,0499	0,091
Fuel additives 303																				
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,06	0,11	0,02	0,02	0,08	0,02	0,0175	0,01	0,02	<	12	<	<	0,02	0,0321	0,101	0,11
2086	1,2-Dibromoethane	µg/l	0,04	<			<			<			<	5	<	*	*	<	*	<
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,04	0,0437	<	<	<	<	<	<	<	<	<	26	<	<	<	<	0,0499	0,091
Various organic substances 305																				
1077	Cyclohexane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1079	Dicyclopentadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1432	Dimethoxymethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1753	Dimethyldisulfide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	0,01
1764	Tributylphosphate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1767	Triphenylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2037	2-Aminoacetophenone	µg/l	0,02	<			<			<			<	5	<	*	*	<	*	<
2092	Methylmethacrylate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
V129	tetrahydro-2,2,5,5-tetramethylfuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial solvents		431																		
1027	Bromochloromethane	µg/l	0,04	<			<			<			<	5	<	*	*	<	*	<
1040	1,2-Dichloroethane	µg/l	0,01	<	0,01	<	<	<	<	<	<	<	<	12	<	<	<	<	<	0,01
1044	Dichloromethane	µg/l	10	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1049	Hexachlorobutadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1056	Tetrachloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1057	Tetrachloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1063	Trichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1064	Trichloromethane	µg/l	0,01	<	0,02	<	<	<	<	<	<	0,01	<	12	<	<	<	<	0,017	0,02
1070	1,2,3-Trichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1828	cis-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1829	trans-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1954	1,1,1,2-Tetrachloroethane	µg/l	0,04	<			<			<			<	5	<	*	*	<	*	<
1955	1,1,1,2,2-Tetrachloroethane	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8205	1,2-Dichloropropane	µg/l	0,01	0,02	<	<	0,02	<	<	0,0125	<	0,02	<	12	<	<	<	<	0,02	0,02

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
industrial chemicals (with arom. nit 434)																					
1683	Aniline	µg/l	0,02	0,05		<			<		<			<	5	<	*	*	<	*	0,05
1700	N-Methylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1705	3-Chloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1708	2,3-Dichloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1709	2,5-Dichloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1713	2,3,4-Trichloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1716	2,4,5-Trichloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1717	2,4,6-Trichloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1718	3,4,5-Trichloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1786	3-Methylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1787	4-Methylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1862	N,N-Diethylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
1864	N-Ethylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2024	2,4-Dimethylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2026	3,5-Dimethylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2027	3,4-Dimethylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2028	2,3-Dimethylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2029	3-Chloro-4-methylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2033	4-Methoxy-2-nitroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2034	2-Nitroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2035	3-Nitroaniline	µg/l	0,04	<		<			<		<			<	5	<	*	*	<	*	<
2038	2-(Phenylsulfon)aniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,04	<		<			<		<			<	5	<	*	*	<	*	<
2053	N,N-Dimethylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2056	2-Methoxyaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2058	2-(Trifluoromethyl)aniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
2175	2,4,5-Trimethylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
8063	4-Bromoaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
8094	2-Chloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
8115	4-Chloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
8195	2,4-Dichloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
8196	2,6-Dichloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
8197	3,4-Dichloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
8198	3,5-Dichloroaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<
8222	2,6-Diethylaniline	µg/l	0,02	<		<			<		<			<	5	<	*	*	<	*	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial chemicals (with volatile h 437)																					
1035	Dibromomethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
1039	1,1-Dichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
1041	1,1-Dichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
1050	Hexachloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
1061	1,1,1-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
1062	1,1,2-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
1962	Chloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
2016	Chloromethane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
2086	1,2-Dibromoethane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8206	1,3-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
Industrial chemicals (with phenols) 439																					
1528	3-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1529	4-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1531	2,3-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1533	2,6-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1534	3,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1535	3,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1541	2,3,4-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1542	2,3,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1543	2,3,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1544	3,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
1847	3-Nitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
2248	2,5-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
2249	2,6-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
2250	3,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8104	2-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8461	4-Nitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8602	2,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8603	2,4,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial chemicals (with PCBs) 440																				
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PC)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PC)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (PCB 17)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
Cooling agents 430																				
2019	Trichlorofluoromethane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
Disinfection agents 444																				
8114	4-Chloro-3-methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
Disinfection byproducts 446																				
1028	Bromodichloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1033	Dibromochloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1058	Tribromomethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Flameretardants 380																				
2109	2,4,2',4'-Tetrabromodiphenylether (PBDE 209)	µg/l	0,0005	<	0,0014	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00094	0,0014
2110	2,4,2',5'-Tetrabromodiphenylether (PBDE 208)	µg/l	0,0005	<	0,0016	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00106	0,0016
2111	2,3,4,2',4'-Pentabromodiphenylether (PBDE 207)	µg/l	0,0005	<	0,0022	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00142	0,0022
2112	2,4,5,2',4'-Pentabromodiphenylether (PBDE 206)	µg/l	0,0005	<	0,002	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0013	0,002
2113	2,4,6,2',4'-Pentabromodiphenylether (PBDE 205)	µg/l	0,0005	<	0,0019	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00124	0,0019
2114	2,4,5,2',4',5'-Hexabromodiphenylether (PBDE 204)	µg/l	0,0005	<	0,0021	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00136	0,0021
2115	2,4,5,2',4',6'-Hexabromodiphenylether (PBDE 203)	µg/l	0,0005	<	0,0019	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00124	0,0019
2169	2,4,4'-Tribromodiphenylether (PBDE 202)	µg/l	0,0005	<	0,0006	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,0006
2170	2,3,4,2',4',5'-Hexabromodiphenylether (PBDE 201)	µg/l	0,0005	<	0,0018	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00118	0,0018
Endrocrin disrupting compounds (400																				
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2196	Tetrabutyltin	µg/l	0,0017	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2197	Triphenyltin ion	µg/l	0,0017	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2199	Dibutyltin	µg/l	0,0051	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
2201	Diphenyltin	µg/l	0,0043	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
V127	Monobutyltin	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
V128	Monophenyltin	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2008 up to 31-12-2008

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
unspecified substances	980																				
1047	2,2-Dichloropropane	µg/l	0,04	<				<						<	5	<	*	*	<	*	<
2013	1,1-Dichloropropene	µg/l	0,04	<				<						<	5	<	*	*	<	*	<
2036	4-Methyl-3-nitroaniline	µg/l	0,04	<				<						<	5	<	*	*	<	*	<
2054	2,5- and 2,6-Dimethylaniline	µg/l	0,04	<				<						<	5	<	*	*	<	*	<

