

## Stellendam (M876)

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>General compounds</b>		<b>010</b>																					
0120	Water temperature	°C	2,6	4,1	7,6	13	14,9	19,1	20,3	21,9	17,4	13,9	11,1	7,45	24	2,6	4,1	14,8	13,5	21,4	21,9		
0122	Oxygen	mg/l	13,5	13,7	12,3	10,8	12,3	9,25	8	8,4	9,2	10,5	11,9	11	13	8	8,16	10,8	10,8	13,6	13,7		
0123	Oxygen saturation	%	99,2	101	99,6	95,4	114	85,8	74,2	76,9	85,8	94,3	104	88,5	13	74,2	75,2	94,3	92,6	110	114		
0126	Turbidity	FTE	1,45	1,05	2,6	1,2	3,2	2,95	3,8	1,75	1,25	2,8	1,25	2,4	13	1,05	1,11	2,4	2,2	3,56	3,8		
0128	Suspended matter	mg/l	1	2,17	4,25	3	2	10,8	4,44	6,2	7,08	4,98	3	3,62	4,95	50	<	1,21	3,2	4,72	11	22	
0170	Odour (dilution factor)	-	3	3	6	7	8	6	2	3	4	1	3	3	13	1	1,4	3	4,23	7,6	8		
0180	pH	pH	8,36	8,29	8,18	8,25	8,39	8,31	8,23	8,37	8,29	8,32	8,33	8,35	49	8,06	8,17	8,31	8,3	8,41	8,48		
0182	Equilibrium pH	pHs	7,79	7,71	7,76	7,66	7,68	7,57	7,56	7,6	7,65	7,69	7,69	7,78	13	7,56	7,56	7,68	7,67	7,79	7,79		
0184	Saturation index	SI	0,6	0,61	0,41	0,5	0,74	0,84	0,51	0,63	0,66	0,65	0,72	0,46	13	0,41	0,43	0,63	0,628	0,84	0,84		
0200	Conductivity (at 20 °C)	mS/m	70,3	63,2	52,6	50	55,5	54,5	54,2	52,5	60,3	76,5	84,3	60,6	50	49,3	50,6	56,5	60,7	78,2	96,8		
0250	Total hardness	mmol/l	2,4	2,33	2,03	2,05	1,97	2,04	2,03	1,92	2,02	2,21	2,34	1,97	14	1,92	1,93	2,04	2,1	2,37	2,4		
0250R	Total hardness, (mg/l CaCO3)	mg/l	240	234	203	205	197	205	203	192	202	221	234	197	14	192	193	204	210	237	240		
<b>Radio activity</b>		<b>020</b>																					
0160	beta Radioactivity, total	Bq/l			0,13			0,14		0,13			0,18		4	0,13	*	*	0,145	*	0,18		
0161	alpha Radioactivity, total	Bq/l	0,1		<		<	<		<			<		4	<	*	*	<	*	<		
0162	Residual beta radioactivity (without K	Bq/l			0,01		0,01		0,01				0,05		4	0,01	*	*	0,02	*	0,05		
<b>Inorganic compounds</b>		<b>030</b>																					
0222	Bicarbonate	mg/l	166	185	160	163	153	164	160	157	155	162	171	153	13	153	153	162	163	179	185		
0224	Carbonate	mg/l	1	3,7	<	<	<	5,6	<	<	<	1,4	<	<	13	<	<	<	1,21	4,84	5,6		
0230	Chloride	mg/l	117	90	67,9	57,9	74,7	72,5	72,7	62,6	94,1	140	160	82,6	50	34,5	58,5	77,8	89,6	145	200		
0232	Sulfate	mg/l	59	61	49	45	49	53	54	52	58	65	74	54	13	45	46,6	54	55,8	70,4	74		
0288	Silicate	mg/l	3,7	3,8	3,4	2,7	1,31	1,45	2,1	2,1	1,93	2,1	2,1	3,5	14	1,31	1,37	2,1	2,36	3,75	3,8		
0382	Fluoride	mg/l	0,15	0,21	0,13	0,13	0,16	0,135	0,14	0,12	0,13	0,12	0,14	0,17	13	0,12	0,12	0,14	0,144	0,194	0,21		
0386	Cyanide, total	µg/l	0,5	0,65	0,7	<	1,2	<	<	<	<	<	<	0,9	13	<	<	<	<	1,08	1,2		
0394	Bromate	µg/l	0,1	0,6	1,1	0,5	<	1,6	0,6	<	<	<	0,6	1,1	13	<	<	0,5	0,562	1,4	1,6		

# Stellendam (M876)

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Nutrients</b>		<b>040</b>																					
0271	Ammonium (NH4)	mg/l	0,03	0,14	0,34	0,15	0,11	<	0,0425	0,09	0,05	0,05	0,06	0,08	0,13	13	<	<	0,08	0,1	0,264	0,34	
0274	Kjeldahl Nitrogen	mg/l		0,4	0,7	0,5	0,5	0,6	0,5	0,5	0,4	0,5	0,4	0,5	13	0,4	0,4	0,5	0,5	0,66	0,7		
0276	Organic Nitrogen	mg/l		0,2	0,4	0,4	0,4	0,6	0,45	0,4	0,5	0,3	0,5	0,3	13	0,2	0,24	0,4	0,408	0,56	0,6		
0281	Nitrite-NO2	mg/l		0,076	0,112	0,116	0,104	0,052	0,069	0,048	0,05	0,028	0,023	0,022	14	0,022	0,0225	0,068	0,0675	0,114	0,116		
0283	Nitrate-NO3	mg/l		14,6	14,7	15,8	14,3	10,3	7,77	6,6	6,8	6,4	6,9	8,2	14	6,4	6,5	8,15	10,2	15,3	15,8		
0284D	Orthophosphate (PO4)	mg/l		0,307	0,215	0,215	0,184	0,0613	0,184	0,307	0,337	0,276	1,32	0,276	14	0,0613	0,123	0,245	0,309	0,828	1,32		
0286D	Total phosphate (PO4)	mg/l		0,399	0,337	0,276	0,245	0,245	0,286	0,429	0,399	0,399	0,399	0,337	14	0,245	0,245	0,337	0,335	0,414	0,429		
<b>Group compounds</b>		<b>070</b>																					
0210	Anions	meq/l		8,28	7,35	6,06	5,51	6,17	5,87	5,67	5,86	6,81	7,83	8,66	13	5,51	5,53	6,06	6,58	8,51	8,66		
0212	Cations	meq/l		8,09	7,21	5,83	5,53	5,95	5,84	5,78	5,81	6,71	7,87	6,84	13	5,53	5,55	5,95	6,38	8	8,09		
0401	Total organic carbon (TOC)	mg/l		3,3	2,89	2,78	3,1	3,6	2,96	2,42	2,62	2,77	2,48	13	2,42	2,44	2,91	2,97	3,72	3,8			
0404	Chemical oxygen demand (COD)	mg/l				14			15		17		6	4	6	*	*	13	*	17			
0406	Biochemical oxygen demand (BOD5)	mg/l	3			<			<		<		<	4	<	*	*	<	*	<			
0410	UV absorbance, 254 nm	1/m			8,8			7,5		7,2		5,7		4	5,7	*	*	7,3	*	8,8			
0412	Colour (Pt/Co scale)	mg/l		11	10	12	9	7	9	9	8	7	8	13	7	7	9	9,46	15	17			
0430	Adsorbable organohalogen compou	µg/l		21,5	22	14	11	67	11,5	9	11	11,5	13,5	14	9	10	13,8	18,8	45,8	67			
<b>Summend compounds</b>		<b>080</b>																					
0451	Trihalomethanes, total	µg/l	0,1		<		<		<		<		<	4	<	*	*	<	*	<			
2022	Tetra- and Trichloroethene (sum)	µg/l	0,08		<		<		<		<		<	4	<	*	*	<	*	<			
V223	C10-13-Chloroalcanes	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<			
<b>Biological compounds</b>		<b>090</b>																					
0618	Coliform bacteria, total (37 °C)	n/ml		0,4	0,02	0,51	0,1		1,55	0,16	0,07	0,48	0,08	12	0,02	0,035	0,395	0,523	2,15	2,7			
0627	Coliform bacteria, thermotolerant (44	n/ml											0,38	1	*	*	*	*	*	*			
0628	Escherichia coli	n/ml	0,01	0,06	0,01	0,08	0,01	<	1,6	0,16				8	<	*	*	0,441	*	1,7			
0636		n/ml								0,04	0,46	0,03	0,12	5	0,03	*	*	0,164	*	0,46			
0657	Enterococci	n/ml	0,01	0,04	0,01	0,01	0,01	<	0,035	0,1	0,02	0,16	0,01	13	<	<	0,02	0,0396	0,136	0,16			
0663	Clostridium perfringens	n/ml		0,06	0,06	0,21	0,09	0,16	0,065	0,12	0,05	0,02	0,06	13	0,02	0,028	0,06	0,0869	0,19	0,21			
<b>Hydrobiological compounds</b>		<b>095</b>																					
7100	Chlorophyll-a	µg/l	2	<	<	<	<	19	4	3	6,5	<	<	<	<	<	<	3,6	7,2	32			
7110	Phaeophytine	µg/l	2	<	<	<	<	6,5	2,67	<	<	<	<	<	<	<	<	<	4	9			

maandag 15 juli 2013

Page 2 of 19

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Metals</b>	<b>050</b>																				
0240 Sodium	mg/l	61	48,8	34	30,5	40,3	40,6	41,3	40,3	53,8	80	82,8	47,8	50	29	32	43	49,4	76,8	120	
0242 Potassium	mg/l	6	5,5	4,2	4,1	4,3	4,35	4,1	4,3	4,8	5,7	8,2	5,3	13	4,1	4,1	4,5	5,02	7,32	8,2	
0244 Calcium	mg/l	71,5	75,4	65,1	66,5	60,7	62,8	63,1	58,9	61,2	65,5	67,4	63,4	13	58,9	59,3	65,1	64,9	73,8	75,4	
0246 Magnesium	mg/l	15	11	9,8	9,5	11	11	11	11	12	14	16	9,5	13	9,5	9,5	11	11,7	15,6	16	
0300 Iron	mg/l	0,098	0,09	0,17	0,099	0,17	0,165	0,23	0,075	0,073	0,16	0,064	0,18	13	0,064	0,0676	0,16	0,134	0,21	0,23	
0304 Manganese	mg/l	0,025	0,041	0,046	0,037	0,031	0,0243	0,057	0,032	0,016	0,014	0,018	0,017	15	0,014	0,0152	0,026	0,0288	0,0504	0,057	
0314 Arsenic	µg/l			1			2		2			2		4	1	*	*	1,75	*	2	
0316 Barium	µg/l			43			49		50			56		4	43	*	*	49,5	*	56	
0322 Boron	mg/l											0,076		1	*	*	*	*	*	*	
0324 Cadmium	µg/l	0,05		<			<		<			<		4	<	*	*	<	*	<	
0326 Chromium	µg/l	1		1			1		<			<		4	<	*	*	<	*	1	
0330 Copper	µg/l			3			3		3					3	*	*	*	*	*	*	
0332 Mercury	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0334 Lead	µg/l	10		<			<		<			<		4	<	*	*	<	*	<	
0340 Nickel	µg/l	1		2			<		1			2		4	<	*	*	1,37	*	2	
0342 Selenium	µg/l	1		<			<		<			<		4	<	*	*	<	*	<	
0354 Zinc	µg/l			10			8		8					3	*	*	*	*	*	*	
0368	mg/l											0,003		1	*	*	*	*	*	*	
0369	mg/l											0,008		1	*	*	*	*	*	*	



**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Metals, after filtration</b>		<b>055</b>																					
0302	Iron, 0.45 µm filtrate	mg/l	0,01	0,02	0,01	0,02	0,02	<	<	<	<	<	<	0,03	13	<	<	<	0,0108	0,026	0,03		
0308	Iron, 0.45 µm filtrate	µg/l	5		11								48	4	<	*	*	19,6	*	48			
0309	Boron, 0.45 µm filtrate	µg/l		68	56	42	42	38	51	59	66	59	71	83	46	13	38	39,6	56	56,3	78,2	83	
0313	Antimony, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0315	Arsenic, 0.45 µm filtrate	µg/l		1,11	1,01	0,83	0,97	1,1	1,64	1,72	1,42	1,49	1,58	1,51	0,87	13	0,83	0,846	1,42	1,3	1,76	1,78	
0325	Cadmium, 0.45 µm filtrate	µg/l	0,05	0,071	0,086	0,05	0,06	<	<	<	<	<	<	<	13	<	<	<	<	0,08	0,086		
0327	Chromium, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0329	Cobalt, 0.45 µm filtrate	µg/l		0,21	0,31	0,27	0,23	0,25	0,22	0,23	0,22	0,21	0,23	0,25	0,21	13	0,19	0,198	0,23	0,235	0,294	0,31	
0331	Copper, 0.45 µm filtrate	µg/l		2,43	2,37	2,15	5,71	2,39	2,65	2,08	2,45	2,16	2,14	2,17	2,5	13	2,08	2,1	2,37	2,6	4,69	5,71	
0333	Mercury, 0.45 µm filtrate	µg/l	0,001	<	<	<	<	0,001	<	<	<	<	<	<	13	<	<	<	<	<	0,001		
0335	Lead, 0.45 µm filtrate	µg/l	0,1	<	<	<	0,17	<	<	<	<	<	<	0,12	13	<	<	<	<	0,15	0,17		
0337	Lithium, 0.45 µm filtrate	µg/l		11	10,2	8,34	8,96	6,87	11	14	13,1	11,4	13,2	14,5	8,43	13	6,87	7,46	11	10,9	14,3	14,5	
0339	Molybdenum, 0.45 µm filtrate	µg/l		1,4	1,5	1,1	1,2	1,1	1,35	1,5	1,5	1,6	1,8	2,2	1,5	13	1,1	1,1	1,5	1,47	2,04	2,2	
0341	Nickel, 0.45 µm filtrate	µg/l		1,87	2,21	1,77	1,98	1,43	1,64	1,44	2,27	1,3	1,39	1,56	2,06	13	1,3	1,34	1,69	1,73	2,25	2,27	
0347	Tin, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	0,09	13	<	<	<	<	0,064	0,09		
0349	Titanium, 0.45 µm filtrate	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0351	Vanadium, 0.45 µm filtrate	µg/l		1	0,91	0,84	0,84	1,1	1,5	1,7	2	1,9	1,8	1,8	1,1	13	0,84	0,84	1,4	1,38	1,96	2	
0353	Silver, 0.45 µm filtrate	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0355	Zinc, 0.45 µm filtrate	µg/l		8,5	13	7,8	13	4	4,65	2,8	3,6	4,3	5,1	5,3	7,3	13	2,8	2,88	5,3	6,46	13	13	
0359	Rubidium, 0.45 µm filtrate	µg/l		4,3	4,65	3,11	3,01	3,2	3,77	3,62	3,76	3,82	4,31	4,97	4,45	13	3,01	3,05	3,8	3,9	4,84	4,97	
0361	Uranium, 0.45 µm filtrate	µg/l		0,68	0,68	0,61	0,55	0,67	0,715	0,69	0,62	0,77	0,79	0,82	0,52	13	0,52	0,532	0,68	0,679	0,808	0,82	
0363	Strontium, 0.45 µm filtrate	µg/l		390	380	330	310	310	410	450	440	430	490	500	330	13	310	310	410	398	496	500	
0364	Thallium, 0.45 µm filtrate	µg/l		0,02	0,03	0,02	0,02	0,02	0,025	0,02	0,02	0,02	0,02	0,02	0,02	13	0,02	0,02	0,02	0,0215	0,03	0,03	
0365	Tellurium, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
V282	Cesium (filtr. 0.45 µm)	µg/l	0,05	0,07	0,106	0,059	0,051	<	0,0595	0,072	0,061	0,056	0,056	0,057	0,065	13	<	<	0,059	0,0613	0,0924	0,106	
<b>Complex buidiers</b>		<b>060</b>																					
0420	Anionic detergents	mg/l	0,04			<			<					<	4	<	*	*	<	*	<		
0422	Cation-Active Detergents	mg/l	0,1			<			<					<	4	<	*	*	<	*	<		
0424	Non-ionic Surfactants	mg/l	0,1			<			<					<	4	<	*	*	<	*	<		



**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Mono cyclic aromatic hydrocarb 170</b>																					
1074	Benzene	µg/l	0,01	0,01	0,13	0,02	0,01	<	<	<	<	<	<	0,01	12	<	<	<	0,0183	0,097	0,13
1075	Butylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	
1080	1,2-Dimethylbenzene	µg/l	0,01	<	0,08	<	<	<	0,035	<	<	<	<	<	11	<	<	<	0,0173	0,076	0,08
1088	Ethylbenzene	µg/l	0,01	<	0,32	0,02	<	<	<	<	<	<	<	<	11	<	<	<	0,035	0,26	0,32
1089	Ethylbenzene	µg/l	0,01	<	0,07	<	<	<	0,0275	<	<	<	<	<	13	<	<	<	0,0135	0,062	0,07
1098	Methylbenzene	µg/l	0,01	<	0,19	0,01	<	0,01	0,02	<	<	0,01	<	<	13	<	<	<	0,0227	0,126	0,19
1106	Propylbenzene	µg/l	0,01	<	0,01	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,01
1112	Chlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1115	2-Chloromethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1116	3-Chloromethylbenzene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1119	1,2-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1120	1,3-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1121	1,4-Dichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1127	Pentachlorobenzene	µg/l	0,0001	<	<	0,0001	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,0001
1131	1,2,3-Trichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1132	1,2,4-Trichlorobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1133	1,3,5-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
1797	Isopropylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1832	1,3,5-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	0,01
1951	1,2,4-Trimethylbenzene	µg/l	0,01	<	0,03	<	<	<	0,0275	<	<	<	<	<	13	<	<	<	0,0104	0,042	0,05
1952	1,2,3-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,01
1956	3-Ethyltoluene	µg/l	0,01	<	0,03	<	<	<	0,0125	<	<	<	<	<	11	<	<	<	<	0,028	0,03
1957	4-Ethyltoluene	µg/l	0,01	<	0,02	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,016	0,02
1958	2-Ethyltoluene	µg/l	0,01	<	0,03	<	<	<	<	<	<	<	<	<	11	<	<	<	<	0,026	0,03
1959	4-Chloromethylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1960	1-Methyl-4-isopropylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1998	t-Butylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
2014	Bromobenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,01	0,01	0,14	0,01	<	<	0,11	<	<	<	<	<	11	<	<	<	0,0373	0,188	0,2
2064	s-Butylbenzene	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<



**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Poly cyclistic aromatic hydrocarbo 180</b>																					
1161	Acenaphthene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
1163	Anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1165	Benzo(a)anthracene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
1166	Benzo(b)fluoranthene	µg/l	0,001	<	0,001	0,002	<	0,002	0,0025	0,002	<	<	0,002	<	0,001	<	0,001	0,00135	0,0026	0,003	
1167	Benzo(k)fluoranthene	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1168	Benzo(ghi)perylene	µg/l	0,0007	0,0005	0,0008	0,0005	0,0008	0,0022	0,0016	0,0005	0,0006	0,0009	0,0007	0,0007	13	0,0005	0,0005	0,0007	0,000977	0,00238	0,0029
1169	Benzo(a)pyrene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1172	Chrysene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
1173	Dibenzo(a,h)anthracene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
1180	Phenanthrene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
1181	Fluoranthene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1182	Fluorene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,0006	0,0005	0,0008	0,0004	0,0007	0,0011	0,0016	0,0004	0,0004	0,0009	0,0003	0,0007	13	0,0003	0,00034	0,0007	0,000731	0,00152	0,0016
1188	Pyrene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8450	Naphthalene	µg/l	0,02	<	0,06	<	<	<	<	<	<	<	<	25	<	<	<	<	<	0,11	

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Organochlorine pesticides</b>		<b>200</b>																			
2132	3-Chloropropene	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8006	Aldrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8162	o,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8163	p,p-DDD	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8164	o,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8165	p,p-DDE	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8166	o,p-DDT	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8167	p,p-DDT	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8167R	o,p-DDT and p,p-DDD	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8217	Dieldrin	µg/l	0,0005	<	<	<	<	<	<	0,0007	<	<	<	<	13	<	<	<	<	0,00052	0,0007
8263	alpha-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8264	beta-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8268	Endrin	µg/l	0,0005	<	<	<	<	<	0,002	<	<	<	<	<	11	<	<	<	<	0,00174	0,002
8358	Heptachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8359	Heptachloroepoxide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8361	Hexachlorobenzene (HCB)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8362	alpha-Hexachlorocyclohexane (alpha)	µg/l	0,0001	0,0001	0,0003	0,0001	0,0004	0,0001	0,0001	0,0002	0,0001	<	0,0001	0,0002	13	<	<	0,0001	0,00015	0,00036	0,0004
8363	beta-Hexachlorocyclohexane (beta)	µg/l	0,0002	0,0003	0,0002	0,0002	0,0002	0,00035	0,0005	0,0005	0,0005	0,0005	0,0006	0,0007	13	0,0002	0,0002	0,0003	0,000369	0,00066	0,0007
8379	Isodrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8393	Lindane (gamma-HCH)	µg/l	0,0005	0,0004	0,0004	0,0005	0,0005	0,00045	0,0004	0,0003	0,0003	0,0002	0,0003	0,0004	13	0,0002	0,00024	0,0004	0,000392	0,0005	0,0005
8428	Methoxychlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8560	Telodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8629	delta-Hexachlorocyclohexane (delta)	µg/l	0,0001	0,0001	<	<	0,0001	<	<	<	<	<	<	<	13	<	<	<	<	0,0001	0,0001
8631	trans-Heptachloroepoxide	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8640	cis-Chlordane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8641	trans-Chlordane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<



# Stellendam (M876)

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Organophosphorus and -sulphur p 210</b>																						
8028	Azinphos-ethyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8029	Azinphos-methyl	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	*	*	<	*	<	<	
8108	Chlorfenvinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8173	Demeton-S-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	*	*	<	*	<	<	
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8352	Glufosinate-ammonium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8354	Glyphosate	µg/l	0,03	<	0,05	<	0,05	0,04	<	<	<	0,05	<	0,1	0,05	<	<	0,0342	0,08	0,1		
8360	Heptenophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8439	Mevinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8482	Parathion-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8483	Parathion-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	0,02	<	<	<	<	<	<	<	0,02	
8526	Pyrazophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8600	Triazophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,39	0,41	0,28	0,43	0,07	0,65	0,71	0,64	0,77	0,81	0,75	0,66	13	0,07	0,154	0,64	0,555	0,794	0,81	
8652	Chlorpyriphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,059	0,07	
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8714	Iodosulfuron-methyl-sodium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	0,06	<	<	<	<	<	<	<	<	<	0,0465	0,06		

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.





# Stellendam (M876)

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8727	Triflusaluron-methyl	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
<b>Organonitrogen pesticides</b>		<b>220</b>																			
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8127	Chloridazon	µg/l	0,01	<	<	<	0,01	0,03	0,015	<	<	<	<	<	13	<	<	<	<	0,026	0,03
<b>Carbamate herbicides</b>		<b>260</b>																			
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
<b>Biocides</b>		<b>285</b>																			
2077	Tributyltin	µg/l	0,0021	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Conazole Fungicides</b>		<b>480</b>																			
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Pyrimidine Fungicides</b>		<b>500</b>																			
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
<b>Strobilurine Fungicides</b>		<b>510</b>																			
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
<b>Unclassified Fungicides</b>		<b>520</b>																			
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



# Stellendam (M876)

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Chlorophenoxy herbicides 230</b>																				
8105	4-Chlorophenoxyacetic acid	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8330	Fluroxypyr	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8404	Mecoprop (MCP)	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8607	Triclopyr	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
<b>Phenylurea herbicides 240</b>																				
8097	Chlorbromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8122	Chlortoluron	µg/l	0,01	0,06	0,01	0,02	<	<	<	<	<	<	0,02	13	<	<	<	0,0119	0,044	0,06
8130	Chloroxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8258	Diuron	µg/l		0,02	0,01	0,01	0,01	0,01	0,02	0,02	0,02	0,02	0,01	13	0,01	0,01	0,02	0,0162	0,02	0,02
8382	Isoproturon	µg/l	0,02	0,05	0,04	0,03	0,05	0,03	<	<	<	<	0,11	13	<	<	0,02	0,03	0,086	0,11
8394	Linuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8418	Methabenzthiazuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8446	Monolinuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8447	Monuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Dinitrophenol herbicides 250</b>																				
8244	2,4-Dinitrophenol	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,05			<			<				<	4	<	*	*	<	*	<
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,05			<			<				<	4	<	*	*	<	*	<

**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Phenoxy Herbicides</b>		<b>550</b>																			
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05			<			<					<	4	<	*	*	<	*	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05			<			<					<	4	<	*	*	<	*	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05			<			<					<	4	<	*	*	<	*	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05			<			<					<	4	<	*	*	<	*	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05			<			<					<	4	<	*	*	<	*	<
8404	Mecoprop (MCPP)	µg/l	0,05			<			<					<	4	<	*	*	<	*	<
<b>Anilide Herbicides</b>		<b>570</b>																			
8417	Metazachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
<b>Chloroacetanilide Herbicides</b>		<b>580</b>																			
8002	Alachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>(Bis-)Carbamate Herbicides</b>		<b>590</b>																			
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Sulfonylurea Herbicides</b>		<b>610</b>																			
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	0,07	<	<	<	<	<	11	<	<	<	<	0,059	0,07
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	0,06	<	<	<	<	<	12	<	<	<	<	0,0465	0,06
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
<b>Urea Herbicides</b>		<b>620</b>																			
8122	Chlortoluron	µg/l	0,01	0,06	0,01	0,02	<	<	<	<	<	<	<	0,02	13	<	<	<	0,0119	0,044	0,06
8258	Diuron	µg/l		0,02	0,01	0,01	0,01	0,01	0,02	0,02	0,02	0,02	0,02	0,01	13	0,01	0,01	0,02	0,0162	0,02	0,02
8382	Isoproturon	µg/l	0,02	0,05	0,04	0,03	0,05	0,03	<	<	<	<	<	0,11	13	<	<	0,02	0,03	0,086	0,11
8394	Linuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8418	Methabenzthiazuron	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Aryloxyphenoxy- Propionic Herbici</b>		<b>630</b>																			
8675	Haloxifop	µg/l	0,05			<			<					<	4	<	*	*	<	*	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



# Stellendam (M876)

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Triazin Herbicides</b>		<b>635</b>																			
8026	Atrazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8415	Metamitron	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8435	Metolachlor	µg/l	0,01	<	<	0,01	<	<	0,02	0,01	<	<	<	<	<	<	<	<	<	0,02	0,02
8517	Propazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8547	Simazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8567	Terbutryne	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8568	Terbutylazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Unclassified Herbicides</b>		<b>645</b>																			
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8127	Chloridazon	µg/l	0,01	<	<	<	0,01	0,03	0,015	<	<	<	<	13	<	<	<	<	0,026	0,03	<
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,02	<
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8354	Glyphosate	µg/l	0,03	<	0,05	<	0,05	0,04	<	<	<	0,05	<	13	<	<	<	0,0342	0,08	0,1	<
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8677	loxylin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<	<
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
<b>Unclassified plant growth regulator</b>		<b>952</b>																			
8436	Metoxuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Anti-sprouting products</b>		<b>960</b>																			
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Carbamate Insecticides</b>		<b>660</b>																			
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<



**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Organophosphorus Insecticides 670</b>																					
8029	Azinphos-methyl	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Unclassified Insecticides 710</b>																					
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8701	Imidacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8703	Pymetrozine	µg/l	0,03	<	<	<	<	0,03	<	<	<	<	<	<	<	<	<	<	<	0,03	<
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Unclassified Molluscicides 750</b>																					
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Nematicides 860</b>																					
1784	cis-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8186	Dibromochloropropane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	<	*	*	<	*	<	<
<b>Pesticide metabolites 954</b>																					
2023	4-Isopropylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	*	*	<	*	<	<
2032	3-Chloro-4-methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	*	*	<	*	<	<
8113	4-Chloro-2-methylphenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	*	*	<	*	<	<
8176	Desethylatrazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<



# Stellendam (M876)

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Various pesticides and metabolics 300</b>																						
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,02	
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<	
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<	
8701	Imidacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<	
8708	Dimethenamid-p	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8715	Mefenpyr-diethyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	0,0465	0,06	<	
<b>Ethers 302</b>																						
1428	Diisopropylether	µg/l	0,01	0,03	0,15	0,02	0,05	<	<	<	<	<	<	0,03	13	<	<	<	0,0246	0,11	0,15	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,02	0,07	0,03	0,03	0,02	0,025	0,02	0,04	0,01	<	0,08	13	<	<	0,02	0,0292	0,076	0,08	
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,1	<	<	<	<	<	0,25	<	0,28	<	0,29	4	<	*	*	0,217	*	<	0,29	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	0,047	
<b>Fuel additives 303</b>																						
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,02	0,07	0,03	0,03	0,02	0,025	0,02	0,04	0,01	<	0,08	13	<	<	0,02	0,0292	0,076	0,08	
2086	1,2-Dibromoethane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	0,047	
<b>Various organic substances 305</b>																						
1077	Cyclohexane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1079	Dicyclopentadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1432	Dimethoxymethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1753	Dimethyldisulfide	µg/l	0,01	<	0,01	<	<	<	<	<	<	<	<	0,01	13	<	<	<	<	0,01	0,01	
1764	Tributylphosphate	µg/l	0,1	<	<	<	0,13	<	<	<	<	<	<	0,13	13	<	<	<	<	0,13	0,13	
1767	Triphenylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2037	2-Aminoacetophenone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	0,04	
2092	Methylmethacrylate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V129	tetrahydro-2,2,5,5-tetramethylfuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

# Stellendam (M876)

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Industrial solvents</b>		<b>431</b>																			
1027	Bromochloromethane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
1040	1,2-Dichloroethane	µg/l	0,01	<	0,01	0,01	0,02	<	<	<	<	<	<	13	<	<	<	<	0,016	0,02	
1044	Dichloromethane	µg/l	10	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1049	Hexachlorobutadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1056	Tetrachloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1057	Tetrachloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1063	Trichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1064	Trichloromethane	µg/l	0,01	<	<	<	<	4,6	<	<	<	0,02	<	13	<	<	<	0,36	2,77	4,6	
1070	1,2,3-Trichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1828	cis-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
1829	trans-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1954	1,1,1,2-Tetrachloroethane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
1955	1,1,1,2-Tetrachloroethane	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8205	1,2-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>industrial chemicals (with arom. nit 434)</b>																					
1683	Aniline	µg/l	0,03		0,13			<		<				0,04	4	<	*	*	0,05	*	0,13
1700	N-Methylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
1705	3-Chloroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
1713	2,3,4-Trichloroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
1716	2,4,5-Trichloroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
1717	2,4,6-Trichloroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
1718	3,4,5-Trichloroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
1786	3-Methylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
1862	N,N-Diethylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
1864	N-Ethylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
1979	2,4,6-Trimethylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2024	2,4-Dimethylaniline	µg/l	0,02		<			<		<				<	4	<	*	*	<	*	<
2027	3,4-Dimethylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2028	2,3-Dimethylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2029	3-Chloro-4-methylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2033	4-Methoxy-2-nitroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2034	2-Nitroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2035	3-Nitroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2038	2-(Phenylsulfon)aniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2053	N,N-Dimethylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2055	2,4- and 2,5-Dichloroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2056	2-Methoxyaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2057	2- and 4-Methylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2058	2-(Trifluoromethyl)aniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
2059	2,5- and 3,5-Dimethylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
8063	4-Bromoaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
8094	2-Chloroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
8115	4-Chloroaniline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8196	2,6-Dichloroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
8197	3,4-Dichloroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
8198	3,5-Dichloroaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
8222	2,6-Diethylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<
8239	2,6-Dimethylaniline	µg/l	0,03		<			<		<				<	4	<	*	*	<	*	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.





**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Industrial chemicals (with volatile h 437)</b>																						
1035	Dibromomethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1039	1,1-Dichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
1041	1,1-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1050	Hexachloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1061	1,1,1-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1062	1,1,2-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1962	Chloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2016	Chloromethane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
2086	1,2-Dibromoethane	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
8206	1,3-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Industrial chemicals (with phenols) 439</b>																					
1528	3-Chlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1529	4-Chlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1531	2,3-Dichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1533	2,6-Dichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1534	3,4-Dichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1535	3,5-Dichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1541	2,3,4-Trichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1542	2,3,5-Trichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1543	2,3,6-Trichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1544	3,4,5-Trichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
1847	3-Nitrophenol	µg/l	0,05		<			<		<			<		4	<	*	*	<	*	<
2008	2,3-Dimethylphenol	µg/l	0,05		<			<		<			<		4	<	*	*	<	*	<
2010	2,6-Dimethylphenol	µg/l	0,05		<			<		<			<		4	<	*	*	<	*	<
2011	3,4-Dimethylphenol	µg/l	0,05		<			<		<			<		4	<	*	*	<	*	<
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
2081	2-Ethylphenol	µg/l	0,05		<			<		<			<		4	<	*	*	<	*	<
2248	2,5-Dinitrophenol	µg/l	0,2		<			<		<			<		4	<	*	*	<	*	<
2249	2,6-Dinitrophenol	µg/l	0,05		<			<		<			<		4	<	*	*	<	*	<
2250	3,4-Dinitrophenol	µg/l	0,05		<			<		<			<		4	<	*	*	<	*	<
8104	2-Chlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
8461	4-Nitrophenol	µg/l	0,06		<			<		<			<		4	<	*	*	<	*	<
8602	2,4,5-Trichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
8603	2,4,6-Trichlorophenol	µg/l	0,1		<			<		<			<		4	<	*	*	<	*	<
<b>Industrial chemicals (with PCBs) 440</b>																					
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,02		<			<		<			<		4	<	*	*	<	*	<
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,02		<			<		<			<		4	<	*	*	<	*	<
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB 1)	µg/l	0,02		<			<		<			<		4	<	*	*	<	*	<
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB 12)	µg/l	0,02		<			<		<			<		4	<	*	*	<	*	<
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PCB 18)	µg/l	0,02		<			<		<			<		4	<	*	*	<	*	<
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PCB 19)	µg/l	0,02		<			<		<			<		4	<	*	*	<	*	<
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (PCB 29)	µg/l	0,02		<			<		<			<		4	<	*	*	<	*	<



**Stellendam (M876)**

1-1-2009 up to 31-12-2009

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Cooling agents 430</b>																				
2019	Trichlorofluoromethane	µg/l	0,04		<		<		<			<		4	<	*	*	<	*	<
<b>Disinfection agents 444</b>																				
2005	2-Methylphenol	µg/l	0,05		<		<		<			<		4	<	*	*	<	*	<
<b>Disinfection byproducts 446</b>																				
1028	Bromodichloromethane	µg/l	0,01	<	<	<	<	1,4	<	<	<	0,01	<	13	<	<	<	0,113	0,844	1,4
1033	Dibromochloromethane	µg/l	0,01	<	<	<	<	0,36	<	<	<	<	<	13	<	<	<	0,0323	0,218	0,36
1058	Tribromomethane	µg/l	0,01	<	<	<	<	0,02	<	<	<	<	<	13	<	<	<	<	0,014	0,02
<b>Flameretardants 380</b>																				
2109	2,4,2',4'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2110	2,4,2',5'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2111	2,3,4,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2112	2,4,5,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2113	2,4,6,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2114	2,4,5,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2115	2,4,5,2',4',6'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2169	2,4,4'-Tribromodiphenylether (PBDE	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2170	2,3,4,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Various pharmaceuticals 370</b>																				
8677	loxynil	µg/l	0,05		<		<		<			<		4	<	*	*	<	*	<
<b>Endrocrin disrupting compounds ( 400</b>																				
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2196	Tetrabutyltin	µg/l	0,0018	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2197	Triphenyltin ion	µg/l	0,0017	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2199	Dibutyltin	µg/l	0,0051	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2201	Difenylytin	µg/l	0,0044	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>unspecified substances 980</b>																				
1047	2,2-Dichloropropane	µg/l	0,04		<		<		<			<		4	<	*	*	<	*	<
2013	1,1-Dichloropropene	µg/l	0,04		<		<		<			<		4	<	*	*	<	*	<
2036	4-Methyl-3-nitroaniline	µg/l	0,03		<		<		<			<		4	<	*	*	<	*	<
2066	3- and 4-Methylphenol	µg/l	0,05		<		<		<			<		4	<	*	*	<	*	<
2068	2,4- and 2,5-Dimethylphenol	µg/l	0,05		<		<		<			<		4	<	*	*	<	*	<
2176	3- and 4-Ethylphenol	µg/l	0,05		<		<		<			<		4	<	*	*	<	*	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.

