

Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds 010																						
0120	Water temperature	°C	4,9	4,7	8,77	13,9	16,9	17,6	18,6	19,1	16,9	13,8	10,7	6,15	25	2,1	4,52	13,7	12,6	19,4	19,5	
0122	Oxygen	mg/l	12	11,8	12,8	12,6		10,2	8,7	8,9	8,1	9,7	10,6	11,2	12	8,1	8,28	10,9	10,8	12,8	12,9	
0123	Oxygen saturation	%	87	89,4	108	117		95,2	81,2	82,9	75,5	90,1	96	91,9	12	75,5	77,2	91	93,6	118	118	
0126	Turbidity	FTE	2,7	3,1	2	3,9		3,6	3,8	1,9	1,1	1,6	1,2	12	1,1	1,13	2	2,38	3,87	3,9	3,9	
0128	Suspended matter	mg/l	2	17,3	5,7	2,36	3	4	3,8	5,8	2,24	<	3,75	2,88	2,55	48	<	2,4	4,21	7,44	45	
0170	Odour (dilution factor)	-	5		6	5		0	3	3	3	5	3	11	0	0,4	3	3,73	7,4	8	8	
0174	smell quantitative	-	0	0	0	0		0	0	0	0	0	0	13	0	0	0	0	0	0	0	
0180	pH	pH	8,05	8,29	8,39	8,38	8,21	8,4	8,33	8,15	8,16	8,27	8,27	8,14	47	7,9	8,08	8,25	8,26	8,45	8,62	
0182	Equilibrium pH	pHs	7,5	7,56	7,47	7,5		7,58	7,61	7,59	7,59	7,58	7,53	7,53	12	7,46	7,46	7,55	7,54	7,6	7,61	
0184	Saturation index	SI	0,52	0,5	0,935	0,74		1,01	0,58	0,63	0,62	0,67	0,73	12	0,5	0,506	0,7	0,717	1,02	1,02	1,02	
0200	Conductivity (at 20 °C)	mS/m	44,6	52,6	70,4	92,9	111	107	72,4	63,5	69,6	72,8	75,6	74,3	53	35,4	53,2	74,5	76,5	107	127	
0250	Total hardness	mmol/l	2,18	1,88	2,33	2,65		2,73	2,06	2,06	2,21	2,29	2,41	2,69	12	1,88	1,94	2,31	2,32	2,72	2,73	
0250R	Total hardness, (mg/l CaCO3)	mg/l	218	189	234	265		274	206	206	222	229	241	269	12	189	194	231	232	272	274	
0251	Total hardness, 0.45 µm filtrate	mmol/l	2,2	1,91	2,51	2,62		2,93	2,1	2,01	2,18	2,24	2,14	12	1,91	1,94	2,22	2,32	2,84	2,93	2,93	
Radio activity 020																						
0160	beta Radioactivity, total	Bq/l			0,15			0,22			0,14		0,2	4	0,14	*	*	0,178	*	0,22		
0161	alpha Radioactivity, total	Bq/l	0,1		<			<			<		<	4	<	*	*	<	*	<	<	
0162	Residual beta radioactivity (without K	Bq/l	0,04		<			<			<		<	4	<	*	*	<	*	<	<	
Inorganic compounds 030																						
0222	Bicarbonate	mg/l	168	160	182	166		154	155	162	164	164	177	177	12	154	154	165	168	183	186	
0224	Carbonate	mg/l	5		<			<						2	*	*	*	*	*	*	*	
0230	Chloride	mg/l	55,9	61,7	110	183	238	233	128	99,8	120	125	139	130	53	35,9	64,5	126	137	228	291	
0232	Sulfate	mg/l	46	46	76,5	75		99	74	64	65	68	78	12	46	46	74	70,5	93	99	99	
0288	Silicate	mg/l	1540	1540	1500	271		164	215	547	897	982	1120	1120	12	164	179	1050	950	1580	1590	
0382	Fluoride	mg/l	0,16	0,13	0,195	0,15		0,2	0,16	0,13	0,12	0,15	0,17	12	0,12	0,123	0,16	0,161	0,2	0,2	0,2	
0386	Cyanide, total	µg/l	1	1,2	1	<	<	<	<	<	<	<	<	13	<	<	<	<	1,12	1,2	1,2	
0394	Bromate	µg/l	0,1	0,5	0,7	0,525	1,5		0,9	0,8	0,9	0,9	1,6	12	<	<	0,85	0,808	1,57	1,6	1,6	
0413	Perchlorat	mg/l	0,05		<	<		<	<	<	<	<	<	12	<	<	<	<	<	<	<	
8344	Phosphorus (Yellow)	µg/l	76	86	68,5	39		79	101	85	125	123		10	39	41,3	82	85,1	125	125	125	

Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max																				
Nutrients																					040																			
0271	Ammonium (NH4)	mg/l	0,24	0,2	0,135	0,12	0,05	0,16	0,08	0,12	0,09	0,08	0,07	12	0,05	0,05	0,105	0,123	0,234	0,24																				
0274	Kjeldahl Nitrogen	mg/l	0,7	0,7	0,65	0,7	0,7	0,7	0,5	0,6	0,4	0,5	0,5	12	0,4	0,43	0,65	0,608	0,7	0,7																				
0276	Organic Nitrogen	mg/l	0,5	0,5	0,55	0,6	0,6	0,6	0,4	0,5	0,4	0,4	0,5	12	0,4	0,4	0,5	0,508	0,6	0,6																				
0281	Nitrite-NO2	mg/l	0,088	0,108	0,112	0,067	0,051	0,048	0,042	0,045	0,024	0,022	0,014	12	0,014	0,0164	0,0495	0,061	0,121	0,127																				
0283	Nitrate-NO3	mg/l	14,3	16,3	17,3	11,6	5,4	5,2	5,8	7,2	7,1	8,6	8,6	12	5,2	5,26	8,6	10,4	17,5	17,9																				
0284D	Orthophosphate (PO4)	mg/l	0,215	0,218	0,167	0,0307	0,132	0,23	0,254	0,359	0,322	0,316	0,31	12	0,0307	0,061	0,224	0,227	0,348	0,359																				
0286D	Total phosphate (PO4)	mg/l	0,233	0,264	0,21	0,12	0,242	0,31	0,261	0,383	0,377	0,328	0,405	12	0,12	0,141	0,262	0,279	0,398	0,405																				
Group compounds																					070																			
0210	Anions	meq/l	6,57	5,17	8,19	8,11	12,3	7,51	6,9	8,14	8,08	8,42	9,91	12	5,17	5,59	8,1	8,12	11,6	12,3																				
0212	Cations	meq/l	6,52	5	7,95	8,81	12,5	7,31	6,65	8,05	8,49	7,02	9,81	12	5	5,46	7,8	8	11,7	12,5																				
0401	Total organic carbon (TOC)	mg/l	4	4,2	3,8	3,3	3,4	3,3	2,8	2,6	2,7	2,7	2,7	12	2,6	2,63	3,3	3,28	4,14	4,2																				
0403	Dissolved organic carbon (DOC)	mg/l	4,2	3,4	3,5	4	3,85	3,3	2,9	2,9	2,8	2,55	2,6	13	2,5	2,54	3,1	3,26	4,44	4,6																				
0404	Chemical oxygen demand (COD)	mg/l	10	<	14	10	18	21	<	<	<	<	<	13	<	<	<	<	22,2	23																				
0406	Biochemical oxygen demand (BOD5)	mg/l	0,5	1	1	2	3	1	1	<	0,89	1,7	1,4	13	<	<	1	1,46	3,2	4																				
0410	UV absorbance, 254 nm	1/m			9,8		7,9			7,3			7,2	4	7,2	*	*	8,05	*	9,8																				
0412	Colour (Pt/Co scale)	mg/l	18	15	10,5	10	10	10	8	8	8	8	7	12	7	7,3	10	10,3	17,1	18																				
0430	Adsorbable organohalogen compou	µg/l	12	11	12	15	20,5	12,5	11	11	51	10	11	12	10	10,3	11,5	15,8	41,9	51																				
0466	Cholinesterase inhibitors	µg/l	0,1	<	<	<	<	0,175	<	<	<	0,2	<	13	<	<	<	<	0,26	0,3																				
Summend compounds																					080																			
0451	Trihalomethanes, total	µg/l	0,1	<	<	<	<	<	<	<	0,13	<	<	25	<	<	<	<	<	0,21																				
2022	Tetra- and Trichloroethene (sum)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<																				
V330	hexachloorcyclohexaan (sum of 5 iso	µg/l	0,125	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<																				
Biological compounds																					090																			
0614	Coliform bacteria, (37 °C, confirmed)	n/100 ml	1	370	3680	<	590	625	135	140	22	10	2,5	<	<	<	43	480	2710	3680																				
0618	Coliform bacteria, total (37 °C)	n/ml		0,3	2	0,135	0,04		4	0,2	0,4	0,01	0,03	12	0,01	0,016	0,2	0,651	3,4	4																				
0624	Coliform bacteria, (44 °C, confirmed)	n/100 ml	1	155	1400	1	55	675	155	155	17,5	8,5	3,5	<	<	<	17,5	255	1380	1400																				
0626	Escherichia coli (confirmed)	n/100 ml	1	360	<	8,4	48	650	200	120	14,4	6,4	2,4	<	<	<	19,8	160	924	1300																				
0630		n/100 ml	1	23	15,5	1	8,5	63	26,5	42	<	<	<	13	<	<	6,5	19,3	92,4	126																				
0634	Enterococcen	n/100 ml		20	34	1,5	0		120	2	2	0	0	12	0	0	1,5	15,2	94,2	120																				
0636		n/ml		28	44	8	4		6	12	30	0	11	12	0	0,9	10	13,6	39,8	44																				
0645	Spores of sulfite reducing Clostridia	n/ml		1690000	410000									4	410000	*	*	370000	*	700000																				
0661	Somatic coliphages	n/l		12000										2	*	*	*	*	*	*																				
0663	Clostridium perfringens	n/ml		2100	2900	1900	1500		800	1000	400	500	700	12	100	190	900	1190	2660	2900																				
0664		n/100 ml		21	29	19	15		8	10	4	5	7	12	1	1,9	9	11,9	26,6	29																				
V222		n/l		3,2										1	*	*	*	*	*	*																				

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Hydrobiological compounds																							
	095																						
7100	Chlorophyll-a	µg/l	2	13	<	<	6,57	52,3	6,61	<	3,5	<	<	<	<	<	<	10,9	66,4	102			
7110	Phaeophytine	µg/l	2	2,5	<	<	3	<	3,5	<	3,67	<	<	<	<	<	<	<	4	9			
Metals																							
	050																						
0240	Sodium	mg/l		26,3	34,3	52,4	102	133	122	69,3	55	67,5	70	73,4	69,3	48	16	28,7	65,5	71,2	130	160	
0242	Potassium	mg/l		4,1	4,3	5,73	6,3		8,8	5,6	5,3	5,9	6,4	6,1	7,7	15	4,1	4,22	5,8	6,16	8,78	8,9	
0244	Calcium	mg/l		72	61	70,5	78		70	61	61	64	67	75	78	12	61	61	70	69	78	78	
0246	Magnesium	mg/l		9,4	8,8	14	17		24	13	13	15	15	13	18	12	8,8	8,98	14	14,5	22,2	24	
0300	Iron	mg/l		1,32	0,456	0,237	0,14	0,276	0,097	0,066	0,196	0,074	0,068	0,085	0,107	13	0,066	0,0668	0,14	0,261	0,974	1,32	
0304	Manganese	mg/l		0,092	0,0521	0,0711	0,0675	0,0848	0,0379	0,0202	0,0295	0,0197	0,0166	0,024	0,023	13	0,0166	0,0178	0,0295	0,0479	0,124	0,145	
0304	Manganese	mg/l		0,0334	0,0361	0,0607	0,0474	0,0353	0,00211	0,00449	0,00202	0,0114	0,0095	0,0172	0,0124	13	0,00202	0,00206	0,0142	0,0236	0,059	0,0607	
0310	Aluminium	µg/l		910	433	197	91,8	188	105	47,3	149	60,6	55,3	78,5	92,6	13	47,3	50,5	105	200	719	910	
0312	Antimony	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0314	Arsenic	µg/l		2,5	1,02	0,874	0,905	1,2	1,33	1,35	1,48	1,5	1,5	1,4	1,31	13	0,862	0,867	1,35	1,35	2,12	2,5	
0316	Barium	µg/l		65,1	58	61,8	67,5	98,6	75,2	68,2	66,3	60,2	65,1	67,7	69,7	13	58	58,9	67,5	70,9	103	120	
0318	Beryllium	µg/l	0,05	0,0701	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0521	0,0701	
0322	Boron	mg/l		0,0497	0,0429	0,0593	0,102	0,138	0,0958	0,075	0,0688	0,0693	0,0791	0,0777	0,0835	13	0,0429	0,0456	0,0777	0,0829	0,149	0,181	
0324	Cadmium	µg/l	0,05	0,116	0,0676	0,0612	0,0571	0,0714	0,0552	<	<	<	<	<	0,0517	13	<	<	0,0552	0,052	0,102	0,116	
0326	Chromium	µg/l	0,5	3,07	1,23	0,733	<	0,67	<	<	0,549	<	<	<	<	13	<	<	<	0,667	2,33	3,07	
0328	Cobalt	µg/l		0,72	0,537	0,527	0,453	0,571	0,416	0,333	0,337	0,278	0,27	0,278	0,286	13	0,27	0,273	0,416	0,429	0,686	0,72	
0330	Copper	µg/l		3,62	2,91	2,68	3,26	2,55	3,2	2,28	2,84	2,17	3,14	2,39	2,33	13	1,95	2,04	2,84	2,76	3,48	3,62	
0332	Mercury	µg/l		0,0385	0,0069	0,00458	0,00261	0,00561	0,00273	0,00148	0,00476	0,0021	0,00164	0,0019	0,0032	13	0,00148	0,00154	0,0032	0,00628	0,026	0,0385	
0334	Lead	µg/l		4,22	1,34	0,696	0,455	0,819	0,368	0,27	0,626	0,251	0,256	0,227	0,349	13	0,227	0,237	0,455	0,823	3,07	4,22	
0336	Lithium	µg/l		10,2	8,56	11	12,8	19,4	23,1	18,2	16,6	14,3	15,4	16,6	18,9	13	8,56	9,22	15,9	15,7	23	23,1	
0338	Molybdenum	µg/l		1	0,954	1,35	1,58	2,19	2,33	2,25	2,01	2,01	2,04	1,94	2,07	13	0,954	0,972	2,01	1,84	2,3	2,33	
0340	Nickel	µg/l		2,97	2,6	2,71	2,54	2,32	2,99	1,79	1,88	1,59	1,91	2,01	1,71	13	1,59	1,64	2,22	2,26	2,98	2,99	
0342	Selenium	µg/l		0,219	0,254	0,246	0,247	0,228	0,244	0,192	0,192	0,22	0,226	0,242	0,238	13	0,192	0,192	0,238	0,229	0,253	0,254	
0343	Strontium	µg/l		399	339	389	472	624	591	503	503	469	496	536	556	13	339	359	503	500	654	696	
0344	Thallium	µg/l	0,01	0,0375	0,021	0,024	0,0161	0,0139	0,0187	0,0148	0,0325	0,0152	0,0166	0,0112	0,0134	13	<	<	0,0166	0,0191	0,0355	0,0375	
0345	Tellurium	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0346	Tin	µg/l	0,05	0,264	0,132	0,0714	0,172	0,0841	0,0543	<	<	<	<	<	<	13	<	<	0,0543	0,0778	0,227	0,264	
0350	Vanadium	µg/l		3,03	1,74	1,36	1,35	1,71	1,7	1,66	2,04	1,86	1,85	1,75	1,58	13	1,35	1,35	1,74	1,8	2,63	3,03	
0354	Zinc	µg/l		24,8	13,4	10,8	8,21	8,09	9	5,08	9,76	4,94	9,2	8,63	7,79	13	4,94	5	9	9,83	20,2	24,8	
0373	Rubidium	µg/l		5,49	3,95	4,36	5,29	6,95	6,07	5,14	5,16	4,64	4,96	5,07	5,34	13	3,95	4,11	5,16	5,34	7,36	8,22	
0375	Uranium	µg/l		0,656	0,586	0,681	0,728	0,886	0,821	0,735	0,735	0,717	0,735	0,689	0,754	13	0,586	0,614	0,735	0,739	0,886	0,89	
V281	Cesium	µg/l		0,351	0,194	0,126	0,089	0,158	0,125	0,0854	0,13	0,0923	0,0833	0,0751	0,0854	13	0,0751	0,0784	0,125	0,135	0,288	0,351	

maandag 15 juli 2013

Page 3 of 25

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Metals, after filtration		055																					
0245	Calcium, 0.45 µm filtrate	mg/l	73	62	75,5	76	77	63	61	63	65	66	71	12	61	61,3	68,5	69	78,4	79			
0248	Magnesium, 0.45 µm filtrate	mg/l	9,4	8,8	15	17	24	13	12	15	15	12	18	12	8,8	8,98	14,5	14,5	22,2	24			
0302	Iron, 0.45 µm filtrate	mg/l	0,01	0,016	0,018	0,011	<	<	<	<	<	<	<	13	<	<	<	<	0,0172	0,018			
0309	Boron, 0.45 µm filtrate	µg/l	46,5	40,7	56,4	98	132	94,2	75,2	66,2	68,5	77,7	78,4	82,2	13	40,7	43	77,7	80,6	144	174		
0311	Aluminium, 0.45 µm filtrate	µg/l	10	<	10,7	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	10,7		
0313	Antimony, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
0315	Arsenic, 0.45 µm filtrate	µg/l	0,839	0,809	0,77	0,826	1,05	1,27	1,27	1,4	1,4	1,48	1,39	1,26	13	0,764	0,766	1,27	1,14	1,45	1,48		
0317	Barium, 0.45 µm filtrate	µg/l	54,4	53,8	59	66,8	77,7	75,3	67,9	64,4	60,2	64,9	70,6	69,1	13	53,8	54	66,8	66,3	78,3	80,3		
0319	Berullium, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
0325	Cadmium, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
0327	Chromium, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
0329	Cobalt, 0.45 µm filtrate	µg/l	0,244	0,312	0,411	0,395	0,416	0,349	0,297	0,226	0,234	0,236	0,23	0,233	13	0,226	0,228	0,297	0,308	0,431	0,445		
0331	Copper, 0.45 µm filtrate	µg/l	1,2	1,91	2,14	2,72	1,88	2,47	2,01	2,15	1,92	2,61	2,23	1,88	13	1,2	1,22	2,14	2,08	2,68	2,72		
0333	Mercury, 0.45 µm filtrate	µg/l	0,0005	0,00053	0,00067	0,00064	<	0,000595	<	<	<	<	<	13	<	<	<	<	0,00658	0,0067			
0335	Lead, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
0337	Lithium, 0.45 µm filtrate	µg/l	8,06	7,3	10,1	12,2	18,1	20,7	17,2	15,8	13,7	14,2	14,8	17,2	13	7,3	7,6	14,8	14,4	20,8	20,8		
0339	Molybdenum, 0.45 µm filtrate	µg/l	0,956	0,912	1,32	1,56	2,07	2,13	2,22	1,91	1,89	1,99	1,78	1,89	13	0,912	0,93	1,89	1,75	2,18	2,22		
0341	Nickel, 0.45 µm filtrate	µg/l	1,66	1,9	2,3	2,34	1,92	2,82	1,71	1,62	1,52	1,71	1,85	1,58	13	1,52	1,54	1,85	1,91	2,63	2,82		
0347	Tin, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
0349	Titanium, 0.45 µm filtrate	µg/l	1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
0351	Vanadium, 0.45 µm filtrate	µg/l	0,737	0,846	0,978	1,12	1,16	1,51	1,49	1,68	1,72	1,76	1,6	1,39	13	0,737	0,781	1,39	1,32	1,74	1,76		
0353	Silver, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
0355	Zinc, 0.45 µm filtrate	µg/l	5,38	5,73	6,29	6,04	2,97	5,29	3,78	5,36	3,18	6,46	5,5	4,78	13	1,14	1,96	5,36	4,9	6,39	6,46		
0359	Rubidium, 0.45 µm filtrate	µg/l	3,26	2,94	3,91	5,27	6,54	6,11	5,16	4,72	4,55	4,95	5,02	5,04	13	2,94	3,07	5,02	4,92	7,08	7,72		
0361	Uranium, 0.45 µm filtrate	µg/l	0,625	0,585	0,684	0,774	0,871	0,754	0,778	0,722	0,697	0,732	0,659	0,706	13	0,585	0,601	0,722	0,727	0,875	0,891		
0362	Selemium, 0.45 µm filtrate	µg/l	0,187	0,237	0,245	0,227	0,206	0,237	0,187	0,176	0,199	0,223	0,245	0,235	13	0,169	0,172	0,227	0,216	0,245	0,245		
0363	Strontium, 0.45 µm filtrate	µg/l	383	326	384	475	611	618	516	491	466	497	553	548	13	326	349	497	498	658	685		
0364	Thallium, 0.45 µm filtrate	µg/l	0,01	0,0148	0,0161	0,0197	0,0154	0,0129	0,0149	0,0144	0,0136	0,0126	0,0147	0,0112	<	13	<	<	0,0147	0,0137	0,0204	0,0209	
0365	Tellurium, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
V282	Cesium (filtr. 0.45 µm)	µg/l	0,05	<	<	<	0,053	0,0821	0,0787	0,0677	0,0595	0,0608	0,0599	<	13	<	<	0,0595	0,0514	0,0885	0,0951		
Complex buiders		060																					
0420	Anionic detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<		
0422	Cation-Active Detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	<		
0424	Non-ionic Surfactants	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	<		



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Mono cyclic aromatic hydrocarb 170																							
1074	Benzene	µg/l	0,01	<	<		0,0121	<	0,0126	<	<	<	0,0155	<	12	<	<	<	0,0146	0,0155			
1075	Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1080	1,2-Dimethylbenzene	µg/l	0,01	<	<	<	<	<	0,0164	<	<	<	<	<	13	<	<	<	0,0118	0,0164			
1088	Ethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1089	Ethylbenzene	µg/l	0,01	<	<	<	<	<	0,0112	<	<	<	<	<	13	<	<	<	<	0,0112			
1098	Methylbenzene	µg/l	0,01	<	<	0,0102	0,044	<	0,065	0,0128	<	0,0116	0,0316	0,0177	<	13	<	<	0,0109	0,0176	0,0566	0,065	
1106	Propylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1112	Chlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1115	2-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1116	3-Chloromethylbenzene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1119	1,2-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1120	1,3-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1121	1,4-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1127	Pentachlorobenzene	µg/l	0,00005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1131	1,2,3-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1132	1,2,4-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1133	1,3,5-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1797	Isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1832	1,3,5-Trimethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1951	1,2,4-Trimethylbenzene	µg/l	0,01	0,0118	<	<	<	<	0,0153	<	<	<	<	<	13	<	<	<	0,0139	0,0153			
1952	1,2,3-Trimethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1956	3-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1957	4-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1958	2-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1959	4-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1960	1-Methyl-4-isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
1998	t-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
2014	Bromobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,01	<	<	0,014	0,0184	<	0,0394	<	<	<	0,0232	0,0121	<	13	<	<	0,0113	0,0329	0,0394		
2064	s-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<			



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Poly cyclic aromatic hydrocarbo 180																						
1161	Acenaphthene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<		
1162	Acenaphthylene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<		
1163	Anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1165	Benzo(a)anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<		
1166	Benzo(b)fluoranthene	µg/l	0,00766	0,00402	0,00126	0,00143	0,00357	0,001	0,00097	0,00128	0,00075	0,00138	0,00092	0,00119	13	0,00075	0,00818	0,00128	0,00223	0,00654	0,00766	
1167	Benzo(k)fluoranthene	µg/l	0,00339	0,00187	0,00056	0,00056	0,00141	0,00031	0,00028	0,00041	0,00029	0,00046	0,0003	0,00036	13	0,00028	0,00284	0,00046	0,00893	0,00278	0,00339	
1168	Benzo(ghi)perylene	µg/l	0,0005	0,00395	0,002	0,00079	0,00071	0,00082	0,0006	0,00052	0,00076	<	0,00084	<	0,00074	13	<	<	0,00074	0,001	0,00317	0,00395
1169	Benzo(a)pyrene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<	
1172	Chrysene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<	
1173	Dibenzo(a,h)anthracene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<	
1180	Phenanthrene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<	
1181	Fluoranthene	µg/l	0,005	0,00867	0,00649	<	<	0,00506	<	<	<	<	<	13	<	<	<	<	0,00825	0,00867		
1182	Fluorene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<	
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,0005	<	<	<	<	<	<	0,00072	<	0,00081	<	0,0009	13	<	<	<	<	0,00864	0,0009	
1188	Pyrene	µg/l	0,01	<	<	<	<	<	<	<	<	0,01	<	6	<	*	*	<	*	0,01	<	
8450	Naphthalene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<	



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Organochlorine pesticides		200																				
2132	3-Chloropropene	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8006	Aldrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8162	o,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8163	p,p-DDD	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8164	o,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8165	p,p-DDE	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8166	o,p-DDT	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8167	p,p-DDT	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8199	2,6-Dichlorobenzamide (BAM)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	0,024	0,03	<	
8217	Dieldrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8263	alpha-Endosulfan	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8264	beta-Endosulfan	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8268	Endrin	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8358	Heptachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8359	Heptachloroepoxide	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8361	Hexachlorobenzene (HCB)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8362	alpha-Hexachlorocyclohexane (alpha)	µg/l	0,0001	<	<	<	<	<	0,00021	0,00011	<	0,0001	0,00011	<	13	<	<	<	<	0,00017	0,00021	
8363	beta-Hexachlorocyclohexane (beta)	µg/l	0,0001	0,0001	<	0,00018	0,00019	0,00024	0,00023	0,00024	0,00025	0,00049	0,00023	0,0005	0,00051	13	<	<	0,00023	0,000265	0,000506	0,00051
8379	Isodrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8393	Lindane (gamma-HCH)	µg/l		0,00028	0,00034	0,00042	0,00036	0,00031	0,00054	0,00052	0,00045	0,00023	0,00049	0,00022	0,00027	13	0,00022	0,000224	0,00034	0,000365	0,000532	0,00054
8428	Methoxychlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8441	Mirex	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8629	delta-Hexachlorocyclohexane (delta)	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8631	trans-Heptachloroepoxide	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8640	cis-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8641	trans-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8655	Oxychlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8656	epsilon-Hexachlorocyclohexane (eps)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
V330	hexachlorocyclohexaan (sum of 5 iso)	µg/l	0,125	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Organophosphorus and -sulphur p 210																				
8028	Azinphos-ethyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8029	Azinphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8044	Bentazon	µg/l	0,01	<	<	<	<	0,02	<	0,01	<	0,01	<	6	<	*	*	<	*	0,02
8059	Bromophos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8060	Bromophos-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8108	Chlorfenvinphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8173	Demeton-S-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8190	Dichlofenthion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8257	Dithianon	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8278	Ethion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8296	Fenchlorphos (Ronne)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8352	Glufosinate-ammonium	µg/l	0,015	<	<	<	<	<	<	0,02	<	<	<	12	<	<	<	<	0,0162	0,02
8354	Glyphosate	µg/l	0,015	0,02	<	<	0,05	0,03	0,03	0,04	0,03	<	0,04	12	<	<	0,025	0,0242	0,047	0,05
8360	Heptenophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8423	Methidathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8439	Mevinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8482	Parathion-ethyl	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8483	Parathion-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8500	Pirimiphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8526	Pyrazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8550	Sulfotep	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8572	Tetrachlorvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<

maandag 15 juli 2013

Page 8 of 25

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8600	Triazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,17	0,17	0,275	0,36	0,64	0,74	0,65	0,67	0,37	0,65	0,58	12	0,17	0,17	0,475	0,463	0,719	0,74	
8644	cis-Mevinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8652	Chlorpyriphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8702	Nicosulfuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8714	Iodosulfuron-methyl-sodium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8727	Triflusulfuron-methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
Organonitrogen pesticides		220																			
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
8127	Chloridazon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Carbamate herbicides		260																			
8003	Aldicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8004	Aldicarb-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8005	Aldicarb-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8068	Butocarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8069	Butoxycarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8277	Ethiofencarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8634	Butocarboxim-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8637	Thiofanox-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8638	Thiofanox-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Biocides		285																			
2077	Tributyltin	µg/l	0,0021	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	0,05	<	<	<	<	<	<	<	<	<	0,05
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8169	Diethyltoluamide (DEET)	µg/l	0,02	<	<	<	<	<	0,06	0,03	0,02	0,02	<	<	<	<	<	<	0,051	0,06	<
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8521	Propoxur	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Benzimidazole Fungicides		470																			
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	0,05	<	<	<	<	<	<	<	0,05
Conazole Fungicides		480																			
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Pyrimidine Fungicides		500																			
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Strobilurine Fungicides		510																			
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Unclassified Fungicides		520																		
8075	Captan	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8257	Dithianon	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Chlorophenoxy herbicides		230																		
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8404	Mecoprop (MCP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Phenylurea herbicides		240																			
8070	Buturon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8097	Chlorbromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8122	Chlortoluron	µg/l	0,05	0,07	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,0565	0,07	
8130	Chloroxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8226	Difenoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8258	Diuron	µg/l	0,01	<	<	<	<	0,01	0,01	0,01	0,01	0,01	0,01	13	<	<	0,01	<	0,01	0,01	
8382	Isoproturon	µg/l	0,01	0,02	0,01	<	<	<	0,01	<	<	<	<	13	<	<	<	<	0,02	0,02	
8394	Linuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8418	Methabenzthiazuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8446	Monolinuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8447	Monuron	µg/l	0,05	<	<	0,0575	0,1	<	<	<	<	<	<	12	<	<	<	<	0,097	0,1	
8456	Neburon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8665	1-(4-Chlorophenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8666	1-(3-Chloro-4-methylphenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8667	1-(4-Isopropylphenyl) urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8668	1-(4-Isopropylphenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
Dinitrophenol herbicides		250																			
8244	2,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8609	Trietazin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
Phenoxy Herbicides		550																			
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8404	Mecoprop (MCPP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Anilide Herbicides		570																			
8417	Metazachlor	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Chloroacetanilide Herbicides		580																			
8002	Alachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8513	Propachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Sulfonylurea Herbicides		610																			
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8702	Nicosulfuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
Urea Herbicides		620																			
8122	Chlortoluron	µg/l	0,05	0,07	<	<	<	<	<	<	<	<	<	12	<	<	<	<	0,0565	0,07	
8258	Diuron	µg/l	0,01	<	<	<	<	<	0,01	0,01	0,01	0,01	0,01	13	<	<	0,01	<	0,01	0,01	
8382	Isoproturon	µg/l	0,01	0,02	0,01	<	<	<	0,01	<	<	<	<	13	<	<	<	<	0,02	0,02	
8394	Linuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8418	Methabenzthiazuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Aryloxyphenoxy- Propionic Herbici		630																			
8675	Haloxfop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Triazin Herbicides 635																						
8026	Atrazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8138	Cyanazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8180	Desmetryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8415	Metamitron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8435	Metolachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,0139	0,0142		
8437	Metribuzin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8512	Prometryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8517	Propazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8547	Simazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8567	Terbutryne	µg/l	0,02	<	<	<	<	<	0,03	<	<	<	<	<	<	<	<	<	0,024	0,03		
8568	Terbutylazine	µg/l	0,02	<	<	<	<	<	<	0,03	<	<	<	<	<	<	<	<	0,024	0,03		
Thiocarbamate Herbicides 640																						
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Unclassified Herbicides 645																						
8044	Bentazon	µg/l	0,01	<	<	<	<	0,02	<	0,01	<	0,01	<	6	<	*	*	<	*	0,02		
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
8127	Chloridazon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
8354	Glyphosate	µg/l	0,015	0,02	<	<	0,05	<	0,03	<	0,03	0,04	0,03	<	0,04	12	<	<	0,025	0,0242	0,047	0,05
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
8677	loxylin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
8686	Sebutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<		
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
Unclassified plant growth regulator 952																						
6243	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Insecticides 290																				
8143	Cyhalothrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Pyrethroid Insecticides 650																				
8143	Cyhalothrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8170	Deltamethrin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Carbamate Insecticides 660																				
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Organophosphorus Insecticides 670																				
8029	Azinphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Benzoylurea Insecticides 690																				
8558	Teflubenzuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
Insecticides Produced By Fermenta 700																				
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Unclassified Insecticides 710																				
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8691	Pyridaben	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8692	Pyriproxyphen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8703	Pymetrozine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Unclassified Molluscicides 750																				
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Nematicides 860																				
1784	cis-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
Pesticide metabolites 954																				
2023	4-Isopropylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2032	3-Chloro-4-methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8113	4-Chloro-2-methylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8176	Desethylatrazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8178	Desisopropylatrazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Various pesticides and metabolics 300																				
8075	Captan	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8691	Pyridaben	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8692	Pyriproxyphen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<
8708	Dimethenamid-p	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8715	Mefenpyr-diethyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Ethers		302																					
1428	Diisopropylether	µg/l	0,01	<	0,0129	0,0108	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0121	0,0129		
1457	Bis(2-(2-methoxyethoxy)ethyl) ether (µg/l		0,05	0,06	0,07	0,15		0,16	0,16	0,14	0,135	0,16	0,15	0,15	15	0,05	0,056	0,14	0,121	0,164	0,17	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	<	0,0425	0,0429	0,0213	0,0137	0,0215	<	0,0475	<	<	0,0313	<	13	<	<	0,0213	0,02	0,0457	0,0475	
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,05	<	<	0,0733	0,08		0,075	0,06	<	<	0,06	0,11	0,1	15	<	<	0,07	0,0603	0,104	0,11	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
2173	Triethyleneglycol dimethylether (Trigl	µg/l	0,05	<	0,05	0,0767	0,18		0,17	0,19	0,15	0,135	0,14	0,12	0,12	15	<	<	0,13	0,121	0,184	0,19	
2244	Tertiary amyl methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
Fuel additives		303																					
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	<	0,0425	0,0429	0,0213	0,0137	0,0215	<	0,0475	<	<	0,0313	<	13	<	<	0,0213	0,02	0,0457	0,0475	
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
2244	Tertiary amyl methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
Various organic substances		305																					
1077	Cyclohexane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
1079	Dicyclopentadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1432	Dimethoxymethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1753	Dimethyldisulfide	µg/l	0,01	<	0,0168	<	0,012	0,0165	<	<	<	<	<	<	<	13	<	<	<	<	0,0235	0,028	
1764	Tributylphosphate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1767	Triphenylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1768	Triphenylphosphine oxide	µg/l	0,05	<	0,07	0,105	0,13		0,12	0,12	0,08	0,08	0,1	0,12	0,1	12	<	<	0,1	0,0962	0,127	0,13	
2037	2-Aminoacetophenone	µg/l				0,03			0,04			0,04			0,03	4	0,03	*	*	0,035	*	0,04	
2092	Methylmethacrylate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V129	tetrahydro-2,2,5,5-tetramethylfuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial solvents		431																			
1027	Bromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1040	1,2-Dichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1044	Dichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1049	Hexachlorobutadiene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1056	Tetrachloroethene	µg/l	0,01	<	<	<	<	<	0,0148	<	<	<	<	<	13	<	<	<	<	0,0109	0,0148
1057	Tetrachloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1063	Trichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1064	Trichloromethane	µg/l	0,01	<	<	<	<	<	0,0445	0,0125	<	<	<	<	13	<	<	<	<	0,0317	0,0445
1070	1,2,3-Trichloropropane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1828	cis-1,2-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1829	trans-1,2-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1954	1,1,1,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1955	1,1,2,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2015	Chloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8205	1,2-Dichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
industrial chemicals (with arom. nit 434)																					
1683	Aniline	µg/l	0,03				0,03			0,03				<	4	<	*	*	0,0337	*	0,06
1700	N-Methylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
1705	3-Chloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
1708	2,3-Dichloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
1713	2,3,4-Trichloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
1716	2,4,5-Trichloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
1717	2,4,6-Trichloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
1718	3,4,5-Trichloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
1786	3-Methylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
1862	N,N-Diethylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
1864	N-Ethylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
1979	2,4,6-Trimethylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2024	2,4-Dimethylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2027	3,4-Dimethylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2028	2,3-Dimethylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2029	3-Chloro-4-methylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2033	4-Methoxy-2-nitroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2034	2-Nitroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2035	3-Nitroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2038	2-(Phenylsulfon)aniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2053	N,N-Dimethylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2055	2,4- and 2,5-Dichloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2056	2-Methoxyaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2057	2- and 4-Methylaniline	µg/l	0,03			0,03	<			<				<	4	<	*	*	<	*	0,03
2058	2-(Trifluoromethyl)aniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2059	2,5- and 3,5-Dimethylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
2175	2,4,5-Trimethylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
8063	4-Bromoaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
8094	2-Chloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
8115	4-Chloroaniline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8196	2,6-Dichloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
8197	3,4-Dichloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
8198	3,5-Dichloroaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<
8222	2,6-Diethylaniline	µg/l	0,03	<			<			<				<	4	<	*	*	<	*	<

maandag 15 juli 2013

Page 19 of 25

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
8239	2,6-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
Industrial chemicals (with volatile h 437																				
1035	Dibromomethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1039	1,1-Dichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1041	1,1-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1050	Hexachloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1061	1,1,1-Trichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
1962	Chloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
2016	Chloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
8206	1,3-Dichloropropane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial chemicals (with phenols) 439																				
1528	3-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1529	4-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1531	2,3-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1533	2,6-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1534	3,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1535	3,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1541	2,3,4-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1542	2,3,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1543	2,3,6-Trichlorophenol	µg/l	0,02	<	<	<	<	0,03	<	<	<	<	<	<	<	<	<	<	0,024	0,03
1544	3,4,5-Trichlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1847	3-Nitrophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2008	2,3-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2010	2,6-Dimethylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2011	3,4-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2012	3,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2081	2-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2248	2,5-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*
2249	2,6-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*
2250	3,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*
8104	2-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8460	2-Nitrophenol	µg/l	0,05	<	<	<	0,06	<	<	<	<	<	<	<	<	<	<	<	0,074	0,08
8602	2,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8603	2,4,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8733	2,3-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Industrial chemicals (with PCBs) 440																							
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,0001	0,00013	0,00014	0,00024	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0002	0,00024		
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,0001	0,00014	0,00019	0,00014	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00017	0,00019		
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB 12)	µg/l	0,00005	0,00013	0,00015	0,00013	0,00006	0,00007	<	0,00007	0,00008	<	0,00007	0,00006	<	13	<	<	0,00007	0,000742	0,000142	0,00015	
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB 18)	µg/l	0,00005	0,00006	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	0,00006	
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PCB 28)	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PCB 29)	µg/l	0,00005	0,00017	0,00014	0,00009	0,00005	0,00009	<	0,00007	0,00009	<	0,00008	0,00006	<	13	<	<	0,00008	0,000773	0,000158	0,00017	
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (PCB 29)	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
Cooling agents 430																							
2017	Dichlorodifluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<	
2019	Trichlorofluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<	
Disinfection agents 444																							
2005	2-Methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<	
8114	4-Chloro-3-methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<	
Disinfection byproducts 446																							
1028	Bromodichloromethane	µg/l	0,01	<	<	<	<	<	0,0218	<	<	<	<	<	13	<	<	<	<	0,0151	0,0218		
1033	Dibromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<	
1058	Tribromomethane	µg/l	0,01	<	<	<	<	<	0,0246	0,0303	<	<	<	<	13	<	<	<	<	0,028	0,0303		
Flameretardants 380																							
2109	2,4,2',4'-Tetrabromodiphenylether (PBDE 209)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2110	2,4,2',5'-Tetrabromodiphenylether (PBDE 209)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2111	2,3,4,2',4'-Pentabromodiphenylether (PBDE 209)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2112	2,4,5,2',4'-Pentabromodiphenylether (PBDE 209)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2113	2,4,6,2',4'-Pentabromodiphenylether (PBDE 209)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2114	2,4,5,2',4',5'-Hexabromodiphenylether (PBDE 209)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2115	2,4,5,2',4',6'-Hexabromodiphenylether (PBDE 209)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2169	2,4,4'-Tribromodiphenylether (PBDE 209)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2170	2,3,4,2',4',5'-Hexabromodiphenylether (PBDE 209)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
X-ray contrast agents		340																				
6232	Diatrizoic Acid	µg/l	0,03		0,15	0,08		0,16	0,17	0,13	0,08	0,17	0,16	0,24	11	0,03	0,04	0,16	0,138	0,226	0,24	
6234	Iohexol	µg/l	0,15	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	0,15	
6235	Iomeprol	µg/l	0,05	0,14	0,335	0,32	0,42	0,31	<	0,18	0,17	0,15	0,2	11	<	<	0,2	0,235	0,404	0,42		
6236	Iopamidol	µg/l	0,1	<	0,125	<	0,18	0,2	<	0,12	0,11	0,24	0,17	11	<	<	0,12	0,131	0,232	0,24		
6237	Iopanoic acid	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6238	Iopromide	µg/l		0,09	0,19	0,14		0,13	0,1	0,09	0,09	0,06	0,07	11	0,06	0,062	0,1	0,114	0,19	0,19		
6239	Iothalamic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
6240	Ioxaglic acid	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
6241	Ioxitalamic acid	µg/l	0,05	<	0,065	<	<	<	<	<	<	<	0,05	11	<	<	<	<	0,074	0,08		
Chemotherapy		345																				
6218	Cyclophosphamide	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
Antibiotics		310																				
6032	Sulfamethoxazole	µg/l		0,02	0,02	0,03		0,02	0,03	0,03	0,02	0,03	0,04	0,04	11	0,02	0,02	0,03	0,0273	0,04	0,04	
6083	Monensin	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6184	Chloramphenicol	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6189	Cloxacillin	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6191	Dicloxacillin	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6195	Erythromycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
6199	Nafcillin	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6202	Oleandomycin	µg/l	0,02		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6203	Oxacillin	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6208	Roxithromycin	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6209	Spiramycin	µg/l	0,05		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6215	Trimethoprim	µg/l	0,02		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6253	Indomethacin	µg/l	0,02		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6259	Lincomycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<		
6265	Tiamulin	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
Antibiotics (Sulphamides)		315																				
6190	Dapsone	µg/l	0,05		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
6211	Sulfamethazine	µg/l	0,05		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		
Beta-adrenergic blocking agents		320																				
6226	Metoprolol	µg/l	0,03	0,08	0,105	0,06		0,03	0,04	0,04	0,06	<	0,08	0,08	11	<	<	0,06	0,0632	0,114	0,12	
6228	Propranolol	µg/l	0,03		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<		

maandag 15 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Analgesic and anti-inflammatory dr 350																					
6249	Diclofenac	µg/l	0,01	0,05	0,035	<	<	<	<	<	<	<	0,01	11	<	<	<	0,015	0,058	0,06	
6250	4-Dimethylaminoantipyrine	µg/l	0,05		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6251	Fenoprofen	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6252	Ibuprofen	µg/l	0,01	0,03	0,025	0,01	<	<	<	<	<	<	<	11	<	<	<	0,0114	0,03	0,03	
6254	Ketoprofen	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6255	Naproxen	µg/l	0,02		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6260	Tolfenamic acid	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6264	Primidone	µg/l	0,03		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6309	Phenazone	µg/l	0,01	0,02	<	<	0,01	0,01	<	<	<	0,01	<	11	<	<	<	<	0,018	0,02	
Lipid-lowering drugs 360																					
6230	Pentoxifylline	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6242	Bezafibrate	µg/l	0,01	0,02	0,02	0,02	<	<	<	<	<	<	<	11	<	<	<	0,0105	0,02	0,02	
6243	Clofibrac acid	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6245	Fenofibrate	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6247	Gemfibrozil	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
6273	Clofibrate	µg/l	0,02		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
Various pharmaceuticals 370																					
1613	Caffein	µg/l	0,05		0,285	0,16	<	0,05	0,06	0,06	<	0,06	0,06	10	<	<	0,06	0,107	0,297	0,3	
1860	Carbamazepine	µg/l		0,03	0,04	0,06	0,06	0,07	0,06	0,07	0,06	0,06	0,07	11	0,03	0,032	0,06	0,0564	0,07	0,07	
6262	Fenoterol	µg/l	0,05		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
8677	loxynil	µg/l	0,05		<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
Endrocrin disrupting compounds (400																					
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2076	17 alpha-Ethinylestradiol	µg/l	0,5		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2196	Tetrabutyltin	µg/l	0,0018	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2197	Triphenyltin ion	µg/l	0,0017	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2199	Dibutyltin	µg/l	0,0051	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2201	Diphenyltin	µg/l	0,0044	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6356	Estrone	µg/l	0,1		<	<	<	<	<	<	<	<	<	10	<	<	<	<	0,122	0,13	
6358	Progesterone	µg/l	0,01		<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Stellendam (M876)

1-1-2011 up to 31-12-2011

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
unspecified substances	980																				
2013	1,1-Dichloropropene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
2036	4-Methyl-3-nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2066	3- and 4-Methylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
2068	2,4- and 2,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
2176	3- and 4-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
V121	2-Nitrophenol and 4-Nitrophenol	µg/l	0,05			<							0,06	4	<	*	*	<	*	0,06	

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.

