

Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds 010																						
0120	Water temperature	°C	5,73	2,5	9	10,4	13,9	17,6	19	20,9	17,4	14,7	9,95	5,8	26	0,4	4,57	11,6	12,2	19,8	21,1	
0122	Oxygen	mg/l	11,9	13,5	11,7	11,3	10,6	8,9	8,75	7,4	9,2	9,8	10,8	12,4	13	7,4	7,56	10,6	10,4	13,1	13,5	
0123	Oxygen saturation	%	94,2	93,5	95,6	98,4	94,9	83	81,5	68,2	85,1	90,5	95	97	13	68,2	70	93,5	89,1	97,8	98,4	
0128	Suspended matter	mg/l	2	7,4	2,05	<	<	<	3,08	2,95	3,75	<	3,25	2,05	51	<	<	2	2,67	4,8	21	
0173	smell ratio quantitative	-	1	1,2	1	1,3	1,8	1,1	1,05	0,5	0,5	0,6	1,3	1	13	0,5	0,5	1	1,03	1,6	1,8	
0180	pH	pH	8,1	8,22	8,35	8,35	8,27	8,3	8,23	8,1	8,14	8,22	8,23	8,23	51	7,86	8,08	8,23	8,23	8,4	8,68	
0182	Equilibrium pH	pHs	7,7	7,65	7,5	7,5	7,42	7,63	7,6	7,65	7,63	7,55	7,52	7,44	13	7,42	7,43	7,57	7,57	7,68	7,7	
0184	Saturation index	SI	0,22	0,43	0,62	0,84	0,9	0,66	0,645	0,5	0,59	0,57	0,58	0,77	13	0,22	0,304	0,62	0,613	0,876	0,9	
0200	Conductivity (at 20 °C)	mS/m	45	47,5	58,8	70,8	60,9	53,2	48,2	51	58,9	57,8	56,1	55,5	51	39,9	46	54,5	55,1	66,4	75	
0250	Total hardness	mmol/l	1,67	1,75	2,18	2,37	2,27	1,76	1,68	1,74	1,99	2	2,08	2,34	13	1,61	1,64	1,99	1,96	2,36	2,37	
0250R	Total hardness, (mg/l CaCO3)	mg/l	167	175	218	237	227	176	169	174	199	200	208	234	13	161	164	199	197	236	237	
0251	Total hardness, 0.45 µm filtrate	mmol/l		1,74		2,29		1,86	1,74		1,92		2,07		6	1,74	*	*	1,94	*	2,29	
Radio activity 020																						
0160	beta Radioactivity, total	Bq/l	0,09		0,13		0,11		0,11		0,15		0,13		6	0,09	*	*	0,12	*	0,15	
0161	alpha Radioactivity, total	Bq/l	0,1	<	<		<		<		<		<		6	<	*	*	<	*	<	
0162	Residual beta radioactivity (without K	Bq/l	0,04	<	<		<		<		<		<		6	<	*	*	<	*	<	
0164	Tritium (H-3)	Bq/l	3	<	3,1	5,5	5,4	<	7,4	4,7	4,8	4,4	6,9	5,2	13	<	<	4,8	4,35	7,2	7,4	
Inorganic compounds 030																						
0220	Carbon dioxide	mg/l							1,5	1,5				2	3	*	*	*	*	*	*	
0222	Bicarbonate	mg/l	130	145	177	177	180	153	160	154	157	168	173	188	13	130	136	162	163	185	188	
0230	Chloride	mg/l	57,5	60,3	81,8	111	90,8	76,2	57,5	70,7	92,4	83,5	77,7	75,3	51	47,9	55,2	75,8	77,3	106	125	
0232	Sulfate	mg/l	33	43	53	62	61	51	44,5	49	58	55	55	54	13	33	37	53	51	61,6	62	
0288	Silicate	mg/l	3,4	3,2	3,4	2,2	0,8	0,77	2	2,1	1,4	2,1	3	3,4	13	0,77	0,782	2,1	2,29	3,4	3,4	
0382	Fluoride	mg/l	0,15	0,14	0,15	0,14	0,16	0,12	0,205	0,16	0,16	0,17	0,16	0,16	13	0,12	0,128	0,16	0,16	0,218	0,25	
0386	Cyanide, total	µg/l	1	1,1	<	<	<	2,05	<	<	<	<	<	<	13	<	<	<	<	2,12	2,4	
0394	Bromate	µg/l	0,1	<	0,5		0,6		0,7		1,5		0,9		6	<	*	*	0,708	*	1,5	

Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Nutrients																					040		
0271	Ammonium (NH4)	mg/l	0,11	0,15	0,21	0,06	0,07	0,12	0,075	0,105	0,09	0,1	0,085		14	0,05	0,055	0,095	0,103	0,18	0,21		
0274	Kjeldahl Nitrogen	mg/l	0,6		0,4			0,6	0,5	0,7	0,5		0,3		7	0,3	*	*	0,514	*	0,7		
0276	Organic Nitrogen	mg/l	0,3		<			0,5	0,4	0,6	0,4		<		6	<	*	*	0,367	*	0,6		
0281	Nitrite-NO2	mg/l	0,118		0,104		0,051		0,086		0,045		0,032		6	0,032	*	*	0,0727	*	0,118		
0283	Nitrate-NO3	mg/l	14,4	13,7	15,2	13,1	10,1	7,9	7,1	6,1	6	8,4	11,5	12,2	13	6	6,04	10,1	10,2	14,9	15,2		
0284D		mg/l	0,215	0,212	0,221	0,135	0,12	0,132	0,224	0,325	0,313	0,264	0,313	0,254	13	0,12	0,124	0,221	0,227	0,32	0,325		
0286D		mg/l	0,316		0,233		0,199		0,35		0,365		0,304		6	0,199	*	*	0,294	*	0,365		
Group compounds																					070		
0210	Anions	meq/l	4,41	4,96	6,55	7,72	7,19	6,09	5,19	5,8	7,15	6,12	6,3	6,54	13	4,41	4,63	6,12	6,09	7,51	7,72		
0212	Cations	meq/l	4,35	4,72	6,11	7,63	6,94	5,83	5,12	5,53	6,51	6	5,95	6,46	13	4,35	4,5	5,95	5,87	7,35	7,63		
0401	Total organic carbon (TOC)	mg/l	3,8	3,8	2,9	3,4	2,7	3,1	3,1	3	2,9	2,8	3,2	3,1	13	2,7	2,74	3,1	3,15	3,8	3,8		
0403	Dissolved organic carbon (DOC)	mg/l	4	3,6	3,3	3	3,05	2,8	3	3,3	2,9	2,6	2,6	3,1	13	2,6	2,6	3	3,1	3,84	4		
0404	Chemical oxygen demand (COD)	mg/l	10	<	<	<	10	15,5	<	<	<	<	<	<	13	<	<	<	<	15,6	16		
0406	Biochemical oxygen demand (BOD5)	mg/l	1,6	1,3	1,4	1,2	0,895	0,88	1,8	1,2	0,95	0,79	1,3	0,98	13	0,59	0,67	1,2	1,17	1,72	1,8		
0410	UV absorbance, 254 nm	1/m			9,7			8,1			8,5			9	4	8,1	*	*	8,83	*	9,7		
0412	Colour (Pt/Co scale)	mg/l	18		9			11			10			10	6	8	*	*	11	*	18		
0430	Adsorbable organohalogen compou	µg/l	0,39	0,29	0,21	0,35	0,3	0,28	0,265	0,27	0,29	0,34	0,31	0,41	13	0,21	0,226	0,29	0,305	0,402	0,41		
0466	Cholinesterase inhibitors	µg/l	0,1	<	<	0,1	<	0,125	<	<	<	<	<	<	13	<	<	<	<	0,16	0,2		
Summend compounds																					080		
0451	Trihalomethanes, total	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2020		µg/l	0,07	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<		
2022	Tetra- and Trichloroethene (sum)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Biological compounds																					090		
0614		n/100 ml	1	660	19	36	2	33,2	16	270	5	2	100	10	110	13	<	1,1	19	99,7	504	660	
0618	Coliform bacteria, total (37 °C)	n/ml		29000	100	100	4000	0	1100	750	2100	2200	7100	1100	1800	13	0	40	1100	3850	20200	29000	
0624		n/100 ml	1	236	3	13	2	30,2	2	210	2	<	9	10	15	13	<	<	9	43,3	226	236	
0626		n/100 ml	1	396	11,4	21,6	2	33,2	10	270	5	1	34	10	110	13	<	<	11,4	72,1	346	396	
0634		n/100 ml		13	10	0	18	0	2	1,5	4	8	10	0	2	13	0	0	2	5,38	16	18	
0636		n/ml		4700	500	0	4500	0	400	2200	1100	3700	8900	400	900	13	0	0	900	2270	7220	8900	
0664		n/100 ml		0	7	2	3	4	4	18	4	1	4	9	3	13	0	0,4	4	5,92	21,6	30	
Hydrobiological compounds																					095		
7100	Chlorophyll-a	µg/l	2	<	<	10,5	<	<	<	2,67	5	4	<	<	<	26	<	<	<	2,54	7,3	20	
7110	Phaeophytine	µg/l	2	<	<	2,5	<	<	<	2,67	<	2,5	<	<	<	26	<	<	<	<	4	4	

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Metals	050																			
0240 Sodium	mg/l	26,4	29,8	42,3	62,5	50	39	31,4	38,5	50,8	47,3	40,5	36,3	51	23	27,2	40	40,9	58,2	69
0242 Potassium	mg/l	3,75	3,7	4,7	6	5,1	4,2	3,6	4,7	5,1	4,7	4,7	4,5	14	3,1	3,4	4,6	4,44	5,55	6
0244 Calcium	mg/l	55	57	71	72	71	54	55	54	60	65	67	78	13	54	54	60	62,6	75,6	78
0246 Magnesium	mg/l	7,3	8	10	14	12	10	7,6	9,6	12	9,2	9,9	9,6	13	6,4	6,76	9,6	9,75	13,2	14
0300 Iron	mg/l	0,466	0,225	0,125	0,055	0,0545	0,127	0,126	0,035	0,066	0,083	0,08	0,093	13	0,025	0,029	0,084	0,122	0,37	0,466
0304 Manganese	mg/l	0,0328	0,0289	0,0365	0,0433	0,0353	0,042	0,0365	0,0162	0,0178	0,0256	0,0198	0,0271	13	0,0162	0,0168	0,0328	0,0305	0,0428	0,0433
0310 Aluminium	µg/l	399	182	91,9	48,6	36,8	99,9	93,9	28,6	58,1	75,7	56,9	65,4	13	19,9	23,4	65,4	98	312	399
0312 Antimony	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0314 Arsenic	µg/l	0,983	0,751	0,791	0,798	0,952	1,15	1,52	1,4	1,54	1,47	1,02	0,929	13	0,751	0,752	1,02	1,1	1,53	1,54
0316 Barium	µg/l	48,6	46,6	52,1	58,2	53,5	55,1	50,4	48,9	56,2	60,2	51,7	57,2	13	46	46,2	52,1	53,2	60,7	61
0318 Beryllium	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0322 Boron	mg/l	0,035	0,033	0,0449	0,0547	0,0547	0,0429	0,0516	0,0508	0,0567	0,0618	0,0453	0,0498	13	0,033	0,0338	0,0498	0,0489	0,0614	0,0618
0324 Cadmium	µg/l	0,05	0,0716	<	<	0,055	<	<	<	<	<	<	<	13	<	<	<	<	0,065	0,0716
0326 Chromium	µg/l	0,5	1,24	0,554	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,966	1,24
0328 Cobalt	µg/l	0,421	0,282	0,343	0,377	0,33	0,311	0,311	0,266	0,27	0,273	0,199	0,21	13	0,199	0,203	0,311	0,302	0,403	0,421
0330 Copper	µg/l	3,62	2,63	2,33	2,57	2,47	2,58	2,59	2,58	2,45	2,25	2,25	3,04	13	2,25	2,25	2,57	2,6	3,39	3,62
0332 Mercury	µg/l	0,00821	0,00258	0,00353	0,00147	0,00134	0,00258	0,00288	0,0009	0,00117	0,00194	0,00191	0,00255	13	0,00077	0,00822	0,00194	0,00249	0,00634	0,00821
0334 Lead	µg/l	1,35	0,479	0,379	0,168	0,23	0,397	0,478	0,152	0,245	0,26	0,299	0,368	13	0,137	0,143	0,323	0,387	1	1,35
0336 Lithium	µg/l	7,11	6,75	9,89	11,8	11,9	10,3	11,4	11,2	14	16,5	11,9	11,6	13	6,75	6,89	11,4	11,2	15,5	16,5
0338 Molybdenum	µg/l	0,931	0,913	1,16	1,43	1,52	1,48	1,7	1,67	1,82	1,81	1,63	1,26	13	0,913	0,92	1,51	1,45	1,82	1,82
0340 Nickel	µg/l	2,54	1,97	1,99	1,99	1,58	1,99	2	1,67	1,68	1,56	1,6	1,65	13	1,55	1,55	1,68	1,83	2,32	2,54
0342 Selenium	µg/l	0,193	0,178	0,203	0,216	0,197	0,193	0,188	0,197	0,194	0,216	0,194	0,187	13	0,178	0,182	0,194	0,196	0,216	0,216
0343 Strontium	µg/l	279	264	348	400	410	414	366	354	421	462	390	400	13	264	270	390	378	459	462
0344 Thallium	µg/l	0,0227	0,0147	0,0138	0,0159	0,0169	0,0188	0,0151	0,0194	0,0164	0,0137	0,0142	0,0123	13	0,0123	0,0129	0,0159	0,0162	0,0214	0,0227
0345 Tellurium	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0346 Tin	µg/l	0,05	0,119	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0814	0,119
0350 Vanadium	µg/l	1,84	1,21	1	1,12	1,23	1,59	1,91	1,76	1,84	1,66	1,13	1,07	13	1	1,02	1,41	1,43	1,88	1,91
0354 Zinc	µg/l	22	12,4	8,47	9,78	5,41	7,94	5,95	5,05	7,73	6,95	6,56	14,3	13	5,05	5,14	7,73	9,07	18,9	22
0373 Rubidium	µg/l	4,05	3,16	3,46	4,09	4,12	3,94	4,22	4,1	4,35	4,49	3,82	3,74	13	3,16	3,28	4,05	3,97	4,43	4,49
0375 Uranium	µg/l	0,443	0,45	0,599	0,682	0,651	0,681	0,571	0,558	0,635	0,714	0,653	0,684	13	0,443	0,446	0,635	0,613	0,725	0,732
V281 Cesium	µg/l	0,183	0,0961	0,0769	0,0718	0,0752	0,12	0,105	0,0856	0,099	0,0917	0,0829	0,0818	13	0,0594	0,0644	0,0909	0,0957	0,158	0,183

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Metals, after filtration		055																					
0245	Calcium, 0.45 µm filtrate	mg/l	54	56	68	71	69	57	58	55	58	63	66	74	13	54	54,4	61	62,1	72,8	74		
0248	Magnesium, 0.45 µm filtrate	mg/l	6,9	8,1	11	12	12	10	8,95	9,7	11	9,8	9,9	10	13	6,9	7,38	9,9	9,87	12	12		
0302		mg/l	0,01	0,046	0,068	0,016	<	0,011	<	0,013	<	<	<	<	13	<	<	<	0,0154	0,0592	0,068		
0309	Boron, 0.45 µm filtrate	µg/l	32,5	30,9	43,9	53,8	54,5	41,7	50,9	50,5	56,6	59,3	46,2	49	13	30,9	31,5	49	48	60	60,5		
0311	Aluminium, 0.45 µm filtrate	µg/l	10	21,6	59,2	<	<	<	<	<	<	<	<	<	13	<	<	<	10,4	44,2	59,2		
0313	Antimony, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0315	Arsenic, 0.45 µm filtrate	µg/l	0,811	0,691	0,721	0,788	0,923	1,09	1,44	1,43	1,54	1,51	0,966	0,898	13	0,691	0,703	0,966	1,06	1,53	1,54		
0317		µg/l	45,1	45,9	52,5	58,4	53,2	53,8	49,2	47,6	57,4	59	52,4	55,1	13	44,6	44,8	52,5	52,5	60,6	61,7		
0319		µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0325	Cadmium, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0327	Chromium, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0329	Cobalt, 0.45 µm filtrate	µg/l	0,215	0,224	0,298	0,347	0,304	0,236	0,243	0,227	0,231	0,221	0,156	0,148	13	0,148	0,151	0,231	0,243	0,334	0,347		
0331	Copper, 0.45 µm filtrate	µg/l	2,32	2,26	2,04	2,31	2,24	2,16	1,9	2,28	2,18	2,18	2,04	2,2	13	1,9	1,96	2,2	2,18	2,32	2,32		
0333	Mercury, 0.45 µm filtrate	µg/l	0,0003	0,00121	0,0015	0,00069	0,00046	0,000475	0,00052	0,0004	<	<	0,00044	0,00056	13	<	<	0,00046	0,00552	0,00138	0,0015		
0335	Lead, 0.45 µm filtrate	µg/l	0,1	0,173	0,208	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,194	0,208		
0337	Lithium, 0.45 µm filtrate	µg/l	5,73	5,98	8,86	10,9	11,6	9,65	10,1	10,2	13,3	15	11,2	11,3	13	5,73	5,83	10,6	10,4	14,3	15		
0339	Molybdenum, 0.45 µm filtrate	µg/l	0,908	0,88	1,12	1,36	1,51	1,43	1,6	1,67	1,81	1,69	1,59	1,31	13	0,88	0,891	1,48	1,41	1,76	1,81		
0341	Nickel, 0.45 µm filtrate	µg/l	1,92	1,75	1,9	1,85	1,5	1,79	1,84	1,57	1,55	1,48	1,52	1,45	13	1,45	1,46	1,57	1,66	1,91	1,92		
0347	Tin, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0349	Titanium, 0.45 µm filtrate	µg/l	1	1,17	2,97	<	<	<	<	<	<	<	<	<	13	<	<	<	<	2,25	2,97		
0351	Vanadium, 0.45 µm filtrate	µg/l	1,03	0,932	0,839	1,03	1,13	1,38	1,77	1,64	1,75	1,48	1,02	0,949	13	0,839	0,876	1,03	1,24	1,76	1,77		
0353	Silver, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0355	Zinc, 0.45 µm filtrate	µg/l	11,5	9,12	6,78	7,76	4,38	5,57	2,73	4,7	6,45	5,13	5,44	8,99	13	2,73	2,93	5,57	6,38	10,5	11,5		
0359		µg/l	3,21	2,84	3,3	3,93	4,03	3,65	3,93	3,89	4,35	4,15	3,76	3,59	13	2,84	2,99	3,88	3,74	4,28	4,35		
0361	Uranium, 0.45 µm filtrate	µg/l	0,434	0,453	0,579	0,675	0,659	0,659	0,544	0,549	0,656	0,679	0,65	0,702	13	0,434	0,442	0,65	0,608	0,729	0,747		
0362	Selemium, 0.45 µm filtrate	µg/l	0,188	0,182	0,202	0,212	0,196	0,199	0,174	0,197	0,208	0,234	0,193	0,181	13	0,174	0,177	0,197	0,197	0,225	0,234		
0363	Strontium, 0.45 µm filtrate	µg/l	274	267	357	401	402	406	367	341	420	440	393	398	13	267	270	393	374	441	442		
0364	Thallium, 0.45 µm filtrate	µg/l	0,0153	0,0128	0,0112	0,0144	0,0163	0,0162	0,0125	0,0186	0,0162	0,012	0,0133	0,0122	13	0,0112	0,0115	0,0144	0,0144	0,0177	0,0186		
0365	Tellurium, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
V282	Cesium (filtr. 0.45 µm)	µg/l	0,05	0,054	0,053	<	0,0507	0,0607	0,0715	0,0656	0,0728	0,0746	0,0608	0,0594	0,057	13	<	<	0,0594	0,0589	0,0739	0,0746	



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Complex buiders	060																			
0420 Anionic detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
0422 Cation-Active Detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
0424 Non-ionic Surfactants	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1793 Nitrioltriacetic acid (NTA)	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
1794 Ethylenediaminetetraacetic acid (ED)	µg/l	5	6	6	6	6	<	<	<	<	<	<	9	12	14	<	<	<	10,5	12
2003 Diethylenetriaminepentaacetic acid ()	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Mono cyclic aromatic hydrocarb 170																						
1074	Benzene	µg/l	0,01	<	0,0225	0,0125	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0191	0,0225	
1075	Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1080	1,2-Dimethylbenzene	µg/l	0,01	<	<	<	<	0,0127	<	<	<	<	<	<	13	<	<	<	<	0,0142	0,0204	
1088	Ethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1089	Ethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1098	Methylbenzene	µg/l	0,01	<	0,0206	0,0206	<	0,07	0,0113	0,0163	<	0,0124	<	<	13	<	<	0,011	0,0193	0,0856	0,129	
1106	Propylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1112	Chlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1115	2-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1116	3-Chloromethylbenzene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1119	1,2-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1120	1,3-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1121	1,4-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1127	Pentachlorobenzene	µg/l	0,00002	0,00003	0,00003	<	0,00002	<	<	0,00002	<	<	<	<	13	<	<	<	<	0,00003	0,00003	
1131	1,2,3-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1132	1,2,4-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1133	1,3,5-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1797	Isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1832	1,3,5-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	0,015	<	<	<	<	<	13	<	<	<	<	0,011	0,015	
1951	1,2,4-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,0126	
1952	1,2,3-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	0,0175	<	<	<	<	<	13	<	<	<	<	0,0125	0,0175	
1956	3-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1957	4-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1958	2-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1959	4-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1960	1-Methyl-4-isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1998	t-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2014	Bromobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,01	<	<	<	0,0114	0,0252	<	<	<	<	<	<	13	<	<	<	<	0,0283	0,0395	
2064	s-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Poly cyclistic aromatic hydrocarbo 180																							
1161	Acenaphthene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	0,005	13	<	<	<	<	0,005	0,005		
1163	Anthracene	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1165	Benzo(a)anthracene	µg/l	0,001	0,00101	<	<	<	<	<	<	<	<	<	0,00319	13	<	<	<	<	0,00244	0,00319		
1166	Benzo(b)fluoranthene	µg/l		0,00315	0,00154	0,00166	0,00081	0,000705	0,00163	0,0033	0,0006	0,00107	0,00127	0,00144	0,0113	13	0,00043	0,00498	0,00144	0,00224	0,0081	0,0113	
1167	Benzo(k)fluoranthene	µg/l		0,00101	0,0005	0,00066	0,0003	0,000245	0,00055	0,00115	0,00023	0,00037	0,00046	0,0004	0,00376	13	0,00016	0,00188	0,00046	0,00076	0,00272	0,00376	
1168	Benzo(ghi)perylene	µg/l		0,00178	0,0009	0,00099	0,00056	0,000385	0,00087	0,00152	0,0004	0,00059	0,00083	0,00067	0,00501	13	0,00026	0,00316	0,00083	0,00115	0,00372	0,00501	
1169	Benzo(a)pyrene	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	0,00368	13	<	<	<	<	0,00261	0,00368	
1172	Chrysene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1173	Dibenzo(a,h)anthracene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1180	Phenanthrene	µg/l		0,00412	0,0088	0,00652	0,00302	0,00304	0,00238	0,00293	0,00284	0,00246	0,00403	0,00567	0,00826	13	0,00238	0,00241	0,00309	0,00439	0,00858	0,0088	
1181	Fluoranthene	µg/l	0,002	0,00654	0,00521	0,00516	0,0024	0,0027	0,00387	0,00371	<	0,00274	0,00301	0,00372	0,0136	13	<	<	0,00371	0,00433	0,0108	0,0136	
1182	Fluorene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,0002	0,00198	0,0009	0,00141	0,00042	0,000235	0,00096	0,00157	0,00025	0,00028	0,00052	0,0004	0,00391	13	<	<	0,00052	0,00101	0,00314	0,00391	
1188	Pyrene	µg/l	0,002	0,00428	0,00353	0,0028	<	<	0,00215	0,00227	<	<	0,002	0,00261	0,0121	13	<	<	0,00215	0,00283	0,00897	0,0121	
8450	Naphthalene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Organochlorine pesticides		200																				
2132	3-Chloropropene	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8006	Aldrin	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8162	o,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8163	p,p-DDD	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8164	o,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8165	p,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8166	o,p-DDT	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8167	p,p-DDT	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8167R	o,p-DDT and p,p-DDD	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8199	2,6-Dichlorobenzamide (BAM)	µg/l	0,02	<	<	<	<	<	0,02	<	0,02	<	<	<	13	<	<	<	<	0,02	0,02	
8217	Dieldrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8263	alpha-Endosulfan	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8264	beta-Endosulfan	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8268	Endrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8358	Heptachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8359	Heptachloroepoxide	µg/l	0,00005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8361	Hexachlorobenzene (HCB)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8362	alpha-Hexachlorocyclohexane (alpha)	µg/l	0,00006	0,00006	<	0,00008	0,00014	0,000135	0,00008	0,00006	<	0,00008	0,00012	0,00008	<	13	<	<	0,00008	0,00015	0,0002	0,00024
8363	beta-Hexachlorocyclohexane (beta)	µg/l	0,00005	0,00013	0,00009	0,00016	0,00021	0,00037	0,00027	0,00032	0,00035	0,00052	0,00052	0,00026	<	13	<	0,00051	0,00027	0,000277	0,00052	0,00052
8379	Isodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8393	Lindane (gamma-HCH)	µg/l	<	0,00035	0,00025	0,00026	0,00029	0,000305	0,00025	0,00022	0,00021	0,00016	0,00017	0,00031	0,00028	13	0,00016	0,000164	0,00026	0,000258	0,000334	0,00035
8428	Methoxychlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8441	Mirex	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8560	Telodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8629	delta-Hexachlorocyclohexane (delta)	µg/l	0,00008	<	<	<	0,00009	<	<	<	<	<	0,00008	<	13	<	<	<	<	0,000102	0,00011	
8631	trans-Heptachloroepoxide	µg/l	0,0007	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8640	cis-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8641	trans-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
8655	Oxychlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8656	epsilon-Hexachlorocyclohexane (eps)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Organophosphorus and -sulphur p 210																						
8028	Azinphos-ethyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8029	Azinphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8059	Bromophos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8060	Bromophos-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8108	Chlorfenvinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8173	Demeton-S-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8190	Dichlofenthion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8257	Dithianon	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<		
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8278	Ethion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8296	Fenchlorphos (Ronne)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8352	Glufosinate-ammonium	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8354	Glyphosate	µg/l	0,015	0,02	0,03	0,03	0,02	0,04	0,1	0,05	<	<	<	0,03	0,04	13	<	<	0,03	0,0333	0,088	0,1
8360	Heptenophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8423	Methidathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8439	Mevinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8482	Parathion-ethyl	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8483	Parathion-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8500	Pirimiphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8501	Pirimiphos-methyl	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8526	Pyrazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8550	Sulfotep	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8572	Tetrachlorvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8600	Triazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,17	0,2	0,26	0,42	0,42	0,49	0,675	0,62	0,65	0,69	0,45	0,4	13	0,17	0,182	0,45	0,471	0,72	0,74	
8644	cis-Mevinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8702	Nicosulfuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8714	Iodosulfuron-methyl-sodium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8727	Triflusulfuron-methyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
Organonitrogen pesticides			220																			
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8127	Chloridazon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Carbamate herbicides		260																			
8003	Aldicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8004	Aldicarb-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8005	Aldicarb-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8068	Butocarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8069	Butoxycarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8277	Ethiofencarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8634	Butocarboxim-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8637	Thiofanox-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8638	Thiofanox-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
Biocides		285																			
2077	Tributyltin	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8169	Diethyltoluamide (DEET)	µg/l	0,02	<	<	<	<	<	0,03	0,02	0,03	<	<	13	<	<	<	<	0,042	0,05	<
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8521	Propoxur	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Benzimidazole Fungicides		470																			
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Conazole Fungicides		480																			
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Pyrimidine Fungicides		500																			
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
Strobilurine Fungicides		510																			
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Fungicides		520																			
8075	Captan	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8257	Dithianon	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Chlorophenoxy herbicides		230																			
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8404	Mecoprop (MCP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Phenylurea herbicides		240																		
8070	Buturon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8097	Chlorbromuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8122	Chlortoluron	µg/l	0,01	0,02	0,02	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,02	0,02
8130	Chloroxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8226	Difenoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8258	Diuron	µg/l	0,01	<	<	<	<	0,01	0,01	0,01	<	0,01	0,01	<	13	<	<	<	0,01	0,01
8382	Isoproturon	µg/l	0,01	0,03	0,02	0,01	<	<	<	<	<	0,01	0,05	13	<	<	<	0,0123	0,042	0,05
8394	Linuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8418	Methabenzthiazuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8434	Metobromuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8446	Monolinuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8447	Monuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8456	Neburon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8665	1-(4-Chlorophenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8666	1-(3-Chloro-4-methylphenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8667	1-(4-Isopropylphenyl) urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8668	1-(4-Isopropylphenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<
Dinitrophenol herbicides		250																		
8244	2,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8609	Trietazin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Phenoxy Herbicides		550																		
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8404	Mecoprop (MCPP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Anilide Herbicides		570																				
8417	Metazachlor	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
Chloroacetanilide Herbicides		580																				
8002	Alachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8513	Propachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Sulfonylurea Herbicides		610																				
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
8702	Nicosulfuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
Urea Herbicides		620																				
8122	Chlortoluron	µg/l	0,01	0,02	0,02	<	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,02	0,02	
8258	Diuron	µg/l	0,01	<	<	<	<	<	0,01	0,01	0,01	<	0,01	0,01	<	13	<	<	<	<	0,01	0,01
8382	Isoproturon	µg/l	0,01	0,03	0,02	0,01	<	<	<	<	<	<	0,01	0,05	13	<	<	<	0,0123	0,042	0,05	
8394	Linuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8418	Methabenzthiazuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8434	Metobromuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Aryloxyphenoxy- Propionic Herbici		630																				
8675	Haloxypop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Triazin Herbicides		635																			
8026	Atrazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8138	Cyanazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8180	Desmetryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8415	Metamitron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8435	Metolachlor	µg/l	0,01	<	<	<	<	<	0,0442	0,0266	0,019	<	<	<	<	<	<	0,0113	0,0372	0,0442	
8437	Metribuzin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8512	Prometryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8517	Propazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8547	Simazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8567	Terbutryne	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,02	
8568	Terbutylazine	µg/l	0,02	<	<	<	<	<	0,045	0,03	<	<	<	<	<	<	<	<	0,046	0,05	
Thiocarbamate Herbicides		640																			
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Unclassified Herbicides		645																			
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8127	Chloridazon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8354	Glyphosate	µg/l	0,015	0,02	0,03	0,03	0,02	0,04	0,1	0,05	<	<	0,03	0,04	13	<	<	0,03	0,0333	0,088	0,1
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8677	loxylin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8686	Sebutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	
Unclassified plant growth regulator		952																			
6243	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Insecticides 290																				
8143	Cyhalothrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Pyrethroid Insecticides 650																				
8143	Cyhalothrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8170	Deltamethrin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Carbamate Insecticides 660																				
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Organophosphorus Insecticides 670																				
8029	Azinphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
Benzoylurea Insecticides 690																				
8558	Teflubenzuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
Insecticides Produced By Fermenta 700																				
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Insecticides		710																			
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8691	Pyridaben	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<
8692	Pyriproxyphen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8703	Pymetrozine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
Unclassified Molluscicides		750																			
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
Nematicides		860																			
1784	cis-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Pesticide metabolites		954																			
2023	4-Isopropylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
2032	3-Chloro-4-methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8113	4-Chloro-2-methylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8176	Desethylatrazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8178	Desisopropylatrazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Various pesticides and metabolics 300																						
8075	Captan	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<	
8231	sodium 2,3:4,6-di-O-isopropylidene-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<	
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*	
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<	
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8691	Pyridaben	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<	
8692	Pyriproxyphen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<	
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	<	
8708	Dimethenamid-p	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<	
8715	Mefenpyr-diethyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<	
Ethers 302																						
1428	Diisopropylether	µg/l	0,01		0,159	<	0,0242	<	<	<	<	<	0,0313	<	12	<	<	<	0,0216	0,121	0,159	
1457	Bis(2-(2-methoxyethoxy)ethyl) ether (µg/l	0,05	<	<	0,06	0,58	0,21	0,08	0,08	0,13	0,2	0,13	0,07	13	<	<	0,08	0,142	0,432	0,58	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,0234	0,0492	0,0317	0,0413	0,0314	<	0,0241	0,103	0,0165	<	0,047	<	13	<	<	0,0241	0,0318	0,0815	0,103
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,05	<	<	0,06	0,14	0,22	<	<	0,11	0,08	0,09	<	13	<	<	0,07	0,0742	0,188	0,22	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2173	Triethyleneglycol dimethylether (Trigl	µg/l	0,05	<	<	0,06	0,06	0,06	<	<	0,1	0,09	0,12	<	13	<	<	0,06	0,0562	0,112	0,12	
2244	Tertiary amyl methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Fuel additives 303																						
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,0234	0,0492	0,0317	0,0413	0,0314	<	0,0241	0,103	0,0165	<	0,047	<	13	<	<	0,0241	0,0318	0,0815	0,103
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2244	Tertiary amyl methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Various organic substances		305																			
1077	Cyclohexane	µg/l	0,01	<	<	0,0393	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0256	0,0393
1079	Dicyclopentadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1432	Dimethoxymethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1753	Dimethyldisulfide	µg/l	0,01	0,0237	0,0231	0,022	0,019	<	<	0,0329	0,0284	<	<	<	13	<	<	<	0,0142	0,0311	0,0329
1764	Tributylphosphate	µg/l	0,1	<	<	0,103	<	<	<	<	<	<	<	<	12	<	<	<	<	<	0,103
1767	Triphenylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1768	Triphenylphosphine oxide	µg/l	0,05	<	<	0,05	0,08	0,09	0,05	0,135	0,07	0,07	0,05	<	13	<	<	0,05	0,0638	0,15	0,19
2037	2-Aminoacetophenone	µg/l	0,03	<	<	0,04	<	0,08	<	0,03	<	0,03	<	<	6	<	*	*	0,035	*	0,08
2092	Methylmethacrylate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2165	methenamine	µg/l	<	<	1,7	3,7	3,9	1,7	1,9	2,2	2,4	2,6	1,8	2	11	1,6	1,62	2,2	2,35	3,86	3,9
V129	tetrahydro-2,2,5,5-tetramethylfuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Industrial solvents		431																			
1027	Bromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1040	1,2-Dichloroethane	µg/l	0,01	<	0,0168	0,014	0,0125	<	<	<	<	<	<	<	13	<	<	<	<	0,0157	0,0168
1044	Dichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1049	Hexachlorobutadiene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<
1056	Tetrachloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1057	Tetrachloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1063	Trichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1064	Trichloromethane	µg/l	0,01	<	<	<	<	0,425	<	0,032	0,0483	<	<	0,0199	13	<	<	<	0,0762	0,434	0,471
1070	1,2,3-Trichloropropane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1828	cis-1,2-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1829	trans-1,2-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1954	1,1,1,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1955	1,1,2,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2015	Chloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8205	1,2-Dichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
industrial chemicals (with arom. nit 434)																					
1683	Aniline	µg/l	0,03	0,06	0,05	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	0,06
1700	N-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1705	3-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1708	2,3-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1713	2,3,4-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1716	2,4,5-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1717	2,4,6-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1718	3,4,5-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1786	3-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1862	N,N-Diethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1864	N-Ethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1979	2,4,6-Trimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2024	2,4-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2027	3,4-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2028	2,3-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2029	3-Chloro-4-methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2033	4-Methoxy-2-nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2034	2-Nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2035	3-Nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2038	2-(Phenylsulfon)aniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2053	N,N-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2055	2,4- and 2,5-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2056	2-Methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2057	2- and 4-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	0,03	<	6	<	*	*	<	*	0,03
2058	2-(Trifluoromethyl)aniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2059	2,5- and 3,5-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2175	2,4,5-Trimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8063	4-Bromoaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8094	2-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8115	4-Chloroaniline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8196	2,6-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8197	3,4-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8198	3,5-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8222	2,6-Diethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
8239	2,6-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
Industrial chemicals (with volatile h 437																				
1035	Dibromomethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1039	1,1-Dichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1041	1,1-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1050	Hexachloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1061	1,1,1-Trichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1962	Chloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2016	Chloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8206	1,3-Dichloropropane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial chemicals (with phenols) 439																					
1528	3-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1529	4-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1531	2,3-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1533	2,6-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1534	3,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1535	3,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1541	2,3,4-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1542	2,3,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1543	2,3,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1544	3,4,5-Trichlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1847	3-Nitrophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2008	2,3-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2010	2,6-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2011	3,4-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2012	3,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2081	2-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2248	2,5-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2249	2,6-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2250	3,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8104	2-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8460	2-Nitrophenol	µg/l	0,02	<	0,07	<	0,11	<	<	<	<	<	<	0,03	0,04	<	<	0,0262	0,094	0,11	<
8602	2,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8603	2,4,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8733	2,3-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial chemicals (with PCBs) 440																						
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,00004	0,00017	0,00007	0,00007	0,00006	0,0001	0,00009	0,00005	0,00006	<	0,00007	0,00018	13	<	<	0,00007	000823	000176	0,00018	
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB 1)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB 2)	µg/l	0,00002	0,00005	0,00004	0,00003	0,00002	<	0,00002	<	0,00002	<	0,00003	0,00007	13	<	<	0,00002	000262	000062	0,00007	
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PCB 3)	µg/l	0,00005	0,0001	<	<	<	<	<	<	<	<	<	0,00023	13	<	<	<	000178	0,00023	<	
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PCB 4)	µg/l	0,00002	0,00014	0,00008	0,00009	0,00006	0,000075	0,00007	0,00011	0,00009	0,00008	<	0,00009	13	<	0,00003	0,00009	000969	0,00023	0,00029	
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (PCB 6)	µg/l	0,00004	<	<	<	<	0,00005	0,00006	<	<	<	<	0,0002	13	<	<	<	000144	0,0002	<	
Cooling agents 430																						
2017	Dichlorodifluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2019	Trichlorofluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Disinfection agents 444																						
2005	2-Methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8114	4-Chloro-3-methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Disinfection byproducts 446																						
1028	Bromodichloromethane	µg/l	0,01	<	<	<	<	0,148	<	<	0,0201	<	<	<	13	<	<	<	0,0281	0,151	0,165	
1033	Dibromochloromethane	µg/l	0,01	<	<	<	<	0,0521	<	<	<	<	<	<	13	<	<	<	0,0122	0,0542	0,0625	
1058	Tribromomethane	µg/l	0,01	<	<	<	<	<	0,0138	0,0158	<	<	<	<	13	<	<	<	<	0,015	0,0158	
2139	N-Nitrosodimethylamine (NDMA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
Nitroso compounds 160																						
2139	N-Nitrosodimethylamine (NDMA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2140	N-Nitrosomorpholine (NMOR)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2141	N-Nitrosopiperidine (NPIP)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2142	N-Nitrosopyrrolidine (NPYR)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2143	N-Nitrosomethylethylamine (NMEA)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2148	N-Nitrosodiethylamine (NDEA)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2149	N-Nitrosodi-n-propylamine (NDPA)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2150	N-Nitroso-n-dibutylamine (NDBA)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Flameretardants		380																				
2109	2,4,2',4'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2110	2,4,2',5'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2111	2,3,4,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2112	2,4,5,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2113	2,4,6,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2114	2,4,5,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2115	2,4,5,2',4',6'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2169	2,4,4'-Tribromodiphenylether (PBDE	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2170	2,3,4,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
X-ray contrast agents		340																				
6232	Diatrizoic Acid	µg/l		0,05		0,095	0,1	0,095		0,065	0,06	0,07	0,2	0,08	0,1	13	0,05	0,054	0,08	0,09	0,168	0,2
6234	Iohexol	µg/l		0,06		0,09	0,11	0,085		0,045	0,05	0,03	0,05	0,07	0,06	13	0,03	0,03	0,06	0,0669	0,106	0,11
6235	Iomeprol	µg/l		0,13		0,25	0,29	0,32		0,185	0,08	0,12	0,18	0,17	0,23	13	0,08	0,096	0,2	0,208	0,356	0,4
6236	Iopamidol	µg/l		0,07		0,095	0,14	0,14		0,12	0,07	0,14	0,16	0,11	0,1	13	0,07	0,07	0,1	0,115	0,178	0,19
6237	Iopanoic acid	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	13	<	<	<	<	<	<
6238	Iopromide	µg/l		0,07		0,15	0,16	0,125		0,1	0,07	0,07	0,09	0,12	0,12	13	0,07	0,07	0,1	0,112	0,16	0,16
6239	Iothalamic acid	µg/l	0,03	<		<	<	<		<	<	<	<	<	<	13	<	<	<	<	<	<
6240	Ioxaglic acid	µg/l	0,2	<		<	<	<		<	<	<	<	<	<	13	<	<	<	<	<	<
6241	Ioxitalamic acid	µg/l	0,01	<		0,055	0,05	0,04		0,04	0,02	0,02	0,05	0,05	0,05	13	<	0,011	0,05	0,0396	0,056	0,06
Chemotherapy		345																				
6218	Cyclophosphamide	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Antibiotics		310																					
6032	Sulfamethoxazole	µg/l	0,01	0,01		0,02	0,02	0,02		0,02	0,02	0,02	<	0,03	0,03	14	<	<	0,02	0,0196	0,03	0,03	
6083	Monensin	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6184	Chloramphenicol	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6187	Clarithromycin	µg/l	0,05	<		<	<	<		<	<	<	<	<	<	13	<	<	<	<	<	<	
6189	Cloxacillin	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6191	Dicloxacillin	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6195	Erythromycin	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6196	Furazolidone	µg/l	0,1	<		<	<	<		<	<	<	<	<	<	13	<	<	<	<	<	<	
6199	Nafcillin	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6202	Oleandomycin	µg/l	0,02	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6203	Oxacillin	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6208	Roxithromycin	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6209	Spiramycin	µg/l	0,05	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6215	Trimethoprim	µg/l	0,02	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6253	Indomethacin	µg/l	0,03	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6259	Lincomycin	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6265	Tiamulin	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
Antibiotics (Sulphamides)		315																					
6190	Dapsone	µg/l	0,05	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6211	Sulfamethazine	µg/l	0,05	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6272	Sulfadimethoxine	µg/l	0,01	<		<	<	<		<	<	<	<	<	<	13	<	<	<	<	<	<	
Beta-adrenergic blocking agents		320																					
6226	Metoprolol	µg/l	0,02	0,07		0,1	0,09	0,04		0,065	0,045	0,04	0,09	0,1	0,12	14	<	0,025	0,07	0,0721	0,115	0,12	
6228	Propranolol	µg/l	0,02	<		<	<	<		<	<	<	<	<	<	14	<	<	<	<	<	<	
6229	Sotalol	µg/l	0,05	<		<	<	<		<	<	<	<	<	<	13	<	<	<	<	<	<	

Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Analgesic and anti-inflammatory dr 350																					
6077	O-acetylsalicylic acid	µg/l	0,02	<	<	<	0,15	<	<	<	<	<	<	12	<	<	<	0,0217	0,108	0,15	
6180	Lidocaine	µg/l	0,01	<	<	<	<	<	<	<	0,01	<	0,01	13	<	<	<	<	0,01	0,01	
6249	Diclofenac	µg/l	0,01	0,05	0,02	<	<	<	<	<	0,03	0,07	0,09	14	<	<	<	0,0229	0,08	0,09	
6250	4-Dimethylaminoantipyrine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6251	Fenoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6252	Ibuprofen	µg/l	0,01	0,03	0,025	0,02	<	<	<	<	0,01	0,01	0,01	14	<	<	<	0,0118	0,03	0,03	
6254	Ketoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6255	Naproxen	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6260	Tolfenamic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6264	Primidone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6309	Phenazone	µg/l	0,01	<	<	<	<	<	<	0,01	<	<	<	14	<	<	<	<	0,01	0,01	
Lipid-lowering drugs 360																					
6230	Pentoxifylline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6242	Bezafibrate	µg/l	0,01	0,02	0,02	0,02	0,0125	<	<	<	0,01	0,02	0,02	14	<	<	0,015	0,0129	0,02	0,02	
6243	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6245	Fenofibrate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6247	Gemfibrozil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6273	Clofibrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
Various pharmaceuticals 370																					
1613	Caffein	µg/l	0,05	0,26	0,17	0,2	0,125	0,115	0,07	<	0,12	0,15	0,13	14	<	<	0,125	0,132	0,23	0,26	
1860	Carbamazepine	µg/l		0,03	0,04	0,05	0,05	0,05	0,04	0,05	0,07	0,06	0,06	14	0,03	0,035	0,05	0,0486	0,065	0,07	
6262	Fenoterol	µg/l	0,03	<	<	<	<	<	<	<	0,03	<	<	14	<	<	<	<	<	0,03	
8677	loxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Endrocrin disrupting compounds (400																					
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2076	17 alpha-Ethinylestradiol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2196	Tetrabutyltin	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2197	Triphenyltin ion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2199	Dibutyltin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2201	Difenyltin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6356	Estrone	µg/l	0,2	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6358	Progesterone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6703	Activity with respect to 17-beta-estra	ng/l			0,21	0,31	0,1	0,019	0,069	0,31	0,059	0,13	0,56	11	0,019	0,0252	0,13	0,213	0,55	0,56	
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

dinsdag 2 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2012 up to 31-12-2012

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
unspecified substances	980																				
2013	1,1-Dichloropropene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2036	4-Methyl-3-nitroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	<	*	<
2066	3- and 4-Methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2068	2,4- and 2,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2176	3- and 4-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
V121	2-Nitrophenol and 4-Nitrophenol	µg/l	0,05	0,09		0,05		<		<		0,06		6	<	*	*	<	*	0,09	

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.

