

## Stellendam (M876)

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>General compounds 010</b>																							
0120	Water temperature	°C	5,05	4,8	4,4	5,7	14,2	17,4	22,5	20,6	18	13,2	7,6	6,7	25	2,1	3,64	13,3	12	20,9	23,7		
0122	Oxygen	mg/l	13	12,1	12,6	11,5	9,5	9,1	11,2	8,1	8,2	10	11,4	12	8,1	8,13	10,9	10,6	12,9	13			
0123	Oxygen saturation	%	94,3	92,3	99,2	95,1	87,4	84,8	103	74,9	76,2	91	94,3	12	74,9	75,3	93,3	90,3	102	103			
0126	Turbidity	FTE	3,29	6,58	3,03	3,18	8,43	8,43	2,68	1,61	2,8	4,75		10	1,3	1,33	3,24	3,91	8,25	8,43			
0128	Suspended matter	mg/l	2	19,5	4,9	9,55	<	2,86	5	4,28	<	<	2,48	2,8	3,93	50	<	<	2,8	5,22	7,16	87	
0180	pH	pH	8,15	8,17	8,38	8,42	8,05	8,15	8,37	8,12	8,13	8,06	8,15	8,29	50	7,3	7,98	8,24	8,2	8,43	8,5		
0182	Equilibrium pH	pHs	7,52	7,57	7,4	7,5	7,45	7,6	7,54	7,61	7,59	7,47	7,6	11	7,4	7,41	7,54	7,53	7,61	7,61			
0184	Saturation index	SI	0,62	0,44	0,87	0,8	0,78	0,42	1,19	0,55	0,53	0,78	0,52	11	0,42	0,424	0,62	0,682	1,13	1,19			
0200	Conductivity (at 20 °C)	mS/m	46,7	48,1	57,4	58,8	52	44,4	48,1	53,1	60,8	61,1	48,8	83,4	50	40,3	43	53	54,5	62,5	109		
0204	Residue on ignition, 600 °C	mg/l	5	14	6,6			<	<				64	35	6	<	*	*	20,8	*	64		
0250	Total hardness	mmol/l	1,95	1,81	2,35	2,15	2,17	1,35	2	1,95	2,04	2,13	1,76	12	1,35	1,48	2,02	1,98	2,3	2,35			
0250R	Total hardness, (mg/l CaCO3)	mg/l	195	182	235	215	218	136	200	195	204	213	176	12	136	148	202	198	230	235			
0251	Total hardness, 0.45 µm filtrate	mmol/l		1,83		2,16		1,69		1,99		2,09	1,76	6	1,69	*	*	1,92	*	2,16			
<b>Radio activity 020</b>																							
0160	beta Radioactivity, total	Bq/l		0,08		0,13		0,1		0,11		0,15	0,11	6	0,08	*	*	0,113	*	0,15			
0161	alpha Radioactivity, total	Bq/l	0,1	<		<		<		<		<	<	6	<	*	*	<	*	<			
0162	Residual beta radioactivity (without K	Bq/l	0,04	<		<		<		<		<	<	6	<	*	*	<	*	<			
0164	Tritium (H-3)	Bq/l	3	8,3	<	3,2	7,1	4,1	<	3,7	<	4,45	<	13	<	<	3,7	3,67	7,82	8,3			
<b>Inorganic compounds 030</b>																							
0220	Carbon dioxide	mg/l	2	2,5	1,5	1,5	1,5	2,5		1,5	2	1,5	2	11	1,5	1,5	2	1,86	2,5	2,5			
0222	Bicarbonate	mg/l	171	159	195	178	184	164	165	157	160	175	160	185	12	157	158	168	171	192	195		
0224	Carbonate	mg/l							7					1	*	*	*	*	*	*			
0230	Chloride	mg/l	55,8	56,6	71,8	77,4	61,3	43,6	55,3	76	93,2	88,2	56,9	148	50	37,8	43,5	67,3	71,9	93,9	222		
0232	Sulfate	mg/l	45	37	55	51	49	35	46	53	60	65,5	39	12	35	35,6	50	50,1	66,5	68			
0288	Silicate	mg/l	3,3	3,4	3,1	2,4	2,4	2,7	1,4	1	0,93	2,2	3,4	12	0,93	0,951	2,55	2,37	3,4	3,4			
0382	Fluoride	mg/l	0,12	0,14	0,14	0,31	0,12	0,12	0,13	0,11	0,13	0,175	0,13	13	0,11	0,114	0,13	0,152	0,258	0,31			
0386	Cyanide, total	µg/l	1	<	<	<	<	1,15	<	<	<	<	<	13	<	<	<	<	1,28	1,8			
0394	Bromate	µg/l	0,1	<		0,8		0,4		1		1,4		6	<	*	*	0,617	*	1,4			

**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Nutrients</b>																							
<b>040</b>																							
0271	Ammonium (NH4)	mg/l	0,12	0,12	0,14	0,06	0,09	0,08	0,05	0,1	0,07	0,095	0,08		12	0,05	0,053	0,09	0,0917	0,134	0,14		
0274	Kjeldahl Nitrogen	mg/l		0,6		0,7		0,6		0,5		0,6	0,5		6	0,5	*	*	0,583	*	0,7		
0276	Organic Nitrogen	mg/l		0,5		0,6		0,6		0,4		0,5	0,4		6	0,4	*	*	0,5	*	0,6		
0281	Nitrite-NO2	mg/l		0,087		0,07		0,076		0,089		0,057	0,053		6	0,053	*	*	0,072	*	0,089		
0283	Nitrate-NO3	mg/l	15,1	13,6	15,5	15,6	10,7	9,9	6,6	5,2	5,4	9,5	10,2		12	5,2	5,26	10,5	10,6	15,6	15,6		
0284D	Orthophosphate (PO4)	mg/l	0,202	0,19	0,156	0,138	0,175	0,224	0,135	0,245	0,251	0,251	0,233	0,129	13	0,129	0,131	0,202	0,199	0,251	0,251		
0286D	Total phosphate (PO4)	mg/l		0,248		0,184		0,236		0,365		0,337	0,288		6	0,184	*	*	0,276	*	0,365		
<b>Group compounds</b>																							
<b>070</b>																							
0210	Anions	meq/l	5,55	5,04	6,81	6,38	6,29	4,67	5,45	6,15	6,71	6,95	4,71		11	4,67	4,68	6,15	5,88	6,92	6,95		
0212	Cations	meq/l	5,26	4,93	6,81	6,26	6,22	4,35	5,27	6,05	6,61	6,72	4,51		11	4,35	4,38	6,05	5,73	6,79	6,81		
0401	Total organic carbon (TOC)	mg/l	3,3	3,6	3,3	3,5	2,8	4,5	3,3	3	2,9	3,2	4,2		12	2,8	2,83	3,3	3,4	4,41	4,5		
0403	Dissolved organic carbon (DOC)	mg/l		3,9		3,1		4,3		2,7		2,7		3,2	6	2,7	*	*	3,32	*	4,3		
0404	Chemical oxygen demand (COD)	mg/l	10	<	13	<	10	<	11	11	11	<	13	15	16	13	<	<	11	<	15,6	16	
0406	Biochemical oxygen demand (BOD5)	mg/l	1,2	1,7	1,6	1,6	1,13	1,3	1,7	1	0,68	0,68	1,4	1,5	13	0,68	0,68	1,4	1,28	1,7	1,7		
0410	UV absorbance, 254 nm	1/m			9,5			10,8			6,8			11	4	6,8	*	*	9,53	*	11		
0412	Colour (Pt/Co scale)	mg/l		22		8		19		7		6			5	6	*	*	12,4	*	22		
0430	Adsorbable organohalogen compou	µg/l	0,36	0,26	0,24	0,26	0,27	0,3	0,23	0,28	0,28	0,495	0,3		12	0,23	0,233	0,28	0,314	0,525	0,57		
0466	Cholinesterase inhibitors	µg/l	0,1	<	<	0,1	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	0,1	
<b>Summend compounds</b>																							
<b>080</b>																							
0451	Trihalomethanes, total	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2022	Tetra- and Trichloroethene (sum)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
<b>Biological compounds</b>																							
<b>090</b>																							
0614	Coliform bacteria, (37 °C, confirmed) n/100 ml	1	520	90	3	<	4,25	130	4	<	2	300	290	600	13	<	<	8	150	568	600		
0618	Coliform bacteria, total (37 °C)	n/ml	1800	3900	0	200	0	2400	100	300	1200	8800	1400		12	0	0	1300	2410	9680	11000		
0624	thermotol.bact. Coli group bact. (44 ° n/100 ml	1	150	33	<	<	<	20	2	2	<	280	160	250	13	<	<	2	69,2	268	280		
0626	Escherichia coli (confirmed)	n/100 ml	1	100	<	<	<	3,25	52	1	<	2	120	<	400	13	<	<	1	52,6	288	400	
0634	Enterococces	n/100 ml		0	4	0	0	0	1	1	0	0	42,5	2	12	0	0	0,5	7,75	45,5	50		
0636	escherichia coli (direct plating)	n/ml	1200	1800	0	0	100	1000	1400	5500	1500	7750	800		12	0	0	1300	2400	8610	9900		
0664	Clostridium perfringens (incl. spoers) n/100 ml		8	38	20	14	19	29	14	4	2	9,5	15		12	2	2,3	14,5	15,2	35,3	38		
<b>Hydrobiological compounds</b>																							
<b>095</b>																							
7100	Chlorophyll-a	µg/l	2	<	<	<	<	<	2,4	<	2,4	<	<	6,2	13	<	<	<	2,32	7,46	8,3		
7110	Phaeophytine	µg/l	2	<	<	<	<	<	<	<	<	<	<	8	25	<	<	<	<	5	11		



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Metals</b>																					
	<b>050</b>																				
0240 Sodium	mg/l	26,2	30	39,3	42	32,6	23	29,8	39,8	49	46,6	28,7	88,7	50	18	22	34,5	38,4	52,6	130	
0242 Potassium	mg/l	3,8	3,5	4,4	4,3	3,8	3,1	3,8	4,3	4,8	5,05	3,8		12	3,1	3,22	4,05	4,14	5,07	5,1	
0244 Calcium	mg/l	63	59	76	68	69	52	64	60	62	66,5	57		12	52	53,5	63,5	63,6	73,9	76	
0246 Magnesium	mg/l	9,1	8,3	11	11	11	1,4	9,7	11	12	11,5	8,2		12	1,4	3,44	11	9,64	12	12	
0300 Iron	mg/l	0,708	0,269	0,105	0,039	0,124	0,172	0,177	0,074	0,064	0,081	1,23	0,408	13	0,039	0,049	0,125	0,275	1,02	1,23	
0304 Manganese	mg/l		0,037		0,035		0,036		0,042		0,025		0,052	6	0,025	*	*	0,0378	*	0,052	
0306 Manganese	µg/l	19,6	41,5	37	38	37,9	27,9	8,25	7,2	8,98	10,7	7,82	13,1	13	7,2	7,45	19,6	22,8	41,5	41,5	
0310 Aluminium	µg/l	554	230	77,9	28,1	105	157	163	64,1	54,2	62,9	743	286	13	28,1	38,5	114	202	667	743	
0312 Antimony	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0314 Arsenic	µg/l	1,08	0,821	0,669	0,647	0,894	1,15	1,09	1,32	1,48	1,3	2,58	1,1	13	0,647	0,656	1,09	1,16	2,14	2,58	
0316 Barium	µg/l	50,2	54,2	45,4	50,1	55,8	56,3	56,1	59,3	60,2	63,9	66,9	65,6	13	45,4	47,3	56,3	56,9	66,4	66,9	
0318 Beryllium	µg/l	0,05	<	<	<	<	<	<	<	<	<	0,0596	<	13	<	<	<	<	<	0,0596	
0322 Boron	mg/l	0,03	0,0501	0,0342	0,0464	0,042	0,0301	0,037	0,0453	0,0553	0,0607	0,0468	0,0863	13	0,03	0,03	0,0453	0,0466	0,0761	0,0863	
0324 Cadmium	µg/l	0,05	<	0,0648	<	<	<	<	<	<	<	0,157	<	13	<	<	<	<	0,12	0,157	
0326 Chromium	µg/l	0,5	1,44	0,898	<	<	<	0,592	<	<	<	3,25	1,26	13	<	<	<	0,726	2,53	3,25	
0328 Cobalt	µg/l	0,469	0,508	0,342	0,351	0,289	0,261	0,28	0,25	0,232	0,266	0,749	0,339	13	0,232	0,239	0,315	0,356	0,653	0,749	
0330 Copper	µg/l	3,26	3,91	1,98	2,01	2,53	2,31	3,05	2,87	1,95	2,13	5,18	2,51	13	1,95	1,96	2,51	2,79	4,67	5,18	
0332 Mercury	µg/l	0,00902	0,00377	0,00226	0,00112	0,00239	0,00326	0,003	0,00161	0,00201	0,00181	0,0762	0,0075	13	0,00112	0,00132	0,00255	0,00895	0,0493	0,0762	
0334 Lead	µg/l	1,69	0,847	0,327	0,114	0,469	0,591	0,531	0,332	0,241	0,22	6,49	1,37	13	0,114	0,156	0,477	1,05	4,57	6,49	
0336 Lithium	µg/l	6,63	11,3	7,3	8,43	10,5	9,12	9,67	11,6	12,9	14,8	9,02	11,3	13	6,63	6,9	9,67	10,2	14	14,8	
0338 Molybdenum	µg/l	0,688	1,5	0,898	1,34	1,38	1,23	1,55	1,77	1,94	1,93	1,6	1,36	13	0,688	0,772	1,49	1,43	1,94	1,94	
0340 Nickel	µg/l	2,54	2,36	1,72	1,94	1,59	1,62	1,58	2,17	1,34	1,55	3,08	1,92	13	1,34	1,4	1,72	1,92	2,86	3,08	
0342 Selenium	µg/l	0,181	0,229	0,195	0,199	0,179	0,184	0,175	0,179	0,201	0,213	0,24	0,182	13	0,169	0,171	0,188	0,195	0,236	0,24	
0343 Strontium	µg/l	257	360	282	348	382	380	392	438	462	454	376	500	13	257	267	380	386	485	500	
0344 Thallium	µg/l	0,0205	0,0225	0,0136	0,0194	0,0212	0,0191	0,0215	0,0182	0,0168	0,0152	0,0513	0,0168	13	0,0136	0,0142	0,0194	0,0213	0,0398	0,0513	
0345 Tellurium	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0346 Tin	µg/l	0,05	0,139	0,0696	<	<	<	0,0524	<	<	<	0,292	<	13	<	<	<	0,0598	0,231	0,292	
0350 Vanadium	µg/l	1,92	1,28	0,782	0,783	1,25	1,52	1,67	1,72	1,64	1,65	3,33	1,54	13	0,782	0,782	1,54	1,56	2,77	3,33	
0354 Zinc	µg/l	20,8	11	7,4	6,71	8,88	7,02	9,32	11	5,05	4,79	31,4	14,6	13	4,79	4,89	8,89	11,3	27,2	31,4	
0373 Rubidium	µg/l	3,37	4,32	2,62	3,44	3,52	3,04	3,46	3,75	4,07	4,43	5,6	5,21	13	2,62	2,79	3,67	3,87	5,44	5,6	
0375 Uranium	µg/l	0,512	0,62	0,534	0,652	0,666	0,721	0,735	0,781	0,763	0,672	0,6	0,642	13	0,512	0,521	0,652	0,659	0,774	0,781	
V281 Cesium	µg/l	0,241	0,146	0,0694	0,0618	0,0933	0,121	0,127	0,0992	0,0872	0,0805	0,358	0,107	13	0,0618	0,0648	0,101	0,13	0,311	0,358	

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Metals, after filtration</b>		<b>055</b>																					
0245	Calcium, 0.45 µm filtrate	mg/l	65	61	79	68	73	54	63	59	62	70,5	56	79	13	54	54,8	65	66,2	79	79		
0248	Magnesium, 0.45 µm filtrate	mg/l	9,4	7,5	11	11	11	8,4	9,8	12	12	11	8,5	12	12	7,5	7,77	11	10,2	12	12		
0302	Iron, 0.45 µm filtrate	mg/l	0,01	0,025	0,012	<	<	<	<	<	<	<	0,012	<	13	<	<	<	<	0,0198	0,025		
0309	Boron, 0.45 µm filtrate	µg/l	24,9	56,5	29,1	38,5	38	30,8	40,2	46	54,8	64,9	41,7	84,8	13	24,9	26,6	40,2	45,2	76,8	84,8		
0311	Aluminium, 0.45 µm filtrate	µg/l	10	14	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	10,4	14		
0313	Antimony, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0315	Arsenic, 0.45 µm filtrate	µg/l	0,726	0,734	0,616	0,625	0,841	1,1	1,02	1,29	1,43	1,31	1,01	0,847	13	0,616	0,62	0,929	0,953	1,38	1,43		
0317	Barium, 0.45 µm filtrate	µg/l	44,4	53	44,6	50,1	55,1	56,2	55,2	58,7	60,2	63,2	49,4	61	13	44,4	44,5	55,2	54,3	62,3	63,2		
0319	Berullium, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0325	Cadmium, 0.45 µm filtrate	µg/l	0,05	<	0,054	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,054		
0327	Chromium, 0.45 µm filtrate	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0329	Cobalt, 0.45 µm filtrate	µg/l	0,154	0,394	0,292	0,321	0,232	0,166	0,197	0,203	0,191	0,223	0,189	0,157	13	0,154	0,155	0,203	0,227	0,365	0,394		
0331	Copper, 0.45 µm filtrate	µg/l	2,09	2,07	1,8	1,77	2,25	1,73	2,5	2,6	2,07	2,09	1,87	1,77	13	1,73	1,75	2,07	2,07	2,56	2,6		
0333	Mercury, 0.45 µm filtrate	µg/l	0,0003	0,00092	0,00054	0,00052	0,00053	0,000475	0,0004	0,00031	<	<	<	0,00059	0,00055	13	<	<	0,0005	0,00443	0,00788	0,0092	
0335	Lead, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0337	Lithium, 0.45 µm filtrate	µg/l	5,16	10,8	6,29	8,75	10,4	8,27	10,1	11,4	12	14,3	7,08	10,4	13	5,16	5,61	10,1	9,64	13,4	14,3		
0339	Molybdenum, 0.45 µm filtrate	µg/l	0,744	1,39	0,885	1,3	1,37	1,23	1,54	1,75	1,91	1,91	1,54	1,34	13	0,744	0,8	1,39	1,41	1,91	1,91		
0341	Nickel, 0.45 µm filtrate	µg/l	1,64	2	1,54	1,76	1,39	1,35	1,34	1,99	1,31	1,49	1,72	1,38	13	1,31	1,31	1,49	1,56	2	2		
0347	Tin, 0.45 µm filtrate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0349	Titanium, 0.45 µm filtrate	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0351	Vanadium, 0.45 µm filtrate	µg/l	0,849	0,84	0,623	0,71	1,02	1,21	1,39	1,56	1,52	1,49	1,11	0,895	13	0,623	0,658	1,09	1,1	1,54	1,56		
0353	Silver, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0355	Zinc, 0.45 µm filtrate	µg/l	10	7,39	5,77	4,97	5,61	3,84	4,18	7,82	6,84	4,22	3,5	6,15	13	3,5	3,64	5,77	5,84	9,13	10		
0359	Rubidium, 0.45 µm filtrate	µg/l	2,29	3,88	2,44	3,26	3,26	2,75	3,09	3,57	3,88	4,28	3,61	4,49	13	2,29	2,35	3,41	3,39	4,41	4,49		
0361	Uranium, 0.45 µm filtrate	µg/l	0,514	0,63	0,533	0,641	0,668	0,744	0,752	0,787	0,764	0,687	0,571	0,638	13	0,514	0,522	0,651	0,661	0,778	0,787		
0362	Selemium, 0.45 µm filtrate	µg/l	0,165	0,235	0,189	0,207	0,183	0,18	0,175	0,184	0,2	0,221	0,18	0,168	13	0,165	0,166	0,184	0,19	0,229	0,235		
0363	Strontium, 0.45 µm filtrate	µg/l	244	357	285	338	371	375	390	427	451	452	332	479	13	244	260	375	375	468	479		
0364	Thallium, 0.45 µm filtrate	µg/l	0,0116	0,0184	0,0115	0,0175	0,0185	0,0166	0,0179	0,0168	0,0146	0,0138	0,0142	0,015	13	0,0115	0,0115	0,0166	0,0158	0,0194	0,02		
0365	Tellurium, 0.45 µm filtrate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
V282	Cesium, 0.45 µm filtrate	µg/l	0,05	<	0,0648	<	0,0526	0,051	0,0623	0,0707	0,0755	0,07	0,0609	<	0,0538	13	<	<	0,0609	0,0529	0,0764	0,077	
V323	Potassium, 0.45 µm filtrate	mg/l	26	27	42	42	36	19	28	45	55	46,5	21		12	19	19,6	39	36,2	52,9	55		
V332	Potassium, 0.45 µm filtrate	mg/l	3,8	3,5	4,5	4,4	4,1	3,2	3,5	4,4	5	5,15	3,8	8,3	13	3,2	3,32	4,4	4,52	7,1	8,3		

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Complex buiders</b>	<b>060</b>																			
0420 Anionic detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
0422 Cation-Active Detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
0424 Non-ionic Surfactants	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1793 Nitriotriacetic acid (NTA)	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1794 Ethylenediaminetetraacetic acid (ED)	µg/l	5	6	<	7	<	<	<	6	<	<	8,5	7	<	<	<	<	<	8,6	9
2003 Diethylenetriaminepentaacetic acid ( )	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Mono cyclic aromatic hydrocarb 170</b>																							
1074	Benzene	µg/l	0,01	<	0,0105	0,0245	0,013	0,0132	<	<	<	<	<	<	13	<	<	<	<	0,0233	0,0245		
1075	Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1080	1,2-Dimethylbenzene	µg/l	0,01	<	<	<	<	0,0248	<	<	<	<	<	<	13	<	<	<	<	0,0288	0,0447		
1088	Ethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1089	Ethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1098	Methylbenzene	µg/l	0,01	<	<	0,0165	0,0104	0,0837	<	<	0,0194	<	0,0381	0,0202	0,0123	13	<	<	0,0123	0,0238	0,105	0,15	
1106	Propylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1112	Chlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1115	2-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1116	3-Chloromethylbenzene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1119	1,2-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1120	1,3-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1121	1,4-Dichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1127	Pentachlorobenzene	µg/l	0,00002	0,00004	0,00002	0,00002	<	0,00003	0,00003	0,00003	0,00003	<	<	0,00003	0,00003	13	<	<	0,00003	0,000246	0,00036	0,00004	
1131	1,2,3-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1132	1,2,4-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1133	1,3,5-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1797	Isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1832	1,3,5-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1951	1,2,4-Trimethylbenzene	µg/l	0,01	<	<	<	<	0,0214	<	<	<	<	<	<	13	<	<	<	<	0,0247	0,0378		
1952	1,2,3-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1956	3-Ethyltoluene	µg/l	0,01	<	<	<	<	0,0139	<	<	<	<	<	<	13	<	<	<	<	0,0157	0,0229		
1957	4-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1958	2-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1959	4-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1960	1-Methyl-4-isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1998	t-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2014	Bromobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,01	<	<	<	<	0,069	<	<	0,0198	<	<	<	13	<	<	<	0,016	0,0877	0,133		
2064	s-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Poly cyclistic aromatic hydrocarbo 180</b>																							
1161	Acenaphthene	µg/l	0,005	0,0058	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,0058		
1163	Anthracene	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1165	Benzo(a)anthracene	µg/l	0,001	0,00291	0,00141	<	<	<	0,00105	<	<	<	0,00216	0,00134	13	<	<	<	<	0,00261	0,00291		
1166	Benzo(b)fluoranthene	µg/l		0,00392	0,00278	0,00163	0,00031	0,00131	0,00285	0,00184	0,00086	0,00072	0,00123	0,00402	0,00275	13	0,00031	0,00474	0,00171	0,00196	0,00398	0,00402	
1167	Benzo(k)fluoranthene	µg/l		0,00187	0,00132	0,00071	0,00016	0,00065	0,00101	0,00079	0,00038	0,00035	0,00066	0,00181	0,00137	13	0,00016	0,00236	0,00079	0,000902	0,00185	0,00187	
1168	Benzo(ghi)perylene	µg/l		0,00431	0,00219	0,00137	0,00028	0,00116	0,00184	0,00146	0,00058	0,00053	0,00071	0,00354	0,00239	13	0,00028	0,00038	0,00142	0,00166	0,004	0,00431	
1169	Benzo(a)pyrene	µg/l	0,002	0,00346	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00248	0,00346		
1172	Chrysene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1173	Dibenzo(a,h)anthracene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1180	Phenanthrene	µg/l		0,00621	0,00644	0,00636	0,00411	0,0043	0,00392	0,00384	0,00714	0,00264	0,00454	0,00788	0,00598	13	0,00264	0,0028	0,00555	0,0052	0,00758	0,00788	
1181	Fluoranthene	µg/l		0,0111	0,00597	0,0051	0,00278	0,00452	0,00568	0,00334	0,00376	0,00307	0,00495	0,0111	0,0076	13	0,00278	0,0029	0,00508	0,00565	0,0111	0,0111	
1182	Fluorene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1183	Indeno(1,2,3-cd)pyrene	µg/l	0,0002	0,00493	0,00162	0,00079	<	0,000745	<	0,00122	0,0004	0,00036	0,00062	0,00265	0,002	13	<	<	0,00079	0,00125	0,00402	0,00493	
1188	Pyrene	µg/l	0,002	0,00777	0,00524	0,00373	<	0,00313	0,0043	0,00228	0,00245	0,00205	0,00298	0,00779	0,00467	13	<	<	0,0035	0,00389	0,00778	0,00779	
8450	Naphthalene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Organochlorine pesticides</b>		<b>200</b>																				
2132	3-Chloropropene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8006	Aldrin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<	
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8162	o,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8163	p,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
8164	o,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8165	p,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8166	o,p-DDT	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
8167	p,p-DDT	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8167R	o,p-DDT and p,p-DDD	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8199	2,6-Dichlorobenzamide (BAM)	µg/l	0,02	<	<	<	<	0,04	<	<	<	<	<	<	13	<	<	<	0,028	0,04	<	
8217	Dieldrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8263	alpha-Endosulfan	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8264	beta-Endosulfan	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8268	Endrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8358	Heptachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8359	Heptachloroepoxide	µg/l	0,00005	<	<	<	<	<	<	<	<	0,00006	<	<	13	<	<	<	<	<	0,00006	
8361	Hexachlorobenzene (HCB)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8362	alpha-Hexachlorocyclohexane (alpha)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8363	beta-Hexachlorocyclohexane (beta)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8379	Isodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8393	Lindane (gamma-HCH)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<	
8428	Methoxychlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8441	Mirex	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
8560	Telodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	
8629	delta-Hexachlorocyclohexane (delta)	µg/l	0,00008	0,00016	0,00011	<	0,00008	0,00015	0,0002	0,00017	0,00017	0,00024	0,0002	0,00008	<	13	<	<	0,00016	0,000138	0,000224	0,00024
8631	trans-Heptachloroepoxide	µg/l	0,0007	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8640	cis-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8641	trans-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	
8655	Oxychlorane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
8656	epsilon-Hexachlorocyclohexane (eps)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	





**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Organophosphorus and -sulphur p 210</b>																					
8028	Azinphos-ethyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8029	Azinphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<
8059	Bromophos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8060	Bromophos-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8108	Chlorfenvinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8173	Demeton-S-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8190	Dichlofenthion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8257	Dithianon	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8278	Ethion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8296	Fenchlorphos (Ronnel)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8352	Glufosinate-ammonium	µg/l	0,015	<	<	<	<	0,03	<	<	<	<	<	12	<	<	<	<	0,0232	0,03	<
8354	Glyphosate	µg/l	0,03	<	<	0,05	0,03	0,07	0,05	0,1	0,03	<	0,04	<	13	<	<	0,03	0,0377	0,088	0,1
8360	Heptenophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8423	Methidathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8439	Mevinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8482	Parathion-ethyl	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8483	Parathion-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8500	Pirimiphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8526	Pyrazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8550	Sulfotep	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8572	Tetrachlorvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8600	Triazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8632	Aminomethylphosphonic acid (AMP)	µg/l		0,2	0,13	0,29	0,3	0,37	0,18	0,5	0,51	0,43	0,59	0,3	0,31	13	0,13	0,15	0,31	0,362	0,612	0,68	
8644	cis-Mevinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8652	Chlorpyriphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8714	Iodosulfuron-methyl-sodium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8727	Triflusulfuron-methyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
V250	2,3-bis-sulfanylbutanedioic acid (suc	µg/l	0,05			<								<	4	<	*	*	<	*	<		
<b>Organonitrogen pesticides</b>		<b>220</b>																					
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8127	Chloridazon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,013		
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Carbamate herbicides</b>		<b>260</b>																			
8003	Aldicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8004	Aldicarb-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8005	Aldicarb-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8068	Butocarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8069	Butoxycarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8277	Ethiofencarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8634	Butocarboxim-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8637	Thiofanox-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8638	Thiofanox-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Biocides</b>		<b>285</b>																			
2077	Tributyltin	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8169	Diethyltoluamide (DEET)	µg/l	0,02	<	<	<	<	<	0,02	<	<	<	<	<	<	<	<	<	<	<	0,02
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8521	Propoxur	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Benzimidazole Fungicides</b>		<b>470</b>																			
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Conazole Fungicides</b>		<b>480</b>																			
8519	Propiconazole	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Pyrimidine Fungicides</b>		<b>500</b>																			
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Strobilurine Fungicides</b>		<b>510</b>																			
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Unclassified Fungicides</b>		<b>520</b>																			
8075	Captan	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8257	Dithianon	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Chlorophenoxy herbicides</b>		<b>230</b>																			
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8404	Mecoprop (MCCP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Phenylurea herbicides</b>		<b>240</b>																			
8070	Buturon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8097	Chlorbromuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8122	Chlortoluron	µg/l	0,01	0,02	<	<	<	<	<	<	<	0,04	0,02	13	<	<	<	<	0,032	0,04	<
8130	Chloroxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8226	Difenoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8258	Diuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,01	0,01	<
8382	Isoproturon	µg/l	0,01	0,02	<	<	<	0,015	<	<	<	0,08	0,04	13	<	<	<	0,0162	0,064	0,08	<
8394	Linuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8418	Metabenzthiazuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8446	Monolinuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8447	Monuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8456	Neburon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8665	1-(4-Chlorophenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8666	1-(3-Chloro-4-methylphenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8667	1-(4-Isopropylphenyl) urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8668	1-(4-Isopropylphenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Dinitrophenol herbicides</b>		<b>250</b>																			
8244	2,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	0,06	<	<	6	<	*	*	<	*	0,06	<
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8609	Trietazin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Phenoxy Herbicides</b>		<b>550</b>																			
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8404	Mecoprop (MCPP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Anilide Herbicides 570</b>																					
8417	Metazachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Chloroacetanilide Herbicides 580</b>																					
8002	Alachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8513	Propachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
<b>Sulfonylurea Herbicides 610</b>																					
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Urea Herbicides 620</b>																					
8122	Chlortoluron	µg/l	0,01	0,02	<	<	<	<	<	<	<	0,04	0,02	13	<	<	<	<	0,032	0,04	<
8258	Diuron	µg/l	0,01	<	<	<	<	<	0,01	<	<	0,01	<	13	<	<	<	<	0,01	0,01	<
8382	Isoproturon	µg/l	0,01	0,02	<	<	<	0,015	<	<	<	0,08	0,04	13	<	<	<	0,0162	0,064	0,08	<
8394	Linuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8418	Metabenzthiazuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Aryloxyphenoxy- Propionic Herbici 630</b>																					
8675	Haloxypop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Triazin Herbicides 635</b>																				
8026	Atrazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8138	Cyanazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8180	Desmetryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8415	Metamitron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8435	Metolachlor	µg/l	0,01	<	0,0122	<	<	0,0139	0,0266	0,0224	0,014	<	<	13	<	<	<	0,0106	0,0251	0,0266
8437	Metribuzin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8512	Prometryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8517	Propazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8547	Simazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8567	Terbutryne	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8568	Terbutylazine	µg/l	0,02	<	<	<	<	<	0,04	0,07	<	<	<	13	<	<	<	<	0,058	0,07
<b>Thiocarbamate Herbicides 640</b>																				
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Unclassified Herbicides 645</b>																				
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,013
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8354	Glyphosate	µg/l	0,03	<	<	0,05	0,03	0,07	0,05	0,1	0,03	<	0,04	13	<	<	0,03	0,0377	0,088	0,1
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8677	Ioxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8686	Sebutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Unclassified plant growth regulator 952</b>																				
6062	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	19	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Insecticides 290</b>																				
8143	Cyhalothrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Pyrethroid Insecticides 650</b>																				
8143	Cyhalothrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8170	Deltamethrin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Carbamate Insecticides 660</b>																				
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Organophosphorus Insecticides 670</b>																				
8029	Azinphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Benzoylurea Insecticides 690</b>																				
8558	Teflubenzuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
<b>Insecticides Produced By Fermenta 700</b>																				
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.





**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Unclassified Insecticides</b>		<b>710</b>																			
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8691	Pyridaben	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8692	Pyriproxyphen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8703	Pymetrozine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Unclassified Molluscicides</b>		<b>750</b>																			
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Nematicides</b>		<b>860</b>																			
1784	cis-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
<b>Pesticide metabolites</b>		<b>954</b>																			
2023	4-Isopropylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2032	3-Chloro-4-methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	<	<	0,05	<	<	<	<	4	<	*	*	<	*	0,05
8113	4-Chloro-2-methylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8176	Desethylatrazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,0114
8178	Desisopropylatrazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Various pesticides and metabolics 300</b>																						
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05		<		<			0,05			<	4	<	*	*	<	*	0,05		
2272	2-(methylthio)benzothiazole	µg/l	0,03		<		<						<	4	<	*	*	<	*	<		
8075	Captan	µg/l	0,05	<										1	*	*	*	*	*	*		
8231	sodium 2,3:4,6-di-O-isopropylidene-	µg/l	0,05	<		<	<		<				<	6	<	*	*	<	*	<		
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8658	DMST	µg/l	0,05		<		<						<	4	<	*	*	<	*	<		
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8691	Pyridaben	µg/l	0,01		<									1	*	*	*	*	*	*		
8692	Pyriproxyphen	µg/l	0,01		<									1	*	*	*	*	*	*		
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8708	Dimethenamid-p	µg/l	0,01	<	<	<	<	0,0125	0,02	0,01	<	<	<	13	<	<	<	<	0,02	0,02		
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8715	Mefenpyr-diethyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
<b>Ethers 302</b>																						
1428	Diisopropylether	µg/l	0,01	0,115	0,119	0,102	<	0,0551	<	<	<	<	0,0236	0,022	12	<	<	0,0228	0,0431	0,118	0,119	
1457	Bis(2-(2-methoxyethoxy)ethyl) ether (	µg/l	0,05	0,07	0,08	0,12	0,12	0,15	0,16	0,28	0,28	0,25	0,18	<	<	13	<	0,12	0,148	0,28	0,28	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,0265	0,0244	0,0445	0,0141	0,057	0,0248	0,157	0,021	<	<	0,0361	13	<	<	0,0248	0,0367	0,129	0,157	
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,05	<	<	<	0,21	0,21	0,38	<	0,07	0,05	0,0825	<	<	13	<	<	0,095	0,312	0,38	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<	<	<	0,1	13	<	<	<	<	0,07	0,1		
2173	Triethyleneglycol dimethylether (Trigl	µg/l	0,05	<	<	<	<	<	<	<	<	0,05	<	<	<	<	<	<	0,05	0,05		
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2275	1,4-Dioxane	µg/l	0,1										0,37	0,7	3	*	*	*	*	*		
<b>Fuel additives 303</b>																						
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,0265	0,0244	0,0445	0,0141	0,057	0,0248	0,157	0,021	<	<	0,0361	13	<	<	0,0248	0,0367	0,129	0,157	
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<	<	<	0,1	13	<	<	<	<	0,07	0,1		
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Various organic substances</b>		<b>305</b>																			
1077	Cyclohexane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1079	Dicyclopentadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1432	Dimethoxymethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1753	Dimethyldisulfide	µg/l	0,01	0,0226	0,0201	0,015	<	<	<	<	<	<	0,0116	13	<	<	<	<	0,0216	0,0226	<
1764	Tributylphosphate	µg/l	0,1	<	0,3	0,154	<	<	<	<	<	<	<	13	<	<	<	<	0,242	0,3	<
1767	Triphenylphosphate	µg/l	0,05	<	0,151	<	<	<	<	<	<	<	<	13	<	<	<	<	0,101	0,151	<
1768	Triphenylphosphine oxide	µg/l	0,05	<	<	0,05	0,06	0,12	0,05	0,06	0,06	0,05	0,065	<	<	<	0,05	0,0523	0,1	0,12	<
1961	Tetrahydrothiophene (THT)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	<
2037	2-Aminoacetophenone	µg/l	0,03	<	<	<	<	0,03	0,03	<	0,04	<	<	6	<	*	*	<	*	0,04	<
2092	Methylmethacrylate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
2165	methenamine	µg/l	1	0,7	1,9	1,8	1,7	1,3	1,7	2,1	2,7	3,75	0,95	13	0,7	0,8	1,7	1,87	3,78	3,9	<
2183	benzotriazole	µg/l	<	<	0,27	<	<	0,21	<	0,34	<	<	0,25	4	0,21	*	*	0,268	*	0,34	<
2184	5-methyl-1-H-benzotriazole (tolyltriaz)	µg/l	0,01	<	0,08	<	<	0,05	<	0,1	<	<	<	4	<	*	*	0,0587	*	0,1	<
2256	4-Methylbenzotriazole	µg/l	<	<	0,15	<	<	0,13	<	0,25	<	<	0,16	4	0,13	*	*	0,173	*	0,25	<
V129	tetrahydro-2,2,5,5-tetramethylfuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
<b>Industrial solvents</b>		<b>431</b>																			
1027	Bromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1040	1,2-Dichloroethane	µg/l	0,01	0,0109	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0114	0,0118	<
1044	Dichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1049	Hexachlorobutadiene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	<
1056	Tetrachloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1057	Tetrachloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1063	Trichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1064	Trichloromethane	µg/l	0,01	<	<	<	<	0,22	<	<	<	<	0,0116	0,0145	13	<	<	0,0393	0,267	0,435	<
1070	1,2,3-Trichloropropane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1828	cis-1,2-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1829	trans-1,2-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1954	1,1,1,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1955	1,1,1,2,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2015	Chloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
2275	1,4-Dioxane	µg/l	0,1	<	<	<	<	<	<	<	<	0,37	0,7	3	*	*	*	*	*	*	<
8205	1,2-Dichloropropane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>Industrial chemicals (with (per)fluor 433</b>																					
2263	undecafluorohexanoic acid	µg/l	0,0025				<							<	4	<	*	*	<	*	<
2282	perfluoro-1-butanefulfonate linear (L	µg/l			0,0029			0,0079		0,016				0,0054	4	0,0029	*	*	),00805	*	0,016
2283	henicosafuoroundecanoic acid	µg/l	0,002				<							<	4	<	*	*	<	*	<
2284	Perfluorovaleric acid	µg/l	0,01				<							<	4	<	*	*	<	*	<
2287	Perfluorodecanoic acid (PFDA)	µg/l	0,0016				<							<	4	<	*	*	<	*	<
2288	heptafluorobutyric acid	µg/l	0,0099				<							<	4	<	*	*	<	*	<
2289	Perfluoroheptanoic acid (PFHpA)	µg/l	0,0028				<							<	4	<	*	*	<	*	<
2290	Perfluorononanoic acid (PFNA)	µg/l	0,0013				<							<	4	<	*	*	<	*	<
2292	Perfluorohexane sulfonate (PFHxS)	µg/l			0,00053		0,001			0,0011				0,0012	4	),00053	*	*	000958	*	0,0012
2294	Perfluorooctanoate (PFOA)	µg/l			0,0029		0,0016			0,0029				0,0029	4	0,0016	*	*	,00258	*	0,0029
2295	heptadecafluorooctane-1-sulphonic	µg/l			0,0037		0,0044			0,007				0,004	4	0,0037	*	*	,00478	*	0,007
2315	6:2 fluorotelomer sulfonic acid (6:2 F	µg/l	0,0054				<							<	4	<	*	*	<	*	<

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.  
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

			MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
<b>industrial chemicals (with arom. nit 434)</b>																							
1683	Aniline	µg/l	0,03		<		0,04		0,04		<		<		0,06	6	<	*	*	0,0308	*	0,06	
1700	N-Methylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
1705	3-Chloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
1708	2,3-Dichloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
1713	2,3,4-Trichloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
1716	2,4,5-Trichloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
1717	2,4,6-Trichloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
1718	3,4,5-Trichloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
1786	3-Methylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
1862	N,N-Diethylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
1864	N-Ethylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
1979	2,4,6-Trimethylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2024	2,4-Dimethylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2027	3,4-Dimethylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2028	2,3-Dimethylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2029	3-Chloro-4-methylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2033	4-Methoxy-2-nitroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2034	2-Nitroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2035	3-Nitroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2038	2-(Phenylsulfon)aniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2053	N,N-Dimethylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2055	2,4- and 2,5-Dichloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2056	2-Methoxyaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2057	2- and 4-Methylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2058	2-(Trifluoromethyl)aniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2059	2,5- and 3,5-Dimethylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
2175	2,4,5-Trimethylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
8063	4-Bromoaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
8094	2-Chloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
8115	4-Chloroaniline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8196	2,6-Dichloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
8197	3,4-Dichloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
8198	3,5-Dichloroaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	
8222	2,6-Diethylaniline	µg/l	0,03		<		<		<		<		<		<	6	<	*	*	<	*	<	

dinsdag 6 januari 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ \* = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
8239	2,6-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
<b>Industrial chemicals (with conazole 435)</b>																					
1779	Benzothiazol	µg/l	0,03	<	<	<	<	<	<	<	0,05	<	<	<	4	<	*	*	<	*	0,05
2257	5,6-Dimethyl-1H-benzotriazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2258	5-chloroindole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	0,06	4	<	*	*	0,0187	*	0,06
2273	2(3H)-Benzothiazolone	µg/l	0,03	<	<	<	<	<	<	<	0,03	<	<	<	4	<	*	*	<	*	0,03
2312	2-Aminobenzothiazol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
<b>Industrial chemicals (with volatile h 437)</b>																					
1035	Dibromomethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1039	1,1-Dichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1041	1,1-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1050	Hexachloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1061	1,1,1-Trichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1962	Chloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2016	Chloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8206	1,3-Dichloropropane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
<b>Industrial chemicals (with phenols) 439</b>																				
1528	3-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1529	4-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1531	2,3-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1533	2,6-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1534	3,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1535	3,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1541	2,3,4-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1542	2,3,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1543	2,3,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1544	3,4,5-Trichlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
1847	3-Nitrophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2008	2,3-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2010	2,6-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2011	3,4-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2012	3,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2081	2-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2248	2,5-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2249	2,6-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2250	3,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8104	2-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8460	2-Nitrophenol	µg/l	0,02	0,05	<	<	0,06	<	<	<	<	<	<	<	<	<	<	<	0,056	0,06
8602	2,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8603	2,4,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8733	2,3-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max				
<b>Industrial chemicals (with PCBs) 440</b>																								
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<				
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<				
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB 1)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<				
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB 2)	µg/l	0,00002	0,00008	0,00005	0,00003	<	0,000035	0,00004	0,00003	<	<	0,00003	0,00006	0,00004	13	<	<	0,00003	0,000354	0,000072	0,00008		
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PCB 3)	µg/l	0,00005	0,00017	0,00008	0,00009	<	<	0,00011	<	<	<	<	0,00012	0,00006	13	<	<	<	0,00006	0,000646	0,00015	0,00017	
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PCB 4)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	<		
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (PCB 7)	µg/l	0,00004	0,00015	0,00007	0,00004	<	<	0,00005	<	<	<	<	0,00006	0,00005	13	<	<	<	0,00004	0,000461	0,000118	0,00015	
<b>Cooling agents 430</b>																								
2017	Dichlorodifluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
2019	Trichlorofluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
<b>Disinfection agents 444</b>																								
2005	2-Methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<		
8114	4-Chloro-3-methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
<b>Disinfection byproducts 446</b>																								
1028	Bromodichloromethane	µg/l	0,01	<	<	<	<	0,0625	<	<	<	<	<	<	13	<	<	<	0,0138	0,074	0,12	<		
1033	Dibromochloromethane	µg/l	0,01	<	<	<	<	0,0136	<	<	<	<	<	<	13	<	<	<	<	0,0154	0,0223	<		
1058	Tribromomethane	µg/l	0,01	<	<	<	<	<	<	0,0152	<	<	<	<	13	<	<	<	<	0,0111	0,0152	<		
2302	N-Nitrosodimethylamine (NDMA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<		
<b>Nitroso compounds 160</b>																								
2302	N-Nitrosodimethylamine (NDMA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<		
2303	N-Nitrosomorpholine (NMOR)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<		
2304	N-Nitrosopiperidine (NPIP)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<		
2305	N-Nitrosopyrrolidine (NPYR)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<		
2306	N-Nitrosomethylethylamine (NMEA)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<		
2307	N-Nitrosodiethylamine (NDEA)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<		
2308	N-Nitrosodi-n-propylamine (NDPA)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<		
2309	N-Nitroso-n-dibutylamine (NDBA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<		





**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Flameretardants</b>		<b>380</b>																				
2109	2,4,2',4'-Tetrabromodiphenylether (P)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2110	2,4,2',5'-Tetrabromodiphenylether (P)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2111	2,3,4,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2112	2,4,5,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2113	2,4,6,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2114	2,4,5,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2115	2,4,5,2',4',6'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2169	2,4,4'-Tribromodiphenylether (PBDE)	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2170	2,3,4,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
<b>X-ray contrast agents</b>		<b>340</b>																				
6051	Diatrizoic acid	µg/l		0,05	0,04	0,07	0,08	0,08	0,06	0,09	0,07	0,07	0,08	0,07	0,1	13	0,03	0,034	0,07	0,0723	0,118	0,13
6053	Iohexol	µg/l	0,01	0,05	0,06	0,05	0,05	<	0,06	0,06	0,04	0,05	0,04	0,05	0,07	13	<	0,011	0,05	0,0481	0,066	0,07
6054	Iomeprol	µg/l		0,14	0,15	0,24	0,22	0,25	0,13	0,19	0,16	0,11	0,135	0,21	0,22	13	0,06	0,08	0,19	0,176	0,246	0,25
6055	Iopamidol	µg/l		0,04	0,05	0,2	0,06	0,1	0,04	0,13	0,09	0,07	0,085	0,1	0,14	13	0,04	0,04	0,09	0,0915	0,176	0,2
6056	Iopanoic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
6057	Iopromide	µg/l	0,002	0,09	0,11	0,15	0,15	0,14	0,11	0,14	0,0617	0,0405	0,08	0,1	0,085	19	<	0,03	0,1	0,0972	0,15	0,16
6058	Iothalamic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
6059	Ioxaglic acid	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
6060	Ioxitalamic acid	µg/l		0,03	0,04	0,03	0,05	0,04	0,03	0,04	0,03	0,01	0,02	0,03	0,05	13	0,01	0,01	0,03	0,0323	0,05	0,05
<b>Chemotherapy</b>		<b>345</b>																				
6037	Cyclophosphamide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	19	<	<	<	<	<	<
6038	Ifosfamid	µg/l	0,0002		<				0,0007		<	<			<	6	<	*	*	<	*	0,0007



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
<b>Antibiotics</b>		<b>310</b>																				
6003	Chloramphenicol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6006	Clarithromycin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6008	Cloxacillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6010	Dicloxacillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6014	Erythromycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6015	Furazolidone	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6018	Nafcillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6021	Oleandomycin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6022	Oxacillin	µg/l	0,011	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6027	Roxithromycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6028	Spiramycin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6032	Sulfamethoxazole	µg/l	0,01	0,01	0,019	0,02	0,02	0,0175	0,01	0,0133	0,0085	0,025	0,01	0,016	19	0,007	0,01	0,014	0,0154	0,025	0,03	
6034	Trimethoprim	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6072	Indomethacin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6079	Lincomycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6083	Monensin	µg/l	0,01	<	<	<	<	<	<	<	<	<	0,02	<	13	<	<	<	<	0,014	0,02	
6086	Tiamulin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,023	
6091	Sulfaquinoxaline	µg/l	0,0002		0,0006									<	5	<	*	*	<	*	0,0006	
6109	theophylline	µg/l	0,015		<									<	6	<	*	*	<	*	<	
<b>Antibiotics (Sulphamides)</b>		<b>315</b>																				
6009	Dapsone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6030	Sulfamethazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6093	Sulfadimethoxine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
<b>Beta-adrenergic blocking agents an</b>		<b>320</b>																				
6042	Atenolol	µg/l			0,011			0,006		0,0003	0,0003			0,007	6	0,0002	*	*	0,00415	*	0,011	
6044	Bisoprolol	µg/l			0,013			0,024		0,0035	0,0007			0,01	6	0,0007	*	*	0,00912	*	0,024	
6045	Metoprolol	µg/l	0,005	0,1	0,05	0,0585	0,08	0,08	0,0355	0,04	0,0187	0,0162	0,095	0,1	0,056	19	<	0,005	0,04	0,0541	0,1	0,1
6047	Propranolol	µg/l	0,01	<	<	0,0105	<	<	<	<	<	<	<	<	<	<	<	<	<	0,0133	0,016	
6048	Sotalol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6171	hydrochlorthiazide	µg/l	0,004		0,036			0,013		<	<			0,085	6	<	*	*	0,0233	*	0,085	



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
<b>Analgesic and anti-inflammatory dr 350</b>																							
2061	Lidocaine	µg/l	0,01	<	<	<	<	<	<	<	0,01	<	<	18	<	<	<	<	0,0101	0,011			
6068	Diclofenac	µg/l	0,01	0,06	0,04	0,025	0,02	0,01	0,02	<	<	<	0,0225	0,04	0,026	18	<	<	0,015	0,0206	0,051	0,06	
6070	Fenoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	<	
6071	Ibuprofen	µg/l	0,032	<	<	<	<	<	<	<	<	<	<	19	<	<	<	<	<	<	<	<	
6073	Ketoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	19	<	<	<	<	<	<	<	<	
6074	Naproxen	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	19	<	<	<	<	<	<	<	<	
6075	Phenazone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	19	<	<	<	<	<	<	<	<	
6077	O-acetylsalicylic acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<	<	
6080	Tolfenamic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	<	
6085	Primidone	µg/l	0,02	<	<	<	<	0,02	<	<	<	<	<	19	<	<	<	<	<	<	<	0,02	
6131	4-Dimethylaminoantipyrine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	<	
6133	paracetamol	µg/l	0,001			0,005								6	<	*	*	0,00125	*	0,005			
6134	Salicylic acid	µg/l	0,011											6	<	*	*		*	0,019			
<b>Antidepressiva en verdoevende mid 355</b>																							
6050	Diazepam	µg/l	0,0002			<				0,0003	<			0,0004	5	<	*	*	0,00024	*	0,0005		
6115	oxazepam	µg/l			0,009		0,025		0,002	0,001			0,006	6	0,001	*	*	0,0075	*	0,025			
6116	temazepam	µg/l			0,003		0,012		0,002	0,0009			0,003	6	0,0009	*	*	0,00382	*	0,012			
6172	paroxetine	µg/l	0,003		<		<		<	<				5	<	*	*	<	*	<			
<b>Lipid-lowering drugs 360</b>																							
6049	Pentoxifylline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	<	
6061	Bezafibrate	µg/l	0,01	0,01	0,0165	0,02	<	<	<	<	<	<	<	19	<	<	<	<	<	0,02	0,02		
6062	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	19	<	<	<	<	<	<	<	<	
6064	Fenofibrate	µg/l	0,01	<	<	<	<	<	<	<	<	<	0,033	18	<	<	<	<	0,0106	0,061			
6065	Fenofibrin acid	µg/l	0,004			<								6	<	*	*	<	*	<	<		
6066	Gemfibrozil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	18	<	<	<	<	<	<	<	<	
6094	Clofibrate	µg/l	0,085	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	<	<	
6117	atorvastatin	µg/l	0,003			<							0,006	6	<	*	*	<	*	0,006			
6118	pravastatine	µg/l	0,05			<							<	6	<	*	*	<	*	<	<		



**Stellendam (M876)**

1-1-2013 up to 31-12-2013

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max				
<b>Various pharmaceuticals</b>		<b>370</b>																						
1613	Caffein	µg/l	0,05	0,15	0,23	0,18	0,21	0,12	0,13	0,11	0,0558	<	0,075	0,14	0,11	17	<	<	0,12	0,11	0,214	0,23		
1860	Carbamazepine	µg/l		0,04	0,02	0,033	0,04	0,04	0,043	0,04	0,028	0,0325	0,065	0,03	0,0275	19	0,015	0,018	0,04	0,0366	0,066	0,07		
6082	Fenoterol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
6111	losartan	µg/l	0,0003			0,017					0,00207	<			0,011	6	<	*	*	0,00541	*	0,017		
6112	enalapril	µg/l	0,0002			<					<	<			<	6	<	*	*	<	*	<		
6168	Metformin	µg/l				1,5			1,1		0,295	0,12			0,61	6	0,12	*	*	0,653	*	1,5		
6169	furosemide	µg/l	0,003			0,02			<		<	<			0,06	6	<	*	*	0,0143	*	0,06		
8677	loxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
<b>Endrocrin disrupting compounds (</b>		<b>400</b>																						
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	1,5	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	1,1	1,5	
2075	Estrone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2076	17 alpha-Ethinylestradiol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2078	Progesterone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2196	Tetrabutyltin	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2197	Triphenyltin ion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2199	Dibutyltin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2201	Difenylnit	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
6703	Activity with respect to 17-beta-estra	ng/l	0,01	0,2	0,73	0,33	0,15	0,13	0,26	0,22	<	0,13	0,125	0,42	0,11	13	<	0,035	0,17	0,226	0,606	0,73		
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
<b>unspecified substances</b>		<b>980</b>																						
1961	Tetrahydrothiophene (THT)	µg/l	0,05												<	<	<	<	<	<	<	<	<	
2013	1,1-Dichloropropene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2036	4-Methyl-3-nitroaniline	µg/l	0,03		<		<				<				<	6	<	*	*	<	*	<	<	
2066	3- and 4-Methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2068	2,4- and 2,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2176	3- and 4-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
V121	2-Nitrophenol and 4-Nitrophenol	µg/l	0,05		0,08		0,13					0,05			<	6	<	*	*	0,0558	*	0,13		

