

Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds		010																				
0120	Water temperature	°C	5,93	6,23	8,68	12,6	15,8	18,7	20,4	20,2	18,4	14,8	10,8	6,4	49	4	5,8	13,6	13,4	19,9	22,9	
0122	Oxygen	mg/l	11	11,4	10,8	10,8	10,6	9,2	8,6		9,2	9,8	10,3	12,3	12	7	7,66	10,5	10,2	12	12,3	
0123	Oxygen saturation	%	88,3	90	90,8	95,9	97,6	85,9	79,3		85,9	90,6	89,7	97,3	12	63,3	70,1	90,3	89,2	97,5	97,6	
0126	Turbidity	FTE	13,2	2,9	2,54	1,27	1,72	4,89	2,81		2,02	1,93	4,95	1,12	12	1,12	1,17	2,57	3,51	10,7	13,2	
0128	Suspended matter	mg/l	2	4,8	<	2,3	<	<	3,95	2,64	<	2,64	<	2,65	48	<	<	<	2,42	4,8	9,2	
0180	pH	pH	8,23	8,3	8,31	8,48	8,42	8,56	8,26	8,02	8,13	7,97	8,27	8,35	49	7,26	8,06	8,3	8,28	8,54	8,75	
0182	Equilibrium pH	pHs	7,58	7,46	7,55	7,5	7,45	7,52	7,63		7,59	7,53	7,46	7,46	12	7,45	7,45	7,53	7,53	7,63	7,63	
0184	Saturation index	SI	0,52	0,79	0,72	0,89	0,91	0,86	0,655		0,62	0,7	0,76	0,79	12	0,32	0,38	0,775	0,739	0,966	0,99	
0200	Conductivity (at 20 °C)	mS/m	48,6	51,4	51,7	64	70,5	63,4	57,1	45,8	48,8	55,8	58,9	56,9	49	45,3	46,9	55	56,3	66,5	77,5	
0250	Total hardness	mmol/l	2,01	2,08	2,21	2,25	2,43	2,16	1,94		1,88	2,12	2,17	2,46	12	1,7	1,75	2,17	2,14	2,45	2,46	
0250R	Total hardness, (mg/l CaCO3)	mg/l	201	208	221	225	243	216	194		189	213	218	247	12	170	175	217	214	246	247	
0251	Total hardness, 0.45 µm filtrate	mmol/l		2,17		2,19		2,27	1,78		1,9		2,28	6	1,78	*	*	2,1	*	2,28		
Radio activity		020																				
0160	beta Radioactivity, total	Bq/l		0,12		0,14		0,15	0,12		0,115		0,15	7	0,1	*	*	0,13	*	0,15		
0161	alpha Radioactivity, total	Bq/l	0,1	<	<	<	<	<	<		<	<	<	7	<	*	*	<	*	<	<	
0162	Residual beta radioactivity (without K	Bq/l	0,04	<	<	<	<	<	<		<	<	<	7	<	*	*	<	*	<	<	
0164	Tritium (H-3)	Bq/l	3	<	5,4	3,9	4,4	5,1	6,4	5,3	5,8	<	6,5	12	<	<	5,3	4,85	6,92	7,1		
Inorganic compounds		030																				
0222	Bicarbonate	mg/l	158	180	169	180	191	170	151		158	168	181	188	12	150	151	170	170	190	191	
0224	Carbonate	mg/l	5			<	<	<	<						4	<	*	*	<	*	<	
0230	Chloride	mg/l	54,7	57,8	59,9	94,3	109	97,6	83,4	54,6	61,3	77,9	81,6	74,2	49	51,4	53,8	74	76,2	101	134	
0232	Sulfate	mg/l	43	49	44	54	63	58	57		47	51	56	54	12	43	43,3	53	52,8	62,7	63	
0288	Silicate	mg/l	2,9	3,5	2,4	2,4	1,3	0,7	1,08		2,2	2,4	3,1	3,6	12	0,25	0,385	2,4	2,22	3,57	3,6	
0382	Fluoride	mg/l	0,14	0,15	0,13	0,13	0,16	0,15	0,135		0,15	0,14	0,15	0,14	12	0,12	0,123	0,145	0,143	0,157	0,16	
0386	Cyanide, total	µg/l	1	1	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	1	
0394	Bromate	µg/l		0,5		1		1,6		1,1	1,4		1,4	6	0,5	*	*	1,17	*	1,6		



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Nutrients		040																					
0271	Ammonium (NH4)	mg/l	0,07	0,11	0,05	0,03	0,06	0,09	0,085		0,07	0,07	0,07	0,07	12	0,03	0,036	0,07	0,0717	0,107	0,11		
0274	Kjeldahl Nitrogen	mg/l	0,3	0,5		<		0,6	0,4		0,55		0,4	7	<	*	*	0,45	*	0,6			
0276	Organic Nitrogen	mg/l	0,3	0,4		<		0,6	0,3		0,45		0,3	7	<	*	*	0,379	*	0,6			
0281	Nitrite-NO2	mg/l		0,068		0,035		0,049		0,076	0,05		0,036	6	0,035	*	*	0,0523	*	0,076			
0283	Nitrate-NO3	mg/l	17,5	14,5	12	12,6	10,6	6,5	6		7,5	7,5	9,6	12	5,2	5,59	10,1	10,1	16,6	17,5			
0284D	Orthophosphate (PO4)	mg/l	0,218	0,205	0,144	0,129	0,126	0,104	0,163		0,227	0,273	0,267	12	0,0552	0,0699	0,212	0,19	0,272	0,273			
0286D	Total phosphate (PO4)	mg/l		0,193		0,215		0,153		0,34	0,426		0,294	6	0,153	*	*	0,27	*	0,426			
Group compounds		070																					
0401	Total organic carbon (TOC)	mg/l	3,9	3,9	3,7	3,3	3,1	4	3,25		3,1	2,9	3	3,4	12	2,9	2,93	3,35	3,4	3,97	4		
0403	Dissolved organic carbon (DOC)	mg/l		3,3		3,1		3,4		3,5	3,4		3,3	6	3,1	*	*	3,33	*	3,5			
0404	Chemical oxygen demand (COD)	mg/l	10	<	14	14	<	<	<	<	10	12	<	<	13	<	<	<	<	14	14		
0406	Biochemical oxygen demand (BOD5)	mg/l	0,85	1,4	1,5	1,55	1,2	1,1	0,85	0,65	0,68	0,6	0,74	13	0,6	0,62	1,1	1,07	1,68	1,8			
0412	Colour (Pt/Co scale)	mg/l		11		8		9		12	10		12	6	8	*	*	10,3	*	12			
0430	Adsorbable organohalogen compou	µg/l	0,29	0,4	0,26	0,26	0,41	0,34	0,305		0,27	0,39	0,34	12	0,26	0,26	0,305	0,319	0,407	0,41			
0466	Cholinesterase inhibitors	µg/l	0,1	<	<	0,1	<	<	<	<	<	<	0,1	13	<	<	<	<	0,1	0,1			
Summend compounds		080																					
0451	Trihalomethanes, total	µg/l	0,1	<	<	<	<	0,16	<		<	<	<	12	<	<	<	<	0,127	0,16			
2022	Tetra- and Trichloroethene (sum)	µg/l	0,05	<	<	<	<	<	<		<	<	<	12	<	<	<	<	<	<			
Biological compounds		090																					
0614	Coliform bacteria, (37 °C, confirmed)	n/100 ml	58								7	3	56	12	5	3	*	*	27,2	*	58		
0618	Coliform bacteria, total (37 °C)	n/ml	3600	1100	1700	0	100	5000	800		9000	3300	11000	4700	12	0	30	2500	3430	10400	11000		
0624	thermotol.bact. Coli group bact. (44 °C)	n/100 ml	1	26	6	3	<	<	8		420	4	6	41	4	12	<	5	43,3	306	420		
0626	Escherichia coli (confirmed)	n/100 ml	23								7	2	56	2	5	2	*	*	18	*	56		
0634	Enterococces	n/100 ml	1	1	6	0	0	16	2		16	47	22	2	12	0	0	3	9,58	39,5	47		
0635	Enterococces (not conf.)	n/100 ml	1	1	6	0	0	16	2		16	47	22	2	12	0	0	3	9,58	39,5	47		
0636	escherichia coli (direct plating)	n/ml	1700	300	1300	100	0	5500	2150		0	3300	6300	1300	12	0	0	1300	2010	6060	6300		
0644	spores sulphite-reducing clostridia	n/100 ml	39	18	20	7	4	24	11,5		7	11	17	5	12	4	4	14	14,6	34,5	39		
0664	Clostridium perfringens (incl. spoers)	n/100 ml	21	6	12	4	1	10	6		1	3	3	4	12	1	1	4,5	6,42	18,3	21		
Hydrobiological compounds		095																					
7100	Chlorophyll-a	µg/l	2	3,5	<	<	4,5	<	4	9	2	2,33	<	<	<	25	<	<	2	2,72	6	14	
7110	Phaeophytine	µg/l	2	5,5	<	<	<	<	<	7,5	<	<	<	<	25	<	<	<	2,04	7,4	8		



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Metals		050																			
0240	Sodium	mg/l	29	31,5	34,3	51	59,5	54,3	48	30	34	43,3	43,5	39,8	49	26	30	40	41,9	57	74
0242	Potassium	mg/l	4,1	4,6	3,9	4,6	5,8	5	4,8		4,3	4,6	5,2	5,6	13	3,9	3,98	4,6	4,74	5,72	5,8
0244	Calcium	mg/l	67	67	72	72	71	65	59		59	67	69	79	12	52	54,1	67	67,2	76,9	79
0246	Magnesium	mg/l	8,3	10	10	11	16	13	11,4		10	11	11	12	12	8,3	8,72	11	11,3	15,1	16
0300	Iron	mg/l	0,298	0,12	0,116	0,029	0,141	0,053	0,104	0,079	0,066	0,047	0,121	0,083	13	0,022	0,0276	0,083	0,0989	0,235	0,298
0304	Manganese	mg/l	0,0256	0,0343	0,028	0,0264	0,0211	0,0193	0,0179	0,023	0,014	0,0131	0,0176	0,021	13	0,0131	0,0135	0,021	0,0221	0,0359	0,037
0310	Aluminium	µg/l	229	88	90,9	23,1	117	41,5	81,2	55,5	46,4	41,2	93,2	63,9	13	18,7	22,2	63,9	76,5	184	229
0312	Antimony	µg/l	0,236	0,222	0,179	0,233	0,289	0,309	0,348	0,287	0,343	0,31	0,335	0,255	13	0,179	0,192	0,287	0,275	0,346	0,348
0314	Arsenic	µg/l	0,841	0,752	0,725	0,778	1,01	1,15	1,28	1,19	1,32	1,22	1,19	0,88	13	0,705	0,713	1,01	1,01	1,3	1,32
0316	Barium	µg/l	43,9	44	44,4	53,8	61,8	54,1	57,3	49,3	48,4	53	62,4	53,8	13	43,9	43,9	53	52,3	62,2	62,4
0318	Beryllium	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0322	Boron	mg/l	0,0406	0,0426	0,0361	0,0524	0,0567	0,0597	0,06	0,04	0,0437	0,0502	0,0563	0,0537	13	0,0361	0,0377	0,0502	0,0496	0,0599	0,06
0324	Cadmium	µg/l	0,0281	0,0255	0,0257	0,0401	0,0481	0,0458	0,0305	0,0228	0,0231	0,0252	0,0386	0,0349	13	0,0228	0,0229	0,0305	0,033	0,0472	0,0481
0326	Chromium	µg/l	0,623	0,468	0,42	0,227	0,489	0,31	0,374	0,371	0,439	0,26	0,451	0,341	13	0,196	0,22	0,374	0,385	0,569	0,623
0328	Cobalt	µg/l	0,292	0,304	0,276	0,303	0,371	0,278	0,289	0,211	0,196	0,188	0,237	0,217	13	0,188	0,191	0,278	0,267	0,349	0,371
0330	Copper	µg/l	2,43	1,97	2,33	2,33	2,9	2,81	3,06	2,54	2,48	3,13	2,76	2,43	13	1,97	2,1	2,48	2,58	3,1	3,13
0332	Mercury	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
0334	Lead	µg/l	0,793	0,413	0,328	0,151	0,535	0,287	0,458	0,292	0,388	0,226	0,605	0,357	13	0,128	0,146	0,357	0,383	0,718	0,793
0336	Lithium	µg/l	8,75	5,81	8,12	11,3	16	14,4	13,5	8,43	8,84	10,5	12,2	9,38	13	5,81	6,73	9,38	10,7	15,4	16
0338	Molybdenum	µg/l	1,26	1,11	1,06	1,37	1,99	1,96	2,26	1,52	1,73	1,77	1,9	1,63	13	1,06	1,08	1,63	1,61	2,15	2,26
0340	Nickel	µg/l	2,01	1,91	1,75	1,64	1,62	1,47	2,05	1,43	1,6	1,5	1,67	1,71	13	1,43	1,45	1,67	1,69	2,03	2,05
0342	Selenium	µg/l	0,186	0,187	0,191	0,19	0,209	0,181	0,186	0,175	0,196	0,185	0,215	0,189	13	0,175	0,177	0,187	0,191	0,213	0,215
0343	Strontium	µg/l	333	323	328	394	483	449	410	372	347	401	443	427	13	323	325	401	393	469	483
0344	Thallium	µg/l	0,0191	0,0149	0,0141	0,0132	0,024	0,021	0,0258	0,014	0,0195	0,0172	0,0173	0,0151	13	0,0115	0,0125	0,0172	0,0176	0,0251	0,0258
0345	Tellurium	µg/l	0,02	<	<	<	<	0,0227	<	0,0264	<	<	<	<	13	<	<	<	<	0,0249	0,0264
0346	Tin	µg/l	0,02	0,0549	0,0312	<	<	<	0,0379	0,0493	0,0349	0,0409	0,0558	0,0466	13	<	<	0,0349	0,0324	0,0554	0,0558
0350	Vanadium	µg/l	1,43	1,04	1,01	1,05	1,44	1,48	1,78	1,54	1,49	1,56	1,62	1,25	13	0,982	0,993	1,44	1,36	1,72	1,78
0354	Zinc	µg/l	10,5	6,58	7,2	9,88	8,08	7,71	10,3	9,32	9,49	14,7	11,7	14,2	13	6,58	6,73	9,49	9,96	14,5	14,7
0373	Rubidium	µg/l	3,64	2,56	3,04	3,56	4,73	4,46	5,17	3,47	3,73	3,84	4,59	4,29	13	2,56	2,75	3,84	3,9	4,99	5,17
0375	Uranium	µg/l	0,518	0,567	0,565	0,679	0,787	0,741	0,626	0,634	0,622	0,68	0,695	0,672	13	0,518	0,537	0,634	0,651	0,774	0,787
V281	Cesium	µg/l	0,008	0,106	<	0,0584	0,0475	0,116	0,079	0,139	0,084	0,0807	0,0705	0,101	13	<	0,0198	0,0807	0,0781	0,13	0,139



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Metals, after filtration		055																				
0245	Calcium, 0.45 µm filtrate	mg/l	61	71	62	68	75	69	59		60	66	73	71	12	56	57,2	67	66,2	74,4	75	
0248	Magnesium, 0.45 µm filtrate	mg/l	9,3	9,9	10	12	15	13	11,2		9,9	11	11	12	12	9,3	9,33	11	11,3	14,4	15	
0302	Iron, 0.45 µm filtrate	mg/l	0,002	0,013	0,004	0,007	0,0045	0,003	0,002	0,009	0,005	0,003	<	0,007	13	<	<	0,004	0,005	0,0114	0,013	
0305	Manganese, 0.45 µm filtrate	mg/l		0,0167	0,0302	0,0243	0,0214	0,00644	0,00122	0,000466	0,00704	0,000307	0,00631	0,00636	13	0,00307	0,00371	0,00704	0,012	0,031	0,0316	
0307	Manganese, 0.45 µm filtrate	µg/l		16,7	30,2	24,3	21,4	6,44	1,22	0,466	7,04	0,307	6,31	6,36	13	0,307	0,371	7,04	12	31	31,6	
0309	Boron, 0.45 µm filtrate	µg/l		38,5	40,2	35,2	54,8	61,9	61	57,7	40,5	42	48,1	50,5	13	35,2	36,5	48,1	48,9	61,9	61,9	
0311	Aluminium, 0.45 µm filtrate	µg/l	8	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0313	Antimony, 0.45 µm filtrate	µg/l		0,222	0,24	0,2	0,239	0,301	0,311	0,353	0,283	0,317	0,308	0,321	13	0,2	0,209	0,283	0,277	0,34	0,353	
0315	Arsenic, 0.45 µm filtrate	µg/l		0,739	0,702	0,668	0,775	0,981	1,09	1,23	1,1	1,23	1,25	1,13	13	0,668	0,679	0,981	0,965	1,24	1,25	
0317	Barium, 0.45 µm filtrate	µg/l		41,3	45,2	43,9	52,8	60,5	52,4	55,7	48,9	47,7	54,1	61,7	13	41,3	42,3	51	51,4	61,2	61,7	
0319	Berullium, 0.45 µm filtrate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0325	Cadmium, 0.45 µm filtrate	µg/l	0,02	0,0315	0,0276	0,0322	0,0414	0,0369	0,0341	0,024	<	<	0,0259	0,0337	13	<	<	0,0322	0,0296	0,0418	0,0435	
0327	Chromium, 0.45 µm filtrate	µg/l		0,2	0,212	0,195	0,222	0,163	0,184	0,472	0,169	0,105	0,155	0,106	13	0,105	0,105	0,184	0,205	0,39	0,472	
0329	Cobalt, 0.45 µm filtrate	µg/l		0,178	0,256	0,234	0,295	0,298	0,251	0,227	0,166	0,158	0,159	0,166	13	0,158	0,158	0,227	0,219	0,308	0,314	
0331	Copper, 0.45 µm filtrate	µg/l		2,01	1,81	2,18	2,34	2,47	2,6	2,8	2,55	2,64	3,07	2,46	13	1,81	1,89	2,47	2,45	2,96	3,07	
0333	Mercury, 0.45 µm filtrate	µg/l	0,0003	0,0008	0,00037	0,00059	<	0,00037	0,00035	0,00038	0,00042	0,00038	<	0,00045	13	<	<	0,00038	0,00401	0,00716	0,0008	
0335	Lead, 0.45 µm filtrate	µg/l		0,0653	0,0383	0,0446	0,0642	0,0602	0,051	0,0594	0,0636	0,0663	0,0537	0,077	13	0,0383	0,0408	0,0602	0,0603	0,0765	0,077	
0337	Lithium, 0.45 µm filtrate	µg/l		7,87	4,57	7,59	11,4	15,2	13,8	13,2	8,08	9,13	9,81	10,5	13	4,57	5,78	9,26	10,1	14,6	15,2	
0339	Molybdenum, 0.45 µm filtrate	µg/l		1,2	1,12	1,04	1,34	1,98	1,98	2,26	1,52	1,77	1,78	1,92	13	1,04	1,07	1,58	1,6	2,15	2,26	
0341	Nickel, 0.45 µm filtrate	µg/l		1,66	1,7	1,6	1,55	1,4	1,38	1,95	1,93	1,54	1,43	1,49	13	1,38	1,39	1,55	1,59	1,94	1,95	
0347	Tin, 0.45 µm filtrate	µg/l	0,02	<	<	<	<	<	<	<	<	<	0,0298	<	13	<	<	<	<	0,0274	0,0298	
0349	Titanium, 0.45 µm filtrate	µg/l	0,06	0,22	0,0996	0,116	0,0715	0,0904	0,0879	0,0713	<	0,0612	<	<	13	<	<	0,0879	0,0824	0,178	0,22	
0351	Vanadium, 0.45 µm filtrate	µg/l		0,895	0,844	0,827	1,03	1,19	1,39	1,53	1,35	1,38	1,45	1,36	13	0,827	0,834	1,19	1,18	1,5	1,53	
0353	Silver, 0.45 µm filtrate	µg/l	0,009	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0355	Zinc, 0.45 µm filtrate	µg/l		5,04	4,8	5,04	5,82	3,63	3,42	6,9	7,91	4,43	9,09	5,31	13	3,42	3,5	5,04	7,42	21,2	29,3	
0359	Rubidium, 0.45 µm filtrate	µg/l		3,11	2,45	2,89	3,58	4,45	4,46	5,03	3,38	3,99	3,83	4,39	13	2,45	2,63	3,92	3,79	4,8	5,03	
0361	Uranium, 0.45 µm filtrate	µg/l		0,512	0,586	0,577	0,673	0,787	0,744	0,644	0,638	0,645	0,715	0,693	13	0,512	0,538	0,645	0,659	0,772	0,787	
0362	Selemium, 0.45 µm filtrate	µg/l		0,183	0,191	0,185	0,191	0,208	0,182	0,185	0,18	0,178	0,18	0,213	13	0,178	0,179	0,185	0,189	0,211	0,213	
0363	Strontium, 0.45 µm filtrate	µg/l		324	325	326	404	471	456	409	373	367	415	454	13	324	324	409	397	465	471	
0364	Thallium, 0.45 µm filtrate	µg/l		0,0142	0,0134	0,0133	0,0161	0,0213	0,0193	0,0238	0,0142	0,0191	0,0162	0,0166	13	0,0133	0,0133	0,0162	0,0167	0,0228	0,0238	
0365	Tellurium, 0.45 µm filtrate	µg/l	0,08	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V282	Cesium, 0.45 µm filtrate	µg/l	0,01	0,0417	<	0,036	0,0418	0,0728	0,0637	0,109	0,063	0,0632	0,0582	0,0587	13	<	0,0174	0,0582	0,0547	0,0945	0,109	
V323	Sodium, 0.45 µm filtrate	mg/l		27	32	31	52	72	54	46		38	43	44	12	27	28,2	43,5	44,4	68,1	72	
V332	Potassium, 0.45 µm filtrate	mg/l		4	4,4	4	4,9	5,9	5,3	4,75		4,8	4,8	5,2	12	4	4	4,85	4,84	5,72	5,9	



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Complex buiders	060																			
0420 Anionic detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
0422 Cation-Active Detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
0424 Non-ionic Surfactants	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1793 Nitriolotriacetic acid (NTA)	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1794 Ethylenediaminetetraacetic acid (ED)	µg/l	5	7	8	8	8	<	7	<	<	<	<	7	12	<	<	<	<	8	8
2003 Diethylenetriaminepentaacetic acid ()	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<



■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Mono cyclic aromatic hydrocarb 170																					
1074	Benzene	µg/l	0,01	0,012	0,0114	<	<	<	<	0,0114	<	<	<	<	<	<	<	<	0,0118	0,012	
1075	Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1080	1,2-Dimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1088	Ethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1089	Ethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1098	Methylbenzene	µg/l	0,01	0,0873	<	<	0,0221	0,014	0,0228	<	0,0306	0,0116	<	<	<	<	<	0,0185	0,0681	0,0873	
1106	Propylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1112	Chlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1115	2-Chloromethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1116	3-Chloromethylbenzene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1119	1,2-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1120	1,3-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1121	1,4-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1127	Pentachlorobenzene	µg/l	0,00002	<	<	<	<	<	<	0,00003	<	0,00002	<	<	<	<	<	<	0,00026	0,0003	
1131	1,2,3-Trichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1132	1,2,4-Trichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1133	1,3,5-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1797	Isopropylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1832	1,3,5-Trimethylbenzene	µg/l	0,01	<	0,0114	<	<	<	<	<	<	<	0,0102	<	<	<	<	<	0,0109	0,0114	
1951	1,2,4-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1952	1,2,3-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1956	3-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1957	4-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1958	2-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1959	4-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1960	1-Methyl-4-isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1998	t-Butylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2014	Bromobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2018	Isobutylbenzene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,01	0,0166	<	<	0,0116	0,0117	<	<	0,011	0,0119	<	<	<	<	<	<	0,0176	0,0182	
2064	s-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Poly cyclistic aromatic hydrocarbo 180																							
1161	Acenaphthene	µg/l	0,005	<	<	0,0067	<	<	<	<	<	<	0,0068	12	<	<	<	<	0,00677	0,0068			
1163	Anthracene	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1165	Benzo(a)anthracene	µg/l	0,001	<	<	<	<	<	<	<	<	0,00146	<	13	<	<	<	<	0,00108	0,00146			
1166	Benzo(b)fluoranthene	µg/l		0,00215	0,00115	0,00094	0,000545	0,00149	0,0006	0,00126	0,00072	0,00074	0,00073	0,00216	0,00069	13	0,00046	0,00516	0,00074	0,00106	0,00216	0,00216	
1167	Benzo(k)fluoranthene	µg/l		0,00093	0,0006	0,00039	0,000245	0,00073	0,00032	0,00054	0,00036	0,00038	0,00031	0,00103	0,00029	13	0,00023	0,00242	0,00038	0,00049	0,00099	0,00103	
1168	Benzo(ghi)perylene	µg/l		0,00181	0,00101	0,0007	0,00037	0,00124	0,0005	0,00098	0,00079	0,00067	0,00046	0,0014	0,00051	13	0,00033	0,00362	0,0007	0,000832	0,00165	0,00181	
1169	Benzo(a)pyrene	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1172	Chrysene	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1173	Dibenzo(a,h)anthracene	µg/l	0,003	<	<	<	<	<	<	0,00309	<	<	<	<	<	13	<	<	<	<	<	0,00309	
1180	Phenanthrene	µg/l		0,00493	0,00687	0,00331	0,00317	0,00369	0,00232	0,0043	0,00277	0,00427	0,00403	0,011	0,00464	13	0,00232	0,0025	0,00403	0,0045	0,00935	0,011	
1181	Fluoranthene	µg/l		0,00651	0,00414	0,00327	0,00301	0,00353	0,00257	0,00337	0,00327	0,00424	0,00301	0,00961	0,00337	13	0,00257	0,00264	0,00337	0,00407	0,00837	0,00961	
1182	Fluorene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
1183	Indeno(1,2,3-cd)pyrene	µg/l		0,00128	0,00073	0,00051	0,00033	0,00091	0,00034	0,00087	0,00069	0,00057	0,0004	0,00135	0,0005	13	0,00031	0,00322	0,00057	0,00678	0,00132	0,00135	
1188	Pyrene	µg/l	0,002	0,00514	0,0034	0,00258	<	0,00239	<	0,00215	0,00233	0,00244	<	0,00584	0,00353	13	<	<	0,00239	0,0026	0,00556	0,00584	
8450	Naphthalene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Organochlorine pesticides	200																			
2132 3-Chloropropene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8006 Aldrin	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8119 Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8162 o,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8163 p,p-DDD	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8164 o,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8165 p,p-DDE	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8166 o,p-DDT	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8167 p,p-DDT	µg/l	0,00009	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8189 Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8199 2,6-Dichlorobenzamide (BAM)	µg/l	0,02	<	<	<	<	0,02	<	<	<	<	<	<	12	<	<	<	<	0,02	0,02
8217 Dieldrin	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8263 alpha-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8264 beta-Endosulfan	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8268 Endrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8358 Heptachlor	µg/l	0,00005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8359 Heptachloroepoxide	µg/l	0,00005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8361 Hexachlorobenzene (HCB)	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8362 alpha-Hexachlorocyclohexane (alpha)	µg/l		0,00014	0,00011	0,00019	0,000135	0,00015	0,00011	0,00029	0,00026	0,0001	0,00009	0,0001	13	0,00009	0,00009	0,00012	0,000146	0,000278	0,00029
8363 beta-Hexachlorocyclohexane (beta)	µg/l		0,00018	0,00015	0,00017	0,000295	0,00043	0,00041	0,00063	0,00046	0,00035	0,00032	0,00035	13	0,00015	0,000158	0,00035	0,000325	0,000562	0,00063
8379 Isodrin	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8393 Lindane (gamma-HCH)	µg/l		0,00027	0,00018	0,0003	0,00022	0,00025	0,00022	0,00026	0,00021	0,00026	0,00021	0,00023	13	0,00018	0,000192	0,00023	0,000235	0,000288	0,0003
8428 Methoxychlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8441 Mirex	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8533 Quintocene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8560 Telodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8629 delta-Hexachlorocyclohexane (delta)	µg/l	0,00008	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8631 trans-Heptachloroepoxide	µg/l	0,0007	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8640 cis-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8641 trans-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8655 Oxychlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8656 epsilon-Hexachlorocyclohexane (eps)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<

woensdag 29 juli 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organophosphorus and -sulphur p 210																					
8028	Azinphos-ethyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8029	Azinphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<
8059	Bromophos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8060	Bromophos-ethyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8108	Chlorfenvinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8112	Chlorpyriphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8190	Dichlofenthion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8278	Ethion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8296	Fenchlorphos (Ronne)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8343	Phosphamidon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8352	Glufosinate-ammonium	µg/l	0,015	<	0,02	<	<	<	<	<	<	<	<	<	10	<	<	<	<	0,0187	0,02
8354	Glyphosate	µg/l	0,015	0,03	0,02	<	<	<	0,04	0,0337	<	<	<	<	11	<	<	<	0,0184	0,056	0,06
8360	Heptenophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8423	Methidathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8439	Mevinphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8482	Parathion-ethyl	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8483	Parathion-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8500	Pirimiphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8526	Pyrazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8550	Sulfotep	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8572	Tetrachlorvinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<

woensdag 29 juli 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8600	Triazophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,22	0,58	0,23	0,27	0,36	0,51	0,5		0,3	0,52		0,34	11	0,22	0,222	0,36	0,394	0,612	0,62	
8642	cis-Chlorfenvinphos	µg/l	0,02												1	*	*	*	*	*	*	*
8643	trans-Chlorfenvinphos	µg/l	0,02												1	*	*	*	*	*	*	*
8644	cis-Mevinphos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8652	Chlorpyriphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8702	Nicosulfuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8714	Iodosulfuron-methyl-sodium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8727	Triflusulfuron-methyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
V250	2,3-bis-sulfanylbutanedioic acid (suc)	µg/l	0,05	<	<										2	*	*	*	*	*	*	*
Organonitrogen pesticides		220																				
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8730	chloridazon-methyl-desphenyl	µg/l	0,05	<	0,05	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	0,05
8732	Chloridazon-desphenyl	µg/l	0,14	0,23	0,16	0,14	0,12	0,12	0,09		0,1	0,13	0,12	0,13	12	0,09	0,09	0,125	0,131	0,209	0,23	



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Carbamate herbicides 260																						
8003	Aldicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8004	Aldicarb-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8005	Aldicarb-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8068	Butocarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8069	Butoxycarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8277	Ethiofencarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<		
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*		
8634	Butocarboxim-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8637	Thiofanox-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8638	Thiofanox-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
Biocides 285																						
2077	Tributyltin	µg/l		0,00013	0,0007	0,0002	0,00023	0,00016	0,00008	0,00008	0,00011	0,00005	0,00011	0,00012	0,00023	13	0,0005	0,00062	0,00013	0,00187	0,00054	0,0007
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	0,05	<	<	<	<	<	<	<	0,05	
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8169	Diethyltoluamide (DEET)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
8521	Propoxur	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<		
8803	cis-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*		
8804	trans-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*		
Benzimidazole Fungicides 470																						
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	0,05	<	<	<	<	<	<	<	0,05	
Conazole Fungicides 480																						
8486	Penconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*		
8596	Triadimenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*		
8659	Epoxiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*		
8803	cis-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*		
8804	trans-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*		
Amide Fungicides 490																						
8412	Metalaxyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*		

woensdag 29 juli 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Pyrimidine Fungicides		500																			
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
Strobilurine Fungicides		510																			
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
Unclassified Fungicides		520																			
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8590	Tolclofos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Chlorophenoxy herbicides		230																			
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8240	2,4-Dimethylphenol	µg/l	0,02										<	1	*	*	*	*	*	*	*
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8404	Mecoprop (MCPP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Phenylurea herbicides		240																		
8070	Buturon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8097	Chlorbromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8122	Chlortoluron	µg/l	0,01	<	<	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,014	0,02
8130	Chloroxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8226	Difenoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8258	Diuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,01
8382	Isoproturon	µg/l	0,01	0,01	<	<	<	<	<	<	<	<	0,02	0,15	13	<	<	0,0177	0,098	0,15
8394	Linuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8418	Metabenzthiazuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8446	Monolinuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8447	Monuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8456	Neburon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8665	1-(4-Chlorophenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8666	1-(3-Chloro-4-methylphenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8667	1-(4-Isopropylphenyl) urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8668	1-(4-Isopropylphenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Dinitrophenol herbicides		250																		
8244	2,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8609	Trietazin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Phenoxy Herbicides		550																		
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8404	Mecoprop (MCPP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<

woensdag 29 juli 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Anilide Herbicides 570																					
8417	Metazachlor	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Chloroacetanilide Herbicides 580																					
8002	Alachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8235	Dimethachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8513	Propachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
(Bis-)Carbamate Herbicides 590																					
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
Dinitroaniline Herbicides 600																					
8488	Pendimethalin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
Sulfonylurea Herbicides 610																					
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8702	Nicosulfuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Urea Herbicides 620																					
8122	Chlortoluron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	0,02	13	<	<	<	<	0,014	0,02
8258	Diuron	µg/l	0,01	<	<	<	<	<	0,01	<	<	<	<	<	13	<	<	<	<	<	0,01
8382	Isoproturon	µg/l	0,01	0,01	<	<	<	<	<	<	<	<	0,02	0,15	13	<	<	<	0,0177	0,098	0,15
8394	Linuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8418	Metabenzthiazuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Aryloxyphenoxy- Propionic Herbici 630																					
8675	Haloxyfop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Triazin Herbicides		635																			
8026	Atrazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8138	Cyanazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8180	Desmetryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8366	Hexazinone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8415	Metamitron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8435	Metolachlor	µg/l	0,01	<	<	<	<	0,0148	0,0196	0,0203	0,0105	<	<	<	<	<	<	<	<	0,02	0,0203
8437	Metribuzin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8512	Prometryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8517	Propazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8547	Simazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8567	Terbutryne	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8568	Terbutylazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,02
Thiocarbamate Herbicides		640																			
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Unclassified Herbicides		645																			
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8354	Glyphosate	µg/l	0,015	0,03	0,02	<	<	<	0,04	0,0337	<	<	<	<	<	<	<	0,0184	0,056	0,06	
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8675	Haloxypol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8677	Ioxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8686	Sebutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified plant growth regulator 952																					
6062	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Anti-sprouting products 960																					
8626	Chlorpropham	µg/l	0,02										<	1	*	*	*	*	*	*	*
Insecticides 290																					
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Pyrethroid Insecticides 650																					
8170	Deltamethrin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Carbamate Insecticides 660																					
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8304	Fenoxycarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8499	Pirimicarb	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Organophosphorus Insecticides 670																					
8029	Azinphos-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8112	Chlorpyrifos-methyl	µg/l	0,02										<	1	*	*	*	*	*	*	*
8136	Coumaphos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8209	Dichlorvos	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8345	Phosmet	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8396	Malathion	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8652	Chlorpyrifos	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Benzoylurea Insecticides 690																					
8558	Teflubenzuron	µg/l	0,05	<		<	<	<		<		<	<	7	<	*	*	<	*	<	<
Insecticides Produced By Fermenta 700																					
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

woensdag 29 juli 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Unclassified Insecticides		710																			
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8703	Pymetrozine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Unclassified Molluscicides		750																			
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Nematicides		860																			
1784	cis-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1785	trans-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Pesticide metabolites		954																			
2023	4-Isopropylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2032	3-Chloro-4-methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8113	4-Chloro-2-methylphenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8176	Desethylatrazine	µg/l	0,01	0,01	0,0102	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0101	0,0102
8178	Desisopropylatrazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

			MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Various pesticides and metabolics 300																						
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
2272	2-(methylthio)benzothiazole	µg/l	0,03		<				<						<	4	<	*	*	<	*	<
8231	sodium 2,3:4,6-di-O-isopropylidene-	µg/l	0,05		<		<		<		<				<	6	<	*	*	<	*	<
8235	Dimethachlor	µg/l	0,02												<	1	*	*	*	*	*	*
8280	Ethofumesat	µg/l	0,02												<	1	*	*	*	*	*	*
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8376	Iprodione	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8658	DMST	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8708	Dimethenamid-p	µg/l	0,01	<	<	<	<	<	0,01	0,01	<	<	<	<	<	13	<	<	<	<	0,01	0,01
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8715	Mefenpyr-diethyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8731	N,N-dimethyl-N'-phenylsulphamide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Ethers 302																						
1428	Diisopropylether	µg/l	0,01	0,0454	0,0973	0,0482	<	<	<	<	<	0,0138	<	<	0,0123	13	<	<	<	0,0198	0,0777	0,0973
1457	Bis(2-(2-methoxyethoxy)ethyl) ether (µg/l		0,07	0,07	0,08	0,09	0,11	0,13	0,1		0,09	0,16	0,15	0,17	12	0,07	0,07	0,1	0,11	0,167	0,17
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,0303	0,0231	0,0248	0,0155	0,0296		0,11	0,0293	0,0401	<	<	0,0239	12	<	<	0,0255	0,0293	0,089	0,11
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,05	<	<	0,06	0,06	0,06	0,08	0,075		<	0,06	0,08	0,13	12	<	<	0,06	0,0629	0,118	0,13
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<
2173	Triethyleneglycol dimethylether (Trigl	µg/l	0,05	<	<	<	<	<	0,06	<		<	0,06	<	0,1	12	<	<	<	<	0,088	0,1
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<
2275	1,4-Dioxane	µg/l		0,45			0,4	0,9	0,47	0,52		0,47	0,55	0,64	0,53	10	0,4	0,401	0,5	0,545	0,874	0,9
Fuel additives 303																						
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,0303	0,0231	0,0248	0,0155	0,0296		0,11	0,0293	0,0401	<	<	0,0239	12	<	<	0,0255	0,0293	0,089	0,11
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<		<	<	<	<	10	<	<	<	<	<	<
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<

woensdag 29 juli 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Various organic substances 305																						
1077	Cyclohexane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1079	Dicyclopentadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1432	Dimethoxymethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1753	Dimethyldisulfide	µg/l	0,01	0,014	<	0,0104	<	0,0228	<	0,0219	<	<	0,0399	<	<	<	<	0,0115	0,0331	0,0399	<	
1764	Tributylphosphate	µg/l	0,1	<	<	<	<	<	<	<	<	0,143	<	<	<	<	<	<	0,106	0,143	<	
1767	Triphenylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1768	Triphenylphosphine oxide	µg/l	0,05	<	0,09	0,05	0,06	0,07	0,08	0,0575	<	0,07	0,06	<	<	<	0,06	0,0558	0,09	0,09	<	
1961	Tetrahydrothiophene (THT)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2037	2-Aminoacetophenone	µg/l	0,03	<	<	0,03	<	0,06	<	0,04	0,03	<	<	<	6	<	*	*	0,0317	*	0,06	
2092	Methylmethacrylate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2165	methenamine	µg/l	<	0,82	1,5	1,5	1,8	3,6	3,4	2,3	<	2,2	2,5	3,2	2,7	12	0,82	1,02	2,35	2,32	3,54	3,6
2183	benzotriazole	µg/l	<	<	0,31	<	<	0,4	<	<	0,42	<	0,44	4	0,31	*	*	0,393	*	0,44	<	
2184	5-methyl-1-H-benzotriazole (tolyltriaz	µg/l	<	<	0,09	<	<	0,1	<	<	0,09	<	0,11	4	0,09	*	*	0,0975	*	0,11	<	
2256	4-Methylbenzotriazole	µg/l	<	<	0,21	<	<	0,3	<	<	0,25	<	0,27	4	0,21	*	*	0,258	*	0,3	<	
V129	tetrahydro-2,2,5,5-tetramethylfuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Industrial solvents 431																						
1027	Bromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1040	1,2-Dichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1044	Dichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1049	Hexachlorobutadiene	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1056	Tetrachloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1057	Tetrachloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1063	Trichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1064	Trichloromethane	µg/l	0,01	<	<	<	<	<	0,0104	0,0805	0,0112	<	0,0123	<	<	<	<	0,0123	0,0532	0,0805	<	
1070	1,2,3-Trichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1828	cis-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1829	trans-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1954	1,1,1,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
1955	1,1,2,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2015	Chloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	8	<	*	*	<	*	<	<	
2275	1,4-Dioxane	µg/l	<	0,45	<	0,4	0,9	0,47	0,52	<	0,47	0,55	0,64	0,53	10	0,4	0,401	0,5	0,545	0,874	0,9	
8205	1,2-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	

woensdag 29 juli 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code	STE
-------------------	-----

			MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial chemicals (with (per)fluor 433																							
2263	undecafluorohexanoic acid	µg/l	0,0056	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
2282	perfluoro-1-butanefluoride linear (L	µg/l	0,005	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
2283	henicosafluoroundecanoic acid	µg/l		0,0021	0,0022	0,0019	0,0024	0,0026	0,0037	0,0036		0,0038	0,0028	0,0023	0,0021	12	0,0019	0,00196	0,0025	0,00276	0,00387	0,0039	
2284	Perfluorovaleric acid	µg/l	0,0014	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
2287	Perfluorodecanoic acid (PFDA)	µg/l	0,001	<	0,0011	<	0,0013	0,0011	0,0015	0,00175		0,002	0,0014	0,0011	<	12	<	<	0,0012	0,00127	0,00197	0,002	
2288	heptafluorobutyric acid	µg/l	0,0015	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
2289	Perfluoroheptanoic acid (PFHpA)	µg/l		0,00071	0,0015	0,00087	0,001	0,0013	0,0018	0,0015		0,0014	0,0016	0,001	0,0012	12	0,00071	0,000758	0,00125	0,00128	0,00194	0,002	
2290	Perfluorononanoic acid (PFNA)	µg/l		0,0018	0,0036	0,003	0,0024	0,0025	0,003	0,0025		0,0031	0,0019	0,0025	0,0019	12	0,0018	0,00183	0,0025	0,00256	0,00345	0,0036	
2292	Perfluorohexane sulfonate (PFHxS)	µg/l		0,003	0,0046	0,0033	0,0038	0,0046	0,0074	0,0049		0,0039	0,0022	0,0056	0,0042	12	0,0022	0,00244	0,00425	0,00437	0,00686	0,0074	
2294	Perfluorooctanoate (PFOA)	µg/l		0,0038	0,0047	0,0031	0,0057	0,008	0,011	0,0115		0,022	0,0068	0,0066	0,0065	12	0,0031	0,00331	0,0067	0,00843	0,0193	0,022	
2295	heptadecafluorooctane-1-sulphonic	µg/l	0,0011	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
2315	6:2 fluorotelomer sulfonic acid (6:2 F	µg/l	0,0075	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
industrial chemicals (with arom. nit 434																					
1683	Aniline	µg/l	0,03	0,05		0,03		0,03		0,04	<			<	6	<	*	*	<	*	0,05
1700	N-Methylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
1705	3-Chloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
1708	2,3-Dichloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
1713	2,3,4-Trichloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
1716	2,4,5-Trichloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
1717	2,4,6-Trichloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
1718	3,4,5-Trichloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
1786	3-Methylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
1862	N,N-Diethylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
1864	N-Ethylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
1979	2,4,6-Trimethylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2024	2,4-Dimethylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2027	3,4-Dimethylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2028	2,3-Dimethylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2029	3-Chloro-4-methylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2033	4-Methoxy-2-nitroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2034	2-Nitroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2035	3-Nitroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2038	2-(Phenylsulfon)aniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2053	N,N-Dimethylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2055	2,4- and 2,5-Dichloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2056	2-Methoxyaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2057	2- and 4-Methylaniline	µg/l	0,03	<		<		<		<	0,03			<	6	<	*	*	<	*	0,03
2058	2-(Trifluoromethyl)aniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2059	2,5- and 3,5-Dimethylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
2175	2,4,5-Trimethylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
8063	4-Bromoaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
8094	2-Chloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
8115	4-Chloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
8196	2,6-Dichloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
8197	3,4-Dichloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
8198	3,5-Dichloroaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<
8222	2,6-Diethylaniline	µg/l	0,03	<		<		<		<	<			<	6	<	*	*	<	*	<

woensdag 29 juli 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
8239	2,6-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
Industrial chemicals (with conazole 435)																					
1779	Benzothiazol	µg/l	0,03		<			0,08			0,04			0,03	4	<	*	*	0,0412	*	0,08
2257	5,6-Dimethyl-1H-benzotriazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2258	5-chloroindole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2273	2(3H)-Benzothiazolone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2312	2-Aminobenzothiazol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
Industrial chemicals (with volatile h 437)																					
1035	Dibromomethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1039	1,1-Dichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1041	1,1-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1050	Hexachloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1061	1,1,1-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1962	Chloroethene	µg/l	0,00005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<
8206	1,3-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial chemicals (with phenols) 439																					
1528	3-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1529	4-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1531	2,3-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1532	2,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
1533	2,6-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1534	3,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1535	3,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1541	2,3,4-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1542	2,3,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1543	2,3,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1544	3,4,5-Trichlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
1847	3-Nitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
2008	2,3-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
2009	2,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
2010	2,6-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
2011	3,4-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
2012	3,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
2081	2-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
2178	3-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
2179	4-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
2248	2,5-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	7	<	<	<	<	<	<
2249	2,6-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	7	<	<	<	<	<	<
2250	3,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	7	<	<	<	<	<	<
8104	2-Chlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8202	2,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*
8460	2-Nitrophenol	µg/l	0,02	<	0,06	<	0,04	<	<	<	<	<	<	<	11	<	<	<	<	0,056	0,06
8602	2,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8603	2,4,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8733	2,3-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	7	<	<	<	<	<	<
V431	2,3- and 3,5-xylenol (2,3- and 3,5-Di	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*

woensdag 29 juli 2015

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code	STE
-------------------	-----

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Industrial chemicals (with PCBs) 440																							
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,00004	0,00009	0,00008	0,00005	0,000045	0,00007	0,00006	0,00012	0,00007	0,00006	0,00006	0,00007	<	13	<	<	0,00006	000646	000108	0,00012	
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l		0,00007	0,00007	0,00006	0,00007	0,00005	0,00006	0,0001	0,00008	0,00009	0,00006	0,00007	0,00007	13	0,00005	000054	0,00007	000708	000096	0,0001	
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB 1)	µg/l	0,00003	0,00009	0,00006	0,00005	0,000065	0,00005	<	0,00006	0,00006	0,00006	0,00005	0,00009	0,00004	13	<	<	0,00006	000581	0,00009	0,00009	
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB 2)	µg/l	0,00002	0,00004	0,00003	<	<	0,00002	<	0,00003	0,00002	0,00003	0,00003	0,00003	<	13	<	<	0,00002	000223	000036	0,00004	
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PCB 3)	µg/l	0,00005	0,00008	<	<	<	<	<	<	<	<	<	0,00006	<	13	<	<	<	<	000072	0,00008	
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PCB 4)	µg/l		0,0001	0,00007	0,00006	0,00006	0,00007	0,00003	0,00006	0,00005	0,00006	0,00006	0,00009	0,00008	13	0,00003	000038	0,00006	000654	000096	0,0001	
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (PCB 7)	µg/l	0,00004	0,00005	0,00004	<	<	0,00004	<	<	<	<	<	<	<	13	<	<	<	<	000046	0,00005	
Cooling agents 430																							
2017	Dichlorodifluoromethane	µg/l	0,05	<			<	<	<	<		<	<	<	<	10	<	<	<	<	<	<	
2019	Trichlorofluoromethane	µg/l	0,05	<			<	<	<	<		<	<	<	<	10	<	<	<	<	<	<	
Disinfection agents 444																							
2005	2-Methylphenol	µg/l	0,02	<	<										<	3	*	*	*	*	*	*	
2007	4-Methylphenol	µg/l	0,02												<	1	*	*	*	*	*	*	
2079	m-Cresol	µg/l	0,02												<	1	*	*	*	*	*	*	
8114	4-Chloro-3-methylphenol	µg/l	0,02	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
Disinfection byproducts 446																							
1028	Bromodichloromethane	µg/l	0,01	<	<	<	<	<	<	0,0382	<	<	<	<	<	13	<	<	<	<	0,0249	0,0382	
1033	Dibromochloromethane	µg/l	0,01	<	<	<	<	<	<	0,013	<	<	<	<	<	13	<	<	<	<	<	0,013	
1058	Tribromomethane	µg/l	0,01	<	<	<	<	<	<	0,0879	<	<	<	<	<	13	<	<	<	0,0114	0,0547	0,0879	
2302	N-Nitrosodimethylamine (NDMA)	µg/l	0,001		0,001	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	0,001	
Nitroso compounds 160																							
2302	N-Nitrosodimethylamine (NDMA)	µg/l	0,001		0,001	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	0,001	
2303	N-Nitrosomorpholine (NMOR)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2304	N-Nitrosopiperidine (NPIP)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2305	N-Nitrosopyrrolidine (NPYR)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2306	N-Nitrosomethylethylamine (NMEA)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2307	N-Nitrosodiethylamine (NDEA)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2308	N-Nitrosodi-n-propylamine (NDPA)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
2309	N-Nitroso-n-dibutylamine (NDBA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Flameretardants		380																				
2109	2,4,2',4'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2110	2,4,2',5'-Tetrabromodiphenylether (P	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2111	2,3,4,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2112	2,4,5,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2113	2,4,6,2',4'-Pentabromodiphenylether	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2114	2,4,5,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2115	2,4,5,2',4',6'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2169	2,4,4'-Tribromodiphenylether (PBDE	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2170	2,3,4,2',4',5'-Hexabromodiphenylethe	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
X-ray contrast agents		340																				
6051	Diatrizoic acid (Amidotrizoic acid)	µg/l		0,03	0,09	0,08	0,09	0,13	0,1	0,075		0,08	0,16	0,13	0,09	12	0,03	0,042	0,09	0,0942	0,151	0,16
6053	Iohexol	µg/l		0,05	0,11	0,11	0,13	0,13	0,08	0,07		0,06	0,06	0,11	0,06	12	0,05	0,05	0,085	0,0867	0,13	0,13
6054	Iomeprol	µg/l		0,14	0,34	0,35	0,33	0,52	0,12	0,22		0,18	0,22	0,3	0,21	12	0,12	0,126	0,23	0,263	0,469	0,52
6055	Iopamidol	µg/l		0,06	0,16	0,13	0,14	0,16	0,11	0,09		0,14	0,2	0,16	0,14	12	0,06	0,066	0,14	0,132	0,188	0,2
6056	Iopanoic acid	µg/l	0,01	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<
6057	Iopromide	µg/l		0,09	0,19	0,123	0,14	0,17	0,109	0,085		0,07	0,06	0,09	0,0875	15	0,06	0,066	0,09	0,108	0,178	0,19
6058	Iothalamic acid	µg/l	0,01	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<
6059	Ioxaglic acid	µg/l	0,1	<	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<
6060	Ioxitalamic acid	µg/l		0,03	0,07	0,05	0,05	0,06	0,04	0,03		0,04	0,04	0,04	0,05	12	0,02	0,023	0,04	0,0442	0,067	0,07
Chemotherapy		345																				
6037	Cyclophosphamide	µg/l	0,01	<	<	<	<	<	<	<		<	<	<	<	16	<	<	<	<	<	<
6038	Ifosfamid	µg/l	0,0002	<	<	<	<	<	<	<		0,0002	<	<	<	4	<	*	*	<	*	0,0002



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Antibiotics		310																			
6003	Chloramphenicol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<
6006	Clarithromycin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6008	Cloxacillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6010	Dicloxacillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6014	Erythromycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6015	Furazolidone	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6018	Nafcillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6021	Oleandomycin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6022	Oxacillin	µg/l	0,011	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
6027	Roxithromycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6028	Spiramycin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6032	Sulfamethoxazole	µg/l	0,01	<	0,02	0,0145	0,01	0,02	0,015	<	0,0165	0,03	0,02	0,0215	16	<	<	0,016	0,0159	0,03	0,03
6034	Trimethoprim	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<
6072	Indomethacin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6079	Lincomycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<
6083	Monensin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
6086	Tiamulin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<
6091	Sulfaquinoxaline	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
6109	theophylline	µg/l	0,015	<	<	0,1	<	<	0,015	<	<	<	<	4	<	*	*	0,0325	*	0,1	<
Antibiotics (Sulphamides)		315																			
6009	Dapsone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
6030	Sulfamethazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
6093	Sulfadimethoxine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
Beta-adrenergic blocking agents an		320																			
6042	Atenolol	µg/l	<	<	0,006	<	<	0,0008	<	0,003	<	0,004	4	0,0008	*	*	0,00345	*	0,006	<	<
6044	Bisoprolol	µg/l	<	0,01	<	0,003	<	<	<	<	0,011	3	*	*	*	*	<	*	<	<	<
6045	Metoprolol	µg/l	0,02	0,06	0,08	0,043	0,07	0,06	0,026	0,03	0,0365	0,06	0,08	0,0525	16	<	<	0,06	0,0491	0,08	0,08
6047	Propranolol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<	<
6048	Sotalol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	<
6171	hydrochlorthiazide	µg/l	0,004	<	0,067	<	<	<	<	0,013	<	0,1	4	<	*	*	0,0455	*	0,1	<	<



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Analgesic and anti-inflammatory dr 350																						
2061	Lidocaine	µg/l	0,01	<	<	<	<	<	<	<	<	<	0,01	0,01	16	<	<	<	<	0,01	0,01	
6068	Diclofenac	µg/l	0,01	0,06	0,05	0,016	0,01	<	<	<	<	<	0,04	0,036	16	<	<	<	0,0194	0,063	0,07	
6069	4-Dimethylaminoantipyrine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6070	Fenoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6071	Ibuprofen	µg/l	0,032	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
6073	Ketoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
6074	Naproxen	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
6075	Phenazone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	0,03	
6077	O-acetylsalicylic acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6080	Tolfenamic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6085	Primidone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
6133	paracetamol	µg/l	0,001	<	<	0,008	<	<	<	<	<	<	<	<	4	<	*	*,00237	*	0,008	*	
6134	Salicylic acid	µg/l	0,011	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
Antidepressiva en verdoevende mid 355																						
6050	Diazepam	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
6115	oxazepam	µg/l	<	<	0,007	<	0,006	<	<	0,003	<	<	0,006	4	0,003	*	*	0,0055	*	0,007	*	
6116	temazepam	µg/l	<	<	0,003	<	0,003	<	<	0,002	<	<	0,003	4	0,002	*	*	*,00275	*	0,003	*	
6172	paroxetine	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	1	*	*	*	*	*	*	*	
Lipid-lowering drugs 360																						
6049	Pentoxifylline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6061	Bezafibrate	µg/l	0,01	<	0,01	<	0,01	0,01	<	<	<	<	<	<	16	<	<	<	<	0,01	0,01	
6062	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
6064	Fenofibrate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	15	<	<	<	<	<	<	
6065	Fenofibrin acid	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<	
6066	Gemfibrozil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	<	
6094	Clofibrate	µg/l	0,085	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	<	
6117	atorvastatin	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<	
6118	pravastatine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<	



Stellendam (M876)

1-1-2014 up to 31-12-2014

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Various pharmaceuticals		370																				
1613	Caffein	µg/l	0,15	0,16	0,17	0,14	0,07	0,061	0,09		0,088	0,07	0,08	0,07	16	0,03	0,051	0,088	0,102	0,178	0,22	
1860	Carbamazepine	µg/l	0,03	0,04	0,0285	0,04	0,05	0,051	0,055		0,034	0,05	0,06	0,038	16	0,018	0,0236	0,046	0,0427	0,06	0,06	
6082	Fenoterol	µg/l	0,01	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
6111	losartan	µg/l			0,015									0,0005	2	*	*	*	*	*	*	
6112	enalapril (Enacard)	µg/l	0,0002		<			<			<			<	4	<	*	*	<	*	<	
6168	Metformin	µg/l			1,1			0,35			0,23			0,41	4	0,23	*	*	0,523	*	1,1	
6169	furosemide	µg/l	0,003		<			<			<			<	4	<	*	*	<	*	<	
8677	loxynil	µg/l	0,05	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
Endrocrin disrupting compounds (400																				
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
2075	Estrone	µg/l	0,05	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
2076	17 alpha-Ethinylestradiol	µg/l	0,5	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
2078	Progesterone	µg/l	0,01	<	<	<	<	<	<		<	<	<	<	12	<	<	<	<	<	<	
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2196	Tetrabutyltin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2197	Triphenyltin ion	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2199	Dibutyltin	µg/l	0,00021	0,00019	0,0003	0,00019	0,00015	0,00039	0,00039	0,00025	0,00012	0,00016	0,00014	0,0002	13	0,00012	0,000128	0,0002	0,000222	0,00039	0,00039	
2201	Difenylnin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6703	Activity with respect to 17-beta-estra	ng/l	0,19	0,07	0,15	0,13	0,07	0,19	0,115		0,13	0,12	0,36	0,15	12	0,07	0,07	0,13	0,149	0,309	0,36	
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

