

Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds		010																				
0120	Water temperature	°C	5,3	4,43	6,94	11	15,2	17,3	20,3	20	17	12,9	11,5	8,8	52	4	4,83	12,6	12,5	20,1	21,5	
0122	Oxygen	mg/l	12,1	12,8	11,9	10,2	9,6	8,6	8,1	7,8	8,5	9,8	10,1	11,1	13	7,8	7,92	10,1	10,2	12,7	12,8	
0123	Oxygen saturation	%	96,9	97,4	96,3	91,2	89,2	80,2	75	72,7	79,2	88,6	91	93,3	13	72,7	73,6	91	88,3	99,2	100	
0126	Turbidity	FTE	1,1	3,31	3,25	1,39	2,48	1,76	4,99	2,46	3,11	2,64	3,31	4,12	13	1,1	1,22	2,82	2,86	4,64	4,99	
0128	Suspended matter	mg/l	2	6,93	2,2	<	2,1	<	3,42	5,18	3	2,64	<	2,17	52	<	<	2,2	2,83	5,65	16	
0180	pH	pH	8,37	8,33	8,33	8,25	8,28	8,33	8,3	8,49	8,14	8,15	8,31	8,23	51	8,07	8,13	8,26	8,29	8,49	8,7	
0182	Equilibrium pH	pHs	7,54	7,52	7,47	7,54	7,49	7,51	7,56	7,63	7,58	7,53	7,52	7,52	13	7,44	7,46	7,53	7,53	7,61	7,63	
0184	Saturation index	SI	0,61	0,65	0,775	0,69	0,74	0,74	0,69	0,91	0,56	0,67	0,64	0,61	13	0,56	0,58	0,69	0,697	0,866	0,91	
0200	Conductivity (at 20 °C)	mS/m	48,3	52,9	54,1	49,2	51,7	50,8	62,4	70,1	72,1	77,8	84,6	54,1	52	45,2	47	54	60,4	81,4	87,5	
0204	Residue on ignition, 600 °C	mg/l	5	<	<	<	<	<	<	<	<	<	<	<	2	*	*	*	*	*	*	
0250	Total hardness	mmol/l	2,06	2,02	2,11	2,12	1,94	2,02	2,08	2,21	2,12	2,34	2,35	2,06	13	1,94	1,97	2,08	2,12	2,35	2,35	
0251	Total hardness, 0.45 µm filtrate	mmol/l		1,94	2,23		2,02		2,1		2,18		2,45		6	1,94	*	*	2,15	*	2,45	
Radio activity		020																				
0160	beta Radioactivity, total	Bq/l		0,12	0,13		0,1		0,18		0,15		0,24		6	0,1	*	*	0,153	*	0,24	
0161	alpha Radioactivity, total	Bq/l	0,1	<	<		<		<		<		<		6	<	*	*	<	*	<	
0162	Residual beta radioactivity (without K	Bq/l	0,04	<	<		<		0,04		<		0,05		6	<	*	*	<	*	0,05	
0164	Tritium (H-3)	Bq/l	3	4,9	3,8	3,1	3,6	3,8	4	3,3	<	4,2	4,3	<	13	<	<	3,8	3,98	8,38	10,7	
Inorganic compounds		030																				
0220	Carbon dioxide	mg/l			1,5										1	*	*	*	*	*	*	
0222	Bicarbonate	mg/l	164	166	183	163	178	177	168	159	166	172	175	171	13	159	161	171	171	185	190	
0224	Carbonate	mg/l	5												1	*	*	*	*	*	*	
0230	Chloride	mg/l	59,9	67,5	69,3	58,8	65,3	62,1	99,3	127	128	142	162	72,4	52	50,5	53,4	70,7	92	155	170	
0232	Sulfate	mg/l	45	41	50,5	45	42	49	53	64	64	69	72	60	13	41	41,4	51	54,2	70,8	72	
0288	Silicate (Si)	mg/l	3,5	3,3	3,2	2,1	1,7	1,1	0,82	0,2	1,5	1,8	2,3	3	13	0,2	0,448	2,1	2,13	3,56	3,6	
0382	Fluoride	mg/l	0,14	0,12	0,17	0,11	0,11	0,11	0,11	0,13	0,14	0,15	0,13	0,21	13	0,11	0,11	0,13	0,138	0,198	0,21	
0386	Cyanide, total	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0392		µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0394	Bromate	µg/l		0,9	0,8		0,9		1,4		1,2		1,5		6	0,8	*	*	1,12	*	1,5	



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Nutrients		040																					
0271	Ammonium (NH4)	mg/l	0,14	0,11	0,1	0,05	0,04	0,07	0,09	0,1	0,11	0,06	0,07	0,15	13	0,04	0,044	0,09	0,0915	0,146	0,15		
0274	Kjeldahl Nitrogen	mg/l	0,3	0,4	0,5		0,5		0,5		<		0,4	6	<	*	*	0,408	*	0,5			
0276	Organic Nitrogen (N)	mg/l	0,3	<	0,5		0,4		0,5		<		0,3	6	<	*	*	0,333	*	0,5			
0281	Nitrite (NO2)	mg/l		0,084	0,056		0,027		0,054		0,059		0,03	6	0,027	*	*	0,0517	*	0,084			
0283	Nitrate (NO3)	mg/l	14,4	13,6	14,2	10,9	7,5	6,5	5,4	3,8	5,6	7,1	7,7	13	3,8	4,44	7,7	9,48	14,8	15			
0284D	Orthophosphate (PO4)	mg/l	0,233	0,196	0,178	0,141	0,135	0,132	0,184	0,159	0,322	0,297	0,294	13	0,132	0,133	0,187	0,209	0,312	0,322			
0286D	Total phosphate (PO4)	mg/l		0,202	0,215		0,178		0,221		0,267		0,316	6	0,178	*	*	0,233	*	0,316			
Group compounds		070																					
0401	Total organic carbon (TOC)	mg/l	3,8	3,7	3,6	3,5	3,9	2,6	3,2	3,3	3	3	3,4	13	2,6	2,76	3,5	3,44	4,02	4,1			
0403	Dissolved organic carbon (DOC)	mg/l		3,3	3,2		3		2,9		3,4		2,8	6	2,8	*	*	3,1	*	3,4			
0404	Chemical oxygen demand (COD)	mg/l	10	13	<	<	<	15	<	11	<	10	<	13	<	<	<	<	14,2	15			
0406	Biochemical oxygen demand (BOD5)	mg/l	1,9	0,72	1,1	0,79	0,59	0,91	0,63	0,66	0,89	0,87	1,3	13	0,59	0,606	0,89	0,966	1,66	1,9			
0412	Colour (Pt/Co scale)	mg/l		13	11		9		7		6		7	6	6	*	*	8,83	*	13			
0430	AOX (Adsorbable organohalogen co	µg/l	0,45	0,37	0,3	0,26	0,24	0,25	0,32	0,83	0,41	0,37	0,46	13	0,24	0,244	0,37	0,38	0,682	0,83			
Summend compounds		080																					
0451	Trihalomethanes (sum)	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
2022	Tetra- and Trichloroethene (sum)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
Biological compounds		090																					
0612	Coliform bacteria, (37 °C, not conf.)	n/100 ml	1	110	51	8,75	14	12	26	6	15	2	7	1	400	13	<	<	14	50,9	284	400	
0614	Coliform bacteria, (37 °C, confirmed)	n/100 ml	1	110	51	8,75	14	12	26					7	<	*	*	32,9	*	110			
0618	Coliform bacteria, total (37 °C)	n/ml		68000	5100	600	1300	400	2600	400	1100	200	200	1200	20000	13	0	80	1200	7820	48800	68000	
0622	thermotol.bact. Coli group bact. (44 °	n/100 ml	1	14	20	<	7	<	1	7	2	<	2	4	150	13	<	<	2	16,1	98	150	
0624	thermotol.bact. Coli group bact. (44 °	n/100 ml	1	14	20	<	7	<	1					7	<	*	*	6,29	*	20			
0626	Escherichia coli (confirmed)	n/100 ml	1	66	31	<	6	<	5	4	8	2	<	<	400	13	<	<	4	40,3	266	400	
0634	Enterococces	n/100 ml		96	5	1	0	4	0	8	9	2	0	3	10	13	0	0	3	10,7	61,6	96	
0636	escherichia coli (direct plating)	n/ml		36000	200	0	800	400	0	0	0	0	400	600	7800	13	0	0	200	3550	24700	36000	
0644	spores sulphite-reducing clostridia	n/100 ml		186	28	17	6	0	15	26	51	7	2	5	28	13	0	0,8	15	29,8	132	186	
0664	Clostridium perfringens (incl. spoers)	n/100 ml		140	17	6	1	4	11	13	3	9	3	2	18	13	1	1,4	9	17,9	91,2	140	
Hydrobiological compounds		095																					
7100	Chlorophyll-a	µg/l	2	<	<	<	<	<	7,5	4,5	<	<	<	26	<	<	<	<	7	8			
7110	Phaeophytine	µg/l	2	<	<	<	<	<	5,5	4,5	3	<	<	26	<	<	<	<	6,3	8			



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Metals	050																			
0240 Sodium	mg/l	28	33,3	35	31	33,3	32	55	72,8	71,2	79,5	88	40	52	25	27	38,5	49,5	84	94
0242 Potassium	mg/l	4,6	3,7	4,65	4,2	3,3	4,1	4,8	5,8	5,8	6,7	6,9	6	13	3,3	3,46	4,7	5,02	6,82	6,9
0244 Calcium	mg/l	66	66	65,5	67	62	63	62	62	62	69	68	66	13	62	62	66	64,9	69	69
0246 Magnesium	mg/l	10	9	11,5	11	9,5	11	13	16	14	15	16	10	13	9	9,2	11	12,1	16	16
0300 Iron	mg/l	0,172	0,188	0,0945	0,054	0,078	0,219	0,174	0,088	0,083	0,051	0,124	0,184	13	0,051	0,0522	0,117	0,123	0,207	0,219
0306 Manganese	µg/l	22,3	36,3	47,6	35,6	43,3	31,6	27,2	22,1	37,8	24,5	33,3	23,9	13	22,1	22,2	33,3	33,3	50	54,5
0310 Aluminium	µg/l	150	151	75,6	37,2	63,9	190	155	83,6	83,1	47,4	104	125	13	37,2	41,3	96,3	103	176	190
0312 Antimony	µg/l	0,2	0,18	0,206	0,219	0,216	0,237	0,262	0,302	0,349	0,374	0,349	0,305	13	0,18	0,185	0,237	0,262	0,364	0,374
0314 Arsenic	µg/l	0,753	0,633	0,679	0,729	0,899	1,05	1,26	1,44	1,56	1,42	1,35	1,07	13	0,607	0,617	1,05	1,04	1,51	1,56
0316 Barium	µg/l	37,5	44,7	45,1	42,5	49,9	54	56,2	58,1	63,2	62,6	61,2	49,6	13	37,5	39,5	49,9	51,5	63	63,2
0318 Beryllium	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0323 Boron	µg/l			44,4	34,2	27,5	38,7	56,9	73,4	73,8	77,7	85,2	55,6	11	27,5	28,8	55,6	55,6	83,7	85,2
0324 Cadmium	µg/l	0,02	0,0375	0,0386	0,0416	0,0256	0,0432	0,0268	<	0,0278	0,0281	0,0416	0,06	13	<	<	0,0371	0,0343	0,0544	0,06
0326 Chromium	µg/l		0,485	0,635	0,413	0,264	0,411	0,632	0,642	0,359	0,406	0,226	0,486	13	0,226	0,241	0,485	0,455	0,639	0,642
0328 Cobalt	µg/l		0,244	0,3	0,312	0,236	0,221	0,32	0,307	0,303	0,313	0,289	0,318	13	0,221	0,227	0,303	0,292	0,348	0,365
0330 Copper	µg/l		2,31	2,56	2,16	2,39	2,54	2,76	2,47	2,36	2,25	2,16	2,6	13	2,12	2,14	2,39	2,42	2,78	2,79
0332 Mercury	µg/l	0,06	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0334 Lead	µg/l		0,491	0,56	0,328	0,205	0,278	0,827	0,604	0,361	0,335	0,297	0,504	13	0,205	0,231	0,386	0,448	0,779	0,827
0336 Lithium	µg/l		7,58	6,5	8,77	7,27	7,45	10,1	11,9	12,8	15,4	16	16	13	6,5	6,81	10,1	10,8	16	16
0338 Molybdenum	µg/l		1,01	0,935	1,18	1	1,14	1,42	1,58	1,73	2,09	2,16	2,22	13	0,935	0,961	1,42	1,51	2,2	2,22
0340 Nickel	µg/l		2,01	2,15	1,83	1,44	1,34	1,78	1,63	1,51	1,61	1,68	1,87	13	1,34	1,38	1,68	1,76	2,18	2,2
0342 Selenium	µg/l		0,178	0,171	0,201	0,184	0,167	0,175	0,184	0,203	0,237	0,236	0,241	13	0,166	0,166	0,184	0,202	0,245	0,247
0343 Strontium	µg/l		298	299	339	319	367	400	445	474	468	464	475	13	298	298	367	389	475	475
0344 Thallium	µg/l		0,0153	0,0141	0,0145	0,0158	0,0152	0,0205	0,0195	0,0192	0,0169	0,0175	0,0185	13	0,0138	0,0139	0,0169	0,0172	0,0217	0,0225
0345 Tellurium	µg/l	0,02	<	<	<	<	<	0,0324	0,0308	0,0294	0,0542	0,0448	0,0341	13	<	<	<	0,0227	0,0504	0,0542
0346 Tin	µg/l	0,02	0,0449	0,0506	0,0244	0,0306	0,0355	0,0985	0,0461	0,0584	0,0288	<	0,0445	13	<	<	0,0445	0,0435	0,0865	0,0985
0348 Titanium	µg/l		4,48	2,47	1,46	0,768	1,16	3,27	3,3	1,28	1,64	0,898	1,99	13	0,768	0,82	1,82	2,22	4,57	4,63
0350 Vanadium	µg/l		1,17	1,04	0,922	0,984	1,15	1,54	1,81	2	1,99	1,7	1,68	13	0,894	0,916	1,34	1,4	2	2
0352 Silver	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	0,0677	13	<	<	<	<	0,0446	0,0677
0354 Zinc	µg/l		8,38	19,4	12,3	5,2	7,3	7,88	8,22	8,49	11,7	7,26	10,3	13	3,6	4,24	8,38	10,1	20,3	20,9
0373 Rubidium	µg/l		3,41	3,14	3,32	3,04	2,93	3,62	4,35	4,47	5,12	4,96	5,24	13	2,93	2,97	3,62	4,01	5,24	5,24
0375 Uranium	µg/l		0,48	0,563	0,584	0,535	0,678	0,73	0,734	0,741	0,715	0,705	0,685	13	0,48	0,502	0,678	0,637	0,738	0,741
V281 Cesium	µg/l		0,0709	0,0877	0,0597	0,046	0,0611	0,126	0,135	0,108	0,103	0,076	0,0981	13	0,046	0,0504	0,0877	0,0879	0,131	0,135



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Metals, after filtration	055																				
0245 Calcium, 0.45 µm filtrate	mg/l	64	63	71,5	65	66	65	64	60	64	70	71	66	13	60	61,2	65	66,2	72,2	73	
0248 Magnesium, 0.45 µm filtrate	mg/l	9,9	9	11,5	9,8	9,2	9,6	12	16	14	15	17	9,9	13	9	9,08	11	11,9	16,6	17	
0302 Iron, 0.45 µm filtrate	mg/l	0,002	0,016	0,013	0,0045	0,011	0,004	0,047	<	<	<	0,003	<	13	<	<	0,004	0,00915	0,0346	0,047	
0307 Manganese, 0.45 µm filtrate	µg/l		17,5	25,9	41,5	28,6	27,3	10,5	0,38	6,55	21,8	15,1	17,4	13	0,38	2,85	17,5	20,6	42,7	47,7	
0309 Boron, 0.45 µm filtrate	µg/l				43,4	34,8	31,6	37,2	51,7	71,5	70,5	75,7	79,4	11	31,6	32,2	51,7	54,1	78,7	79,4	
0311 Aluminium, 0.45 µm filtrate	µg/l	8	<	<	<	<	<	32,3	<	<	<	<	<	13	<	<	<	<	21	32,3	
0313 Antimony, 0.45 µm filtrate	µg/l		0,247	0,209	0,218	0,208	0,23	0,239	0,275	0,311	0,346	0,365	0,332	13	0,208	0,208	0,247	0,27	0,357	0,365	
0315 Arsenic, 0.45 µm filtrate	µg/l		0,693	0,586	0,619	0,724	0,938	0,999	1,18	1,44	1,5	1,41	1,31	13	0,579	0,582	0,999	1	1,48	1,5	
0317 Barium, 0.45 µm filtrate	µg/l		37,5	43,8	44,2	43,6	49,4	52,3	54,3	55,9	62,1	61,6	59,3	13	37,5	39,7	49,4	50,5	61,9	62,1	
0319 Berullium, 0.45 µm filtrate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0325 Cadmium, 0.45 µm filtrate	µg/l	0,02	0,0381	0,0331	0,0409	0,0268	0,0218	0,0299	0,0224	<	0,0225	0,0252	0,0302	13	<	<	0,0299	0,0307	0,0532	0,0571	
0327 Chromium, 0.45 µm filtrate	µg/l		0,208	0,292	0,167	0,165	0,218	0,25	0,115	0,101	0,0862	0,106	0,109	13	0,0862	0,0921	0,165	0,167	0,275	0,292	
0329 Cobalt, 0.45 µm filtrate	µg/l		0,187	0,214	0,261	0,211	0,189	0,233	0,196	0,24	0,273	0,271	0,237	13	0,187	0,188	0,233	0,233	0,285	0,293	
0331 Copper, 0.45 µm filtrate	µg/l		2,57	2,14	2,1	2,48	2,23	3,3	1,91	1,91	2,02	2,08	2,19	13	1,91	1,91	2,19	2,26	3,01	3,3	
0333 Mercury, 0.45 µm filtrate	µg/l		0,00086	0,00075	0,00059	0,00048	0,00043	0,00041	0,00024	0,0003	0,00022	0,00024	0,00072	13	0,00022	0,00228	0,00043	0,00467	0,00816	0,00086	
0335 Lead, 0.45 µm filtrate	µg/l	0,03	0,0976	0,06	0,0587	0,0928	0,0569	0,258	<	0,043	0,047	0,0506	0,0502	13	<	<	0,0569	0,0746	0,194	0,258	
0337 Lithium, 0.45 µm filtrate	µg/l		7,41	6,35	8,65	7,41	7,26	9,36	11,2	13,2	14,6	15,8	15,1	13	6,35	6,71	9,36	10,5	15,5	15,8	
0339 Molybdenum, 0.45 µm filtrate	µg/l		1,04	0,92	1,21	1,04	1,16	1,42	1,57	1,74	2,11	2,18	2,14	13	0,92	0,968	1,42	1,52	2,16	2,18	
0341 Nickel, 0.45 µm filtrate	µg/l		1,8	1,76	1,65	1,39	1,25	1,54	1,32	1,26	1,49	1,62	1,55	13	1,25	1,25	1,55	1,56	1,94	2,04	
0347 Tin, 0.45 µm filtrate	µg/l	0,02	0,0294	<	<	<	<	0,0303	<	<	<	0,035	<	13	<	<	<	<	0,0331	0,035	
0349 Titanium, 0.45 µm filtrate	µg/l	0,06	0,199	0,155	0,091	0,215	0,0721	0,863	<	<	<	<	0,164	13	<	<	0,0721	0,154	0,604	0,863	
0351 Vanadium, 0.45 µm filtrate	µg/l		0,832	0,706	0,756	0,885	1,02	1,25	1,35	1,76	1,78	1,61	1,07	13	0,706	0,72	1,07	1,17	1,77	1,78	
0353 Silver, 0.45 µm filtrate	µg/l	0,009	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	
0355 Zinc, 0.45 µm filtrate	µg/l	2	7,05	13,5	6,97	3,76	3,99	6,56	<	<	4,32	3,97	4,66	13	<	<	4,66	5,37	11,8	13,5	
0359 Rubidium, 0.45 µm filtrate	µg/l		3,18	2,75	3,17	2,97	2,86	3,32	4,03	4,46	4,85	5,16	4,95	13	2,75	2,79	3,32	3,84	5,13	5,16	
0361 Uranium, 0.45 µm filtrate	µg/l		0,501	0,582	0,612	0,558	0,693	0,744	0,726	0,767	0,717	0,713	0,703	13	0,501	0,524	0,693	0,653	0,758	0,767	
0362 Selenium, 0.45 µm filtrate	µg/l		0,18	0,175	0,193	0,176	0,168	0,175	0,184	0,197	0,239	0,242	0,246	13	0,168	0,17	0,184	0,201	0,247	0,248	
0363 Strontium, 0.45 µm filtrate	µg/l		294	298	345	323	369	417	460	475	476	476	464	13	294	296	376	394	476	476	
0364 Thallium, 0.45 µm filtrate	µg/l		0,0154	0,0123	0,0151	0,0161	0,0152	0,0168	0,0182	0,0259	0,0164	0,018	0,0171	13	0,0123	0,0132	0,0164	0,0171	0,0237	0,0259	
0365 Tellurium, 0.45 µm filtrate	µg/l	0,08	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V282 Cesium, 0.45 µm filtrate	µg/l		0,0539	0,0389	0,0432	0,043	0,0526	0,0643	0,0707	0,0747	0,0748	0,0694	0,0552	13	0,0389	0,0392	0,0552	0,0583	0,0748	0,0748	
V323 Sodium, 0.45 µm filtrate	mg/l		35	29	45,5	31	27	37	57	90	72	83	97	13	27	27,8	45	53,4	94,2	97	
V332 Potassium, 0.45 µm filtrate	mg/l		4,5	3,9	4,75	3,8	3,2	3,9	4,7	5,8	5,9	6,7	7,1	13	3,2	3,44	4,7	5,02	6,94	7,1	



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Complex buiders	060																			
0420	Anionic detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
0422	Cation-Active Detergents	mg/l	1	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
0424	Non-ionic Surfactants	mg/l	1	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1793	Nitilotriacetic acid (NTA)	µg/l	5	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1794	Ethylenediaminetetraacetic acid (ED	µg/l	5	9	8	6,75	<	<	<	<	<	<	5	15	13	<	<	5,23	13,4	15
2003	Diethylenetriaminepentaacetic acid (µg/l	5	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Mono cyclistic aromatic hydrocarb 170																							
1074	Benzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	0,0151	13	<	<	<	<	0,0133	0,0151		
1075	Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1080	1,2-Dimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1088	Ethynylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1089	Ethylbenzene	µg/l	0,01	0,0153	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0112	0,0153		
1098	Methylbenzene	µg/l	0,01	<	<	<	0,011	0,0224	0,024	<	<	0,019	<	0,0576	0,0109	13	<	<	<	0,0138	0,0442	0,0576	
1106	Propylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1112	Chlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1115	2-Chloromethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1116	3-Chloromethylbenzene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1119	1,2-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1120	1,3-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1121	1,4-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1127	Pentachlorobenzene	µg/l	0,00002	<	<	<	<	0,00003	0,00003	<	0,00006	<	<	<	13	<	<	<	<	0,00048	0,00006		
1131	1,2,3-Trichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1132	1,2,4-Trichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1133	1,3,5-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1797	Iso-propylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1832	1,3,5-Trimethylbenzene	µg/l	0,01	<	<	0,0235	<	<	<	<	<	<	<	0,0148	0,014	13	<	<	<	<	0,0279	0,0367	
1951	1,2,4-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1952	1,2,3-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1956	3-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1957	4-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1958	2-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1959	4-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1960	1-Methyl-4-iso-propylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1998	t-Butylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2014	Bromobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	0,0202	<	13	<	<	<	<	0,0141	0,0202	
2064	s-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Poly cyclistic aromatic hydrocarbo 180																							
1161	Acenaphthene	µg/l	0,005	0,0053	0,0054	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00552	0,0056		
1163	Anthracene	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1165	Benzo(a)anthracene	µg/l	0,001	<	<	<	<	<	0,00124	<	<	<	<	<	13	<	<	<	<	0,00117	0,00124		
1166	Benzo(b)fluoranthene	µg/l		0,0012	0,00106	0,00116	0,00088	0,00098	0,00214	0,00206	0,0009	0,00082	0,00109	0,00157	0,00181	13	0,00078	0,000796	0,00109	0,00129	0,00211	0,00214	
1167	Benzo(k)fluoranthene	µg/l		0,00063	0,00049	0,00057	0,00052	0,00044	0,00089	0,00113	0,00049	0,00035	0,0005	0,00073	0,00085	13	0,0003	0,00032	0,00052	0,000628	0,00103	0,00113	
1168	Benzo(ghi)perylene	µg/l		0,00085	0,00086	0,00094	0,00087	0,00065	0,00148	0,00192	0,00077	0,00065	0,00075	0,00121	0,00144	13	0,00053	0,000578	0,00086	0,00103	0,00174	0,00192	
1169	Benzo(a)pyrene	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1172	Chrysene	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1173	Dibenzo(a,h)anthracene	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1180	Phenanthrene	µg/l		0,00385	0,00491	0,00345	0,003	0,00551	0,00526	0,00735	0,00276	0,00321	0,00449	0,00616	0,00596	13	0,00254	0,00263	0,00449	0,00457	0,00687	0,00735	
1181	Fluoranthene	µg/l	0,002	0,00359	0,00457	0,0035	0,00353	0,00452	0,00237	0,00589	<	0,00245	0,00472	0,00434	0,00619	13	<	<	0,00434	0,00386	0,00607	0,00619	
1182	Fluorene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1183	Indeno(1,2,3-cd)pyrene	µg/l		0,0008	0,00072	0,000905	0,0009	0,00059	0,00189	0,00194	0,00073	0,0006	0,00074	0,00115	0,00136	13	0,00044	0,0005	0,0008	0,00102	0,00192	0,00194	
1188	Pyrene	µg/l	0,002	0,00335	0,00332	0,00212	<	0,00201	<	0,00342	<	<	0,00249	0,00246	0,00508	13	<	<	0,00246	0,00234	0,00442	0,00508	
8450	Naphthalene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Organochlorine pesticides		200																				
2132	3-Chloropropene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8006	Aldrin	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8162	o,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8163	p,p-DDD	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8164	o,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8165	p,p-DDE	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8166	o,p-DDT	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8167	p,p-DDT	µg/l	0,00009	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8199	2,6-Dichlorobenzamide (BAM)	µg/l	0,02	<	<	<	<	0,03	<	<	0,02	0,02	<	13	<	<	<	<	0,026	0,03		
8217	Dieldrin	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8263	alpha-Endosulfan	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8264	beta-Endosulfan	µg/l	0,0003	<	<	<	<	<	0,00034	<	<	<	<	<	13	<	<	<	<	<	<	
8268	Endrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8358	Heptachlor	µg/l	0,00005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8359	Heptachloroepoxide (cis + trans)	µg/l	0,00005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8361	Hexachlorobenzene (HCB)	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8362	alpha-Hexachlorocyclohexane (alpha)	µg/l	0,00006	<	0,00013	0,00011	0,00007	0,00015	0,00018	0,00011	0,00018	0,00018	0,00018	0,00084	0,00139	0,00019	13	<	<	<	<	
8363	beta-Hexachlorocyclohexane (beta-H)	µg/l		0,00013	0,00014	0,000145	0,00014	0,00034	0,00042	0,0004	0,0004	0,00041	0,00071	0,0006	0,00025	13	0,00013	0,00013	0,00034	0,000325	0,000666	0,00071
8379	Isodrin	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8393	Lindane (gamma-HCH)	µg/l		0,00029	0,00023	0,0002	0,00028	0,00023	0,0002	0,00014	0,00013	0,00009	0,00018	0,00017	0,00028	13	0,00009	0,000106	0,0002	0,000202	0,000286	0,00029
8428	Methoxychlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8441	Mirex	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8533	Quintocene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8560	Telodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8629	delta-Hexachlorocyclohexane (delta)	µg/l	0,00008	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8631	trans-Heptachloroepoxide	µg/l	0,0007	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8640	cis-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8641	trans-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8655	Oxychlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Organophosphorus and -sulphur p 210																				
8028	Azinphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8029	Azinphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8059	Bromophos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8060	Bromophos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8108	Chlorfenvinphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8112	Chlorpyriphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8190	Dichlofenthion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,0003	<	<	<	<	<	0,00152	0,00159	0,00196	0,00308	0,00055	13	<	<	<	0,00762	0,00263	0,00308
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8278	Ethion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8296	Fenchlorphos (Ronne)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8343	Phosphamidon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8352	Glufosinate-ammonium	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8354	Glyphosate	µg/l	0,05	<	<	<	<	0,053	<	<	<	<	<	13	<	<	<	<	<	0,053
8360	Heptenophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8396	Malathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8423	Methidathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8439	Mevinphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8482	Parathion-ethyl	µg/l	0,02	<	<	<	<	0,02	<	<	<	<	<	13	<	<	<	<	<	0,02
8483	Parathion-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8500	Pirimiphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,00005	<	<	<	<	<	<	<	<	<	0,00006	13	<	<	<	<	<	0,00006
8526	Pyrazophos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8550	Sulfotep	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8572	Tetrachlorvinphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8590	Tolclofos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
8600	Triazophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8632	Aminomethylphosphonic acid (AMPA)	µg/l	0,32	0,19	0,228	0,239	0,282	0,319	0,402	0,455	0,596	0,437	0,551	0,642	13	0,19	0,198	0,32	0,377	0,624	0,642		
8643	trans-Chlorfenvinphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8652	Chlorpyrifos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8714	Iodosulfuron-methyl-sodium	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8727	Triflusulfuron-methyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Organonitrogen pesticides		220																					
8057	Bromacil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8127	Chloridazon	µg/l	0,0004	<	0,00198	<	0,0108	<	<	<	0,00344	<	0,00518	0,00444	0,00344	13	<	<	<	0,00236	0,00855	0,0108	
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8730	chloridazon-methyl-desphenyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8732	Chloridazon-desphenyl	µg/l	0,05	0,29	0,25	0,185	0,15	0,07	0,08	0,07	<	0,13	0,32	0,22	0,37	13	<	<	0,16	0,18	0,35	0,37	



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Carbamate herbicides 260																						
8003	Aldicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8004	Aldicarb-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8005	Aldicarb-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8068	Butocarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8069	Butoxycarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8277	Ethiofencarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8304	Fenoxycarb	µg/l	0,00006	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8499	Pirimicarb	µg/l	0,0002	0,00082	<	<	0,00032	<	<	<	<	0,00028	0,0017	0,00071	13	<	<	<	0,00356	0,00135	0,0017	
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8634	Butocarboxim-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8637	Thiofanox-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8638	Thiofanox-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Biocides 285																						
2116	Tributyltin-cation	µg/l		0,000111	0,00012	0,00012	0,000963	0,000429	0,000201	0,000911	0,000107	0,000897	0,000128	0,000178	0,000153	13	0,00897	0,00903	0,00012	0,00149	0,00338	0,00429
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8169	Diethyltoluamide (DEET)	µg/l	0,02	<	<	0,025	<	<	<	0,02	0,02	0,03	0,02	0,02	0,02	13	<	<	0,02	<	0,036	0,04
8209	Dichlorvos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8519	Propiconazole	µg/l		0,00683	0,00364	0,00441	0,00494	0,00436	0,0032	0,00372	0,00337	0,00636	0,0059	0,00546	0,00702	13	0,0032	0,00327	0,00457	0,00489	0,00694	0,00702
8521	Propoxur	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8803	cis-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8804	trans-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Benzimidazole Fungicides 470																						
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
Conazole Fungicides 480																						
8486	Penconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8519	Propiconazole	µg/l		0,00683	0,00364	0,00441	0,00494	0,00436	0,0032	0,00372	0,00337	0,00636	0,0059	0,00546	0,00702	13	0,0032	0,00327	0,00457	0,00489	0,00694	0,00702
8596	Triadimenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8659	Epoxiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8803	cis-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		
8804	trans-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<		

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Amide Fungicides 490																						
8412	Metaxyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Pyrimidine Fungicides 500																						
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Strobilurine Fungicides 510																						
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Unclassified Fungicides 520																						
8119	Chlorothalonil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8261	Dodine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8590	Tolclofos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V442	Cybutryne (Irgarol 1051)	µg/l	0,0003	<	<	<	0,00068	0,00091	0,00085	<	0,00148	0,00176	0,00095	0,00155	0,00034	13	<	<	0,00068	0,00713	0,00168	0,00176
V443	Quinoxifen	µg/l	0,0004	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Chlorophenoxy herbicides 230																						
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8240	2,4-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<	
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8401	4-Chloro-2-methylphenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8404	Mecoprop (MCP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8551	2,4,5-Trichlorophenoxyacetic acid (2,	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Phenylurea herbicides		240																			
8070	Buturon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8097	Chlorbromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8122	Chlortoluron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8130	Chloroxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8226	Difenoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8258	Diuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8382	Isoproturon	µg/l	0,01	0,02	<	<	0,04	<	<	<	<	<	0,03	13	<	<	<	0,0108	0,036	0,04	<
8394	Linuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8418	Metabenzthiazuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<
8446	Monolinuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8447	Monuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8456	Neburon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8665	1-(4-Chlorophenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8667	1-(4-iso-propylphenyl) urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8668	1-(4-iso-propylphenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Dinitrophenol herbicides		250																			
8244	2,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8248	Dinoseb (2-sec.butyl-4,6-dinitrophen	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8250	Dinoterb (2-tert.butyl-4,6-dinitrophen	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	<
8609	Trietazin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Phenoxy Herbicides		550																			
8106	Chlorfenprop-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8404	Mecoprop (MCCPP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Anilide Herbicides 570																					
8417	Metazachlor	µg/l	0,00324	0,00299	0,00376	0,00334	0,00393	0,00382	0,00841	0,0058	0,00401	0,0043	0,00406	0,00454	13	0,0025	0,0027	0,00401	0,0043	0,00737	0,00841
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Chloroacetanilide Herbicides 580																					
8002	Alachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8235	Dimethachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8513	Propachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
(Bis-)Carbamate Herbicides 590																					
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Dinitroaniline Herbicides 600																					
8488	Pendimethalin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Sulfonylurea Herbicides 610																					
8438	Metsulphuron-Methyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8702	Nicosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Urea Herbicides 620																					
8122	Chlortoluron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8258	Diuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8382	Isoproturon	µg/l	0,01	0,02	<	<	0,04	<	<	<	<	<	<	0,03	13	<	<	<	0,0108	0,036	0,04
8394	Linuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8418	Metabenzthiazuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8434	Metobromuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Aryloxyphenoxy- Propionic Herbici 630																					
8675	Haloxyfop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Triazin Herbicides		635																					
8026	Atrazine	µg/l	0,002	0,00254	<	0,00245	0,00317	0,00332	0,00388	0,00384	0,00391	0,00436	0,00316	0,00418	0,00331	13	<	<	0,00331	0,0032	0,00429	0,00436	
8138	Cyanazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8180	Desmetryn	µg/l	0,02	<	<	<	<	<	0,02	<	<	<	<	<	<	13	<	<	<	<	<	0,02	
8366	Hexazinone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8415	Metamitron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8435	Metolachlor	µg/l		0,00266	0,00968	0,00398	0,00438	0,0669	0,0219	0,0197	0,012	0,00776	0,00784	0,0061	0,00475	13	0,00266	0,00297	0,00776	0,0132	0,0489	0,0669	
8437	Metribuzin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8512	Prometryn	µg/l	0,02	<	<	<	<	<	<	0,03	<	<	<	<	<	13	<	<	<	<	0,022	0,03	
8517	Propazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8547	Simazine	µg/l	0,0004	<	<	0,000515	0,00103	0,0014	<	<	0,0015	0,00128	0,00179	0,00248	0,00183	13	<	<	0,00103	0,00101	0,00222	0,00248	
8567	Terbutryne	µg/l	0,002	0,00399	0,00211	<	0,00308	0,00296	0,00518	0,00514	0,00467	0,00578	0,00579	0,00695	0,00683	13	<	<	0,00467	0,00428	0,0069	0,00695	
8568	Terbutylazine	µg/l	0,0009	0,00386	0,00224	<	0,00117	0,00262	0,0115	0,0267	0,0254	0,0164	0,0117	0,0114	0,00505	13	<	<	0,00505	0,00915	0,0262	0,0267	
Thiocarbamate Herbicides		640																					
8271	S-ethyl dipropyl(thiocarbamate)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Unclassified Herbicides		645																					
8001	Aclonifen	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8061	Bromoxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8127	Chloridazon	µg/l	0,0004	<	0,00198	<	0,0108	<	<	<	0,00344	<	0,00518	0,00444	0,00344	13	<	<	<	0,00236	0,00855	0,0108	
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8354	Glyphosate	µg/l	0,05	<	<	<	<	<	0,053	<	<	<	<	<	<	13	<	<	<	<	<	0,053	
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8675	Haloxypol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8677	Ioxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8686	Sebutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Unclassified plant growth regulator 952																						
6062	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Anti-sprouting products 960																						
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Insecticides 290																						
8143	Cyhalothrin	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Pyrethroid Insecticides 650																						
8143	Cyhalothrin	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8170	Deltamethrin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Carbamate Insecticides 660																						
8082	Carbofuran	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8304	Fenoxycarb	µg/l	0,00006	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8499	Pirimicarb	µg/l	0,0002	0,00082	<	<	0,00032	<	<	<	<	<	0,00028	0,0017	0,00071	13	<	<	<	0,00356	0,00135	0,0017
Organophosphorus Insecticides 670																						
8029	Azinphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8112	Chlorpyriphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8136	Coumaphos	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8185	Diazinon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8209	Dichlorvos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8238	Dimethoate	µg/l	0,0003	<	<	<	<	<	<	0,00152	0,00159	0,00196	0,00308	0,00055	13	<	<	<	0,00762	0,00263	0,00308	
8281	Ethoprophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8290	Fenamiphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8396	Malathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8501	Pirimiphos-methyl	µg/l	0,00005	<	<	<	<	<	<	<	<	<	<	0,00006	13	<	<	<	<	<	<	
8652	Chlorpyriphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Benzoylurea Insecticides 690																						
8558	Teflubenzuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	
Insecticides Produced By Fermenta 700																						
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Unclassified Insecticides		710																					
1961	Tetrahydrothiophene (THT)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8691	Pyridaben	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8692	Pyriproxyphen	µg/l	0,00001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8703	Pymetrozine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Unclassified Molluscicides		750																					
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Rodenticides		850																					
8135		µg/l		0,00047	0,00034	0,00032	0,00053	0,00041	0,00036	0,00029	0,00027	0,00023	0,00029	0,00031	0,00056	13	0,00023	0,00246	0,00034	0,00362	0,00548	0,00056	
Nematicides		860																					
1784	cis-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
1785	trans-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Pesticide metabolites		954																					
2023	4-iso-propylaniline	µg/l	0,03		<	<						<		<	6	<	*	*	<	*	<		
2032	3-Chloro-4-methoxyaniline	µg/l	0,03		<	<						<		<	6	<	*	*	<	*	<		
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8113	4-Chloro-2-methylphenol	µg/l	0,02	<		<						<		<	5	<	*	*	<	*	<		
8176	Desethylatrazine	µg/l	0,0008	0,00397	0,00353	0,00482	0,00472	0,00435	0,00555	<	0,00557	0,00522	0,00543	0,00643	0,00678	13	<	0,00165	0,00488	0,00474	0,00664	0,00678	
8178	Desisopropylatrazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Various pesticides and metabolics 300																						
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<		
2272	2-(methylthio)benzothiazole	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<		
8001	Aclonifen	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8231	sodium 2,3:4,6-di-O-iso-propylidene-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<		
8235	Dimethachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8658	DMST	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8691	Pyridaben	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8692	Pyriproxyphen	µg/l	0,00001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8697	Abamectine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8701	Imidacloprid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8708	Dimethenamid-p	µg/l	0,01	<	<	<	<	0,03	0,01	0,01	<	<	<	13	<	<	<	<	0,022	0,03		
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8715	Mefenpyr-diethyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8731	N,N-dimethyl-N'-phenylsulphamide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Ethers 302																						
1428	Di-iso-propylether	µg/l	0,01	0,0237	0,0397	0,0267	<	<	<	<	<	<	0,0388	13	<	<	<	0,015	0,0393	0,0397		
1457	Bis(2-(2-methoxyethoxy)ethyl) ether (µg/l	0,05	0,08	0,12	0,07	0,05	0,07	0,07	0,16	0,31	0,26	0,16	0,1	13	0,05	0,05	0,1	0,125	0,29	0,31	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,0192	<	0,0261	<	0,0231	<	0,0247	0,0356	<	<	0,0298	0,0341	13	<	<	0,0192	0,0187	0,0371	0,0381
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,05	<	0,22	0,19	0,05	<	<	0,05	<	0,06	0,07	0,06	0,05	13	<	<	0,05	0,08	0,262	0,29
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
2173	Triethyleneglycol dimethylether (Trigl	µg/l	0,05	<	0,11	0,0725	<	<	<	<	0,06	0,06	<	13	<	<	<	<	0,116	0,12		
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
2275	1,4-Dioxane	µg/l	0,26	0,38	0,53	0,54	0,66	0,45	0,53	0,45	0,79	0,78	0,67	0,64	13	0,26	0,308	0,54	0,555	0,786	0,79	

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Fuel additives		303																					
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	0,0192	<	0,0261	<	0,0231	<	0,0247	0,0356	<	<	0,0298	0,0341	13	<	<	0,0192	0,0187	0,0371	0,0381	
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
Various organic substances		305																					
1077	Cyclohexane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1079	Dicyclopentadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1432	Dimethoxymethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1753	Dimethyldisulfide	µg/l	0,01	0,0132	0,0122	0,0112	0,014	<	0,0109	0,017	0,0227	<	<	<	0,0193	13	<	<	0,012	0,0117	0,0213	0,0227	
1764	Tributylphosphate	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1767	Triphenylphosphate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1768	Triphenylphosphine oxide	µg/l	0,05	0,06	<	<	0,06	<	0,06	<	0,08	0,08	0,09	0,08	0,05	13	<	<	0,06	0,0554	0,086	0,09	
2037	2-Aminoacetophenone	µg/l	0,03	<	<	<	<	<	<	<	0,04	<	<	0,03	<	6	<	*	*	<	*	0,04	
2092	Methylmethacrylate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2165	methenamine	µg/l		1	0,63	1,15	0,94	0,95	1,3	1,7	1,9	2,5	2,6	2,3	2	13	0,63	0,738	1,4	1,55	2,56	2,6	
2183	benzotriazole	µg/l			0,31				0,28		0,44			0,46		4	0,28	*	*	0,373	*	0,46	
2184	5-methyl-1-H-benzotriazole (tolytriaz)	µg/l			0,09				0,07		0,09			0,1		4	0,07	*	*	0,0875	*	0,1	
2256	4-Methylbenzotriazole	µg/l			0,18				0,18		0,26			0,34		4	0,18	*	*	0,24	*	0,34	
V129	tetrahydro-2,2,5,5-tetramethylfuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max				
Industrial solvents		431																						
1027	Bromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1040	1,2-Dichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1044	Dichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1049	Hexachlorobutadiene	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1056	Tetrachloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1057	Tetrachloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1063	Trichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1064	Trichloromethane	µg/l	0,01	<	<	<	0,0478	<	<	<	<	<	<	<	13	<	<	<	<	0,0307	0,0478			
1070	1,2,3-Trichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1828	cis-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1829	trans-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1954	1,1,1,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
1955	1,1,1,2,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
2015	Chloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
2275	1,4-Dioxane	µg/l		0,26	0,38	0,53	0,54	0,66	0,45	0,53	0,45	0,79	0,78	0,67	0,64	13	0,26	0,308	0,54	0,555	0,786	0,79		
8205	1,2-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
Industrial chemicals (with (per)fluor		433																						
2263	undecafluorohexanoic acid	µg/l		0,0029	0,0024	0,0017	0,0017	0,0021	0,0023	0,0035	0,0033	0,003	0,0041	0,0045	0,0043	13	0,0014	0,00152	0,0029	0,00288	0,00442	0,0045		
2282	perfluoro-1-butanedisulfonate linear (P	µg/l		0,0039	0,0041	0,00635	0,0034	0,0051	0,0069	0,02	0,014	0,013	0,016	0,01	0,0033	13	0,0033	0,00334	0,0069	0,00865	0,0184	0,02		
2283	hencosafluorundecanoic acid (PFU	µg/l	0,0007	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
2284	Perfluorovaleric acid (PFPeA)	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
2287	Perfluorodecanoic acid (PFDA)	µg/l	0,0006	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
2288	heptafluorobutyric acid (PFBA)	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
2289	Perfluoroheptanoic acid (PFHpA)	µg/l	0,0016	<	<	<	<	<	<	<	0,0018	0,0019	0,0018	<	13	<	<	<	<	0,00186	0,0019			
2290	Perfluorononanoic acid (PFNA)	µg/l	0,0006	<	<	<	<	<	<	0,0006	0,00065	<	<	<	13	<	<	<	<	0,00063	0,00065			
2292	Perfluorohexane sulfonate (PFHxS)	µg/l		0,00099	0,00084	0,00125	0,00079	0,001	0,00082	0,0012	0,00096	0,0015	0,0022	0,0032	0,00098	13	0,00079	0,000802	0,001	0,00131	0,0028	0,0032		
2294	Perfluorooctanoate (PFOA)	µg/l		0,0022	0,0027	0,002	0,0019	0,0019	0,0024	0,0024	0,0027	0,0027	0,0027	0,0033	0,004	0,003	13	0,0019	0,0019	0,0024	0,00255	0,00372	0,004	
2295	heptadecafluorooctane-1-sulphonic a	µg/l		0,0033	0,0033	0,00385	0,0037	0,0038	0,0045	0,0059	0,0063	0,0053	0,0065	0,006	0,0046	13	0,0033	0,0033	0,0045	0,00468	0,00642	0,0065		
2315	6:2 fluorotelomer sulfonic acid (6:2 F	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	0,0064	13	<	<	<	<	0,00424	0,0064			

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
industrial chemicals (with arom. nit 434)																					
1683	Aniline	µg/l	0,03	0,06	0,05				<		<		<		6	<	*	*	<	*	0,06
1700	N-Methylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
1705	3-Chloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
1708	2,3-Dichloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
1713	2,3,4-Trichloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
1716	2,4,5-Trichloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
1717	2,4,6-Trichloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
1718	3,4,5-Trichloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
1786	3-Methylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
1862	N,N-Diethylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
1864	N-Ethylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
1979	2,4,6-Trimethylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2024	2,4-Dimethylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2027	3,4-Dimethylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2028	2,3-Dimethylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2029	3-Chloro-4-methylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2033	4-Methoxy-2-nitroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2034	2-Nitroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2035	3-Nitroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2038	2-(Phenylsulfon)aniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2053	N,N-Dimethylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2055	2,4- and 2,5-Dichloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2056	2-Methoxyaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2057	2- and 4-Methylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2058	2-(Trifluoromethyl)aniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2059	2,5- and 3,5-Dimethylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2175	2,4,5-Trimethylaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
2322	Pyrazole	µg/l								5	5,2	5,28			5	4,6	*	*	5,15	*	5,85
8063	4-Bromoaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
8094	2-Chloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
8115	4-Chloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
8196	2,6-Dichloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
8197	3,4-Dichloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<
8198	3,5-Dichloroaniline	µg/l	0,03	<	<				<		<		<		6	<	*	*	<	*	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
8222	2,6-Diethylaniline	µg/l	0,03	<	<			<		<		<		6	<	*	*	<	*	<
8239	2,6-Dimethylaniline	µg/l	0,03	<	<			<		<		<		6	<	*	*	<	*	<
Industrial chemicals (with conazole 435)																				
1779	Benzothiazol	µg/l	0,03		0,04		0,04		<			<		4	<	*	*	<	*	0,04
2257	5,6-Dimethyl-1H-benzotriazole	µg/l	0,01		<		<		<			<		4	<	*	*	<	*	<
2258	5-chloroindole	µg/l	0,01		<		<		<			<		4	<	*	*	<	*	<
2273	2(3H)-Benzothiazolone	µg/l	0,03		<		<		<			<		4	<	*	*	<	*	<
2312	2-Aminobenzothiazol	µg/l	0,03		<		<		<			<		4	<	*	*	<	*	<
Industrial chemicals (with volatile h 437)																				
1035	Dibromomethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1039	1,1-Dichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1041	1,1-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1050	Hexachloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1061	1,1,1-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1962	Chloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8206	1,3-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial chemicals (with phenols) 439																				
1528	3-Chlorophenol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1529	4-Chlorophenol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1531	2,3-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1532	2,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
1533	2,6-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1534	3,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1535	3,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1541	2,3,4-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1542	2,3,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1543	2,3,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1544	3,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1847	3-Nitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
2009	2,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
2010	2,6-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
2011	3,4-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
2081	2-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
2178	3-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
2179	4-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
2248	2,5-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
2249	2,6-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
2250	3,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
8104	2-Chlorophenol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8202	2,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<
8602	2,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8603	2,4,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
8733	2,3-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<
V431	2,3- and 3,5-xyleneol (2,3- and 3,5-Di	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<

vrijdag 5 augustus 2016

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max				
Industrial chemicals (with PCBs) 440																								
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,00004	0,00004	0,00006	<	0,00006	0,00007	0,00013	0,00009	0,00005	<	<	0,00006	0,00008	13	<	<	<	0,00006	0,00054	0,00114	0,00013	
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l		0,00006	0,00005	0,00006	0,00009	0,00008	0,00012	0,00007	0,00004	0,00003	0,00006	0,00006	0,00008	13	0,00003	0,00034	0,00006	0,00062	0,00108	0,00012		
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB)	µg/l	0,00003	0,00005	0,00006	0,000055	<	0,00007	0,00012	0,00007	0,00003	0,00004	0,00006	0,00006	0,00007	13	<	<	<	0,00006	0,00058	0,00001	0,00012	
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB)	µg/l	0,00002	0,00003	<	0,000025	<	0,00003	0,00006	0,00004	0,00003	<	0,00003	0,00003	0,00004	13	<	<	<	0,00003	0,00028	0,00052	0,00006	
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PC)	µg/l	0,00005	<	0,00005	<	<	<	0,00012	0,00006	0,00005	<	<	0,00008	0,00007	13	<	<	<	<	0,00104	0,00012		
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PC)	µg/l		0,00001	0,00007	0,00006	0,00006	0,00007	0,00014	0,00008	0,00007	0,00004	0,00006	0,00007	0,00009	13	0,00004	0,00048	0,00007	0,00074	0,00124	0,00014		
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (PCB 18)	µg/l	0,00004	0,00005	0,00004	<	<	<	0,00009	0,00004	<	<	<	0,00005	13	<	<	<	<	0,00074	0,00009			
Cooling agents 430																								
2017	Dichlorodifluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
2019	Trichlorofluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<		
Disinfection agents 444																								
2005	2-Methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<				
2007	4-Methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<				
2079	m-Cresol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<				
8114	4-Chloro-3-methylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	5	<	*	*	<	*	<				
Disinfection byproducts (with halog) 446																								
1028	Bromodichloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<			
1033	Dibromochloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<			
1058	Tribromomethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<			
Desinfection byproducts (nitroso c) 160																								
2302	N-Nitrosodimethylamine (NDMA)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<				
2303	N-Nitrosomorpholine (NMOR)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<				
2304	N-Nitrosopiperidine (NPIP)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<				
2305	N-Nitrosopyrrolidine (NPYR)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<				
2306	N-Nitrosomethylethylamine (NMEA)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<				
2307	N-Nitrosodiethylamine (NDEA)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<				
2308	N-Nitrosodi-n-propylamine (NDPA)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<				
2309	N-Nitroso-n-dibutylamine (NDBA)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<				



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Antibiotics		310																				
6003	Chloramphenicol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6006	Clarithromycin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6008	Cloxacillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6010	Dicloxacillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6014	Erythromycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6015	Furazolidone	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6018	Nafcillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6021	Oleandomycin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6022	Oxacillin	µg/l	0,011	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6027	Roxithromycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6028	Spiramycin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6032	Sulfamethoxazole	µg/l	0,01	0,02	0,01	0,0127	0,01	0,01	0,0115	0,02	0,011	0,02	0,02	0,0225	<	<	<	0,012	0,0143	0,022	0,03	
6034	Trimethoprim	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6072	Indomethacin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6079	Lincomycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6083	Monensin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6086	Tiamulin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6091	Sulfaquinoxaline	µg/l	0,0002												4	<	*	*	<	*	<	
6109	theophylline	µg/l	0,015			0,016			0,016			0,022			4	<	*	*	0,0154	*	0,022	
Antibiotics (Sulphamides)		315																				
6009	Dapsone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6030	Sulfamethazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6093	Sulfadimethoxine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Beta-adrenergic blocking agents an		320																				
6042	Atenolol	µg/l				0,002			0,002		0,0002			0,001	4	0,0002	*	*	0,0013	*	0,002	
6044	Bisoprolol	µg/l				0,005			0,002		0,0006			0,002	4	0,0006	*	*	0,0024	*	0,005	
6045	Metoprolol	µg/l	0,07	0,08	0,07	<	<	<	<	<	<	<	<	0,13	17	<	<	<	<	0,09	0,13	
6047	Propranolol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6048	Sotalol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
6171	hydrochlorthiazide	µg/l	0,004			0,017			0,009					0,014	4	<	*	*	0,0105	*	0,017	



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Analgesic and anti-inflammatory dr 350																						
2061	Lidocaine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	0,01	17	<	<	<	<	<	0,01	
6068	Diclofenac	µg/l	0,01	0,07	0,05	0,024	<	<	<	<	<	<	<	0,08	17	<	<	<	0,0194	0,072	0,08	
6069	4-Dimethylaminoantipyrine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6070	Fenoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6071	Ibuprofen	µg/l	0,032	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6073	Ketoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6074	Naproxen	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	0,02	
6075	Phenazone	µg/l	0,02	<	<	<	<	<	<	0,022	0,05	0,03	<	<	17	<	<	<	<	0,034	0,05	
6077	O-acetylsalicylic acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6080	Tolfenamic acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6085	Primidone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6133	paracetamol	µg/l	0,001						0,004					<	4	<	*	0,00137	*	0,004		
6134	Salicylic acid	µg/l	0,011												1	*	*	*	*	*	*	
Antidepressiva en verdoevende mid 355																						
6050	Diazepam	µg/l	0,0002			0,0002								<	4	<	*	*	<	*	0,0002	
6115	oxazepam	µg/l			0,006		0,003		0,001			0,002		4	0,001	*	*	0,003	*	0,006		
6116	temazepam	µg/l			0,005		0,0009		0,0005			0,0008		4	0,0005	*	*	0,0018	*	0,005		
Lipid-lowering drugs 360																						
6049	Pentoxifylline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6061	Bezafibrate	µg/l	0,01	0,01	0,01	<	<	<	<	<	<	<	0,01	17	<	<	<	<	<	0,01	0,01	
6062	Clofibrac acid	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	16	<	<	<	<	<	<	
6064	Fenofibrate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	14	<	<	<	<	<	<	
6065	Fenofibrin acid	µg/l	0,004											4	<	*	*	<	*	<		
6066	Gemfibrozil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	17	<	<	<	<	<	<	
6094	Clofibrate	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6117	atorvastatin	µg/l	0,003											3	*	*	*	*	*	*	*	
6118	pravastatine	µg/l	0,05											4	<	*	*	<	*	<		

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Stellendam (M876)

1-1-2015 up to 31-12-2015

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Various pharmaceuticals		370																					
1613	Caffein	µg/l	0,08	0,25	0,2	0,102	0,17	<	<	<	<	<	<	0,23	17	<	<	<	0,101	0,234	0,25		
1860	Carbamazepine	µg/l		0,03	0,03	0,028	0,03	0,03	0,0285	0,05	0,032	0,06	0,07	0,0425	0,06	17	0,014	0,0148	0,03	0,0382	0,07	0,07	
6082	Fenoterol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
6111	losartan	µg/l				0,0008				0,0005		0,002		0,001	4	0,0005	*	*	0,00108	*	0,002		
6112	enalapril (Enacard)	µg/l	0,0002			<				<		<		<	4	<	*	*	<	*	<	<	
6168	Metformin	µg/l				0,89				0,13		0,085		0,55	4	0,085	*	*	0,414	*	0,89		
6169	furosemide	µg/l	0,003			<				<		<		<	4	<	*	*	<	*	<	<	
8677	loxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
Endrocrin disrupting compounds (400																					
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<	
2075	Estrone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2076	17 alpha-Ethinylestradiol	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2078	Progesterone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2116	Tributyltin-cation	µg/l	0,000111	0,00012	0,00012	0,000963	0,000429	0,000201	0,000911	0,000107	0,000897	0,000128	0,000178	0,000153	13	0,000897	0,000903	0,00012	0,000149	0,000338	0,000429		
2196	Tetrabutyltin	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2197	Triphenyltin ion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
2199	Dibutyltin	µg/l	0,00038	0,00033	0,00034	0,00027	0,00018	0,00023	0,00029	0,00037	0,0003	0,00012	0,00014	0,00015	13	0,00012	0,000128	0,00029	0,000265	0,000376	0,00038		
2201	Difenyltin	µg/l	0,0004	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
6703	Activity with respect to 17-beta-estra	ng/l	0,027	0,1	0,15	0,081	0,21	0,11	0,13	<	0,088	0,075	0,064	0,054	13	<	0,0289	0,1	0,099	0,186	0,21		
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
Artificial sweeteners		410																					
2279	Aspartame	µg/l	0,03				<		<		<		<		4	<	*	*	<	*	<	<	
2297	Sucralose	µg/l					0,62		0,3		0,88		0,78		4	0,3	*	*	0,645	*	0,88		
2298	Sacharine	µg/l	0,1				0,16		<		<		<		4	<	*	*	<	*	0,16		
2299	Cyclamate	µg/l	0,03				0,12		<		0,07		0,07		4	<	*	*	0,0687	*	0,12		
2300	Acesulfame	µg/l					2		0,84		0,9		0,74		4	0,74	*	*	1,12	*	2		

