

Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds 010																						
0120	Water temperature	°C	7,1	7,6	7,4	10,9	15,4	18,2	21,8	20,1	21,1	13,9	9,9	4,5	13	4,5	5,18	10,9	12,7	21,5	21,8	
0122	Oxygen	mg/l	11	10,9	11,2	10,1	9,5	7,8	8,8	8,6		9,15	10	11,6	13	7,8	8,12	10	9,92	11,5	11,6	
0123	Oxygen saturation	%	90	90,2	91,7	88,8	87,9	72,8	80,6	79,8		86,9	86,5	89,4	12	72,8	74,9	88,4	86,4	91,9	92	
0126	Turbidity	FTE	2,4	7,75	2,77	3,52	3,11	11,1	6,95	1,15	2,56	10,5	2,13	12	1,15	1,44	3,18	4,73	10,9	11,1		
0128	Suspended matter	mg/l	2	2,47	3,63	4,06	<	2,42	4,78	2,52	3,32	<	2,8	2,18	<	<	2,3	2,71	5,33	11		
0180	pH	pH	8,25	8,23	8,2	8,26	8,25	7,95	8,25	8,22	8,39	8,31	8,31	8,34	50	7,68	8,02	8,27	8,25	8,4	8,84	
0200	Conductivity (at 20 °C)	mS/m	52,8	48	48,4	52,6	48,9	41,2	43,8	50,4	54,7	62,8	68,2	73,3	49	38,4	42,9	51,5	54	70	83	
0204	Residue on ignition, 600°C	mg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
0206P	percentage Residue on ignition, 600	% DS	1	<	<	<	<	68							5	<	*	*	14	*	68	
0250	Total hardness	mmol/l	1,92	1,71	1,91	2,02	2,17	1,8	1,9	1,88	1,97	2,05	2,33	13	1,71	1,74	1,97	2	2,39	2,43		
0251	Total hardness, 0.45 µm filtrate	mmol/l			1,82		2,1			1,8			2,3	4	1,8	*	*	2,01	*	2,3		
Radio activity 020																						
0160	beta Radioactivity, total	Bq/l		0,14	0,17		0,14		0,12		0,12		0,14	6	0,12	*	*	0,138	*	0,17		
0161	alpha Radioactivity, total	Bq/l	0,1	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<	<	
0162	Residual beta radioactivity (without	Bq/l	0,04	<	0,04	<	<	<	<	<	<	<	<	6	<	*	*	<	*	0,04		
0164	Tritium (H-3)	Bq/l	3	6	3,3	<	5,1	5,2	3,4	<	4,1	4	4,6	13	<	<	4	3,89	5,68	6		
Inorganic compounds 030																						
0222	Bicarbonate	mg/l	160	148	160	173	176	165	180	180		180	180	190	13	148	149	176	172	186	190	
0224	Carbonate	mg/l	5	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<	
0230	Chloride	mg/l	71,4	63	60,3	65,3	56,9	39,7	44,8	63,8	78,3	99	106	50	36	43,2	67,3	72,6	110	150		
0232	Sulfate	mg/l	54	45	44	51	52	38	41	51	51	56	63	13	38	38,4	51	50,8	67,8	71		
0288	Silicate (Si)	mg/l	3,7	2,9	2,85	1,9	1,2	2,6	1,9	1,5	1,4	1,6	2,1	13	1,2	1,28	2,1	2,25	3,42	3,7		
0382	Fluoride	mg/l	0,11	0,11	0,135	0,11	0,11	0,14	0,1	0,12	0,13	0,16	0,14	13	0,1	0,104	0,12	0,128	0,166	0,17		
0386	Cyanide, total	µg/l	1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
0392		µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
0394	Bromate	µg/l	0,1	0,3	0,4		1,1		0,72		0,62		<	6	<	*	*	0,532	*	1,1		



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Nutrients																							
040																							
0271	Ammonium (NH4)	mg/l	0,1	0,1	0,085	0,06	0,07	0,08	0,05	0,063	0,044	0,08	0,09	0,1	13	0,044	0,0464	0,08	0,0775	0,1	0,1		
0274	Kjeldahl Nitrogen	mg/l		0,5	0,5		0,5		0,59		0,54		0,49		6	0,49	*	*	0,52	*	0,59		
0276	Organic Nitrogen (N)	mg/l		0,4	0,4		0,5		0,55		0,5		0,42		6	0,4	*	*	0,462	*	0,55		
0281	Nitrite (NO2)	mg/l		0,113	0,07		0,028		0,041		0,092		0,042		6	0,028	*	*	0,0643	*	0,113		
0283	Nitrate (NO3)	mg/l	14,4	15,1	13,7	11,6	8,6	9,2	7,8	7,2	5	5,9	7	9,9	13	5	5,36	9,2	9,93	14,8	15,1		
0284D	Orthophosphate (PO4)	mg/l	0,27	0,196	0,17	0,147	0,132	0,267	0,144	0,224	0,236	0,251	0,261	0,239	13	0,132	0,137	0,224	0,208	0,269	0,27		
0286D	Total phosphate (PO4)	mg/l		0,276	0,218		0,187		0,205		0,411		0,512		6	0,187	*	*	0,302	*	0,512		
Group compounds																							
070																							
0403	Dissolved organic carbon (DOC)	mg/l	4,1	3,7	3,35	3,1	2,7	3,9	3,6	2,7	3,5	2,7	2,6	2,7	13	2,6	2,64	3,1	3,23	4,02	4,1		
0404	Chemical oxygen demand (COD)	mg/l	13	10	8,5	9	13	13	7	8	7	6	8	7	13	6	6,4	8	9,08	13	13		
0406	Biochemical oxygen demand (BOD5)	mg/l	1	<	<	<	<	<	1	1	<	<	1	<	13	<	<	<	<	1	1		
0412	Colour (Pt/Co scale)	mg/l		15	11		8,1		13		8,7		6,8		6	6,8	*	*	10,4	*	15		
0430	AOX (Adsorbable organohalogen co	µg/l	13,5	13,8	13,5	11	8,88	10,7	9,94	11,4	14,9	12,4	6,75	12,4	13	6,75	7,6	11,4	11,7	15,8	16,3		
Summend compounds																							
080																							
0451	Trihalomethanes (sum)	µg/l	0,1	<	<	<	<	<	<	<	<	0,19	<	<	13	<	<	<	<	0,134	0,19		
Biological compounds																							
090																							
0612	Coliform bacteria, (37 °C, not conf.)	n/100 ml	0	49	17,5	3	150	55	5	2	57	30	220	6	13	0	0,8	30	47,1	192	220		
0614	Coliform bacteria, (37 °C, confirmed)	n/100 ml	11	130	4	0	1	33	5	2	22	12	8	7	13	0	0,4	7	18,4	91,2	130		
0622	thermotol.bact. Coli group bact. (44 °C)	n/100 ml	1	12	10,5	1	<	45	2	<	40	28		3	12	<	<	2,5	12,8	43,5	45		
0626	Escherichia coli (confirmed)	n/100 ml	10	66	0	0	0	48	0	0	40	27	7	7	13	0	0	7	15,8	58,8	66		
0634	Enterococci spp	n/100 ml	4	16	1	0	0	10	0	0	6	6	1	0	13	0	0	1	3,46	13,6	16		
0644	spores sulphite-reducing clostridia	n/100 ml	8	49	21,5	13	15	12	23	10	2	4	11	13	13	2	2,8	13	15,6	38,6	49		
0651	intestinal enterococci	n/100 ml	3	14	1	0	0	5	0	0	5	1	0	0	13	0	0	0	2,31	10,4	14		
0664	Clostridium perfringens (incl. spoers)	n/100 ml	6	29	10	6	12	11	18	4	2	11	0	7	13	0	0,8	7	9,69	24,6	29		
Hydrobiological compounds																							
095																							
7100	Chlorophyll-a	µg/l	1	<	<	<	<	<	4,65	<	1,35	2,5	<	<	24	<	<	<	1,13	2,5	8,8		
7110	Phaeophytine	µg/l	1	<	1	<	<	1,5	2	6,4	2,2	3,2	3,65	<	<	24	<	<	1,6	1,98	4,3	11	



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Metals	050																			
0240 Sodium	mg/l	36,8	30,7	29,6	32,8	29,5	21,3	24,5	35	43,3	55,8	60,4	68,3	50	19	22,2	34,5	39,3	61,9	89
0242 Potassium	mg/l	5,3	4,5	4,15	4,2	4	3,6	3,9	4	4,3	4,6	5,5	6,2	13	3,6	3,6	4,3	4,49	5,92	6,2
0244 Calcium	mg/l	61	54	60,5	65	69	58	61	59	61	64	72	76	13	54	55,6	61	63,2	74,4	76
0246 Magnesium	mg/l	9,7	8,9	9,65	9,6	11	8,5	9,2	10	11	11	13	13	13	8,3	8,38	10	10,3	13	13
0300 Iron	mg/l	0,14	0,185	0,232	0,11	0,133	0,138	0,166	0,084	0,055	0,063	0,062	0,047	13	0,047	0,0502	0,123	0,127	0,279	0,341
0306 Manganese	µg/l	20,3	27,9	44,5	43,8	37	42,9	46,8	35	39,2	26,7	38	20,3	13	20,3	20,3	38	35,9	47,2	47,5
0310 Aluminium	µg/l	104	133	172	90,1	106	92,6	142	70,2	54,2	54,9	54,8	38,2	13	38,2	44,6	90,1	98,8	212	258
0312 Antimony	µg/l	0,301	0,229	0,23	0,262	0,273	0,239	0,251	0,265	0,279	0,299	0,322	0,301	13	0,225	0,227	0,265	0,268	0,314	0,322
0314 Arsenic	µg/l	0,961	0,788	0,731	0,745	0,849	1,14	1,09	1,31	1,43	1,35	1,32	1,09	13	0,684	0,708	1,09	1,04	1,4	1,43
0316 Barium	µg/l	44,2	41,3	40,8	51,3	53,7	44,6	50,1	50,4	45,2	58	59,4	61,4	13	39,6	40,3	50,1	49,3	60,6	61,4
0318 Beryllium	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,0218
0323 Boron	µg/l		50	39	39,5	43,8	36,5	35,8	32,1	44,7	61,1	53,5	65,9	13	30,6	31,2	44,7	46,8	66,7	67,2
0324 Cadmium	µg/l	0,02	0,0445	0,0341	0,0376	0,0356	0,0283	0,0268	0,0302	0,0226	0,0226	<	0,022	13	<	<	0,0283	0,0298	0,048	0,0504
0326 Chromium	µg/l		0,437	0,596	0,614	0,395	0,408	0,449	0,841	0,761	0,233	0,206	0,409	13	0,201	0,203	0,412	0,474	0,831	0,841
0328 Cobalt	µg/l		0,241	0,232	0,324	0,285	0,264	0,231	0,28	0,294	0,269	0,261	0,257	13	0,231	0,231	0,264	0,269	0,329	0,351
0330 Copper	µg/l		2,47	2,52	2,61	2,7	2,06	2,88	3,03	2,25	2,53	2,21	2,38	13	2,06	2,12	2,52	2,5	2,97	3,03
0332 Mercury	µg/l		0,00324	0,00325	0,004	0,003	0,00303	0,00271	0,00357	0,00183	0,00156	0,00178	0,00124	13	0,00124	0,00125	0,00271	0,00265	0,00474	0,00552
0334 Lead	µg/l		0,548	0,606	0,754	0,453	0,494	0,548	0,603	0,316	0,248	0,297	0,258	13	0,226	0,235	0,453	0,47	0,884	1,07
0336 Lithium	µg/l		9,66	7,44	6,83	9,3	7,89	6,59	7,62	10,2	12,4	12,2	15,2	13	5,88	6,16	9,3	9,77	15,1	15,2
0338 Molybdenum	µg/l		1,49	0,973	0,908	1,27	1,19	0,999	1,14	1,42	1,41	1,66	1,72	13	0,884	0,903	1,27	1,32	1,92	2,05
0340 Nickel	µg/l		1,99	1,89	2,08	1,77	1,42	1,84	1,74	1,43	1,4	1,45	1,42	13	1,4	1,41	1,74	1,7	2,19	2,33
0342 Selenium	µg/l		0,215	0,207	0,205	0,2	0,176	0,183	0,191	0,204	0,177	0,218	0,22	13	0,176	0,176	0,204	0,202	0,227	0,231
0343 Strontium	µg/l		317	308	271	362	358	301	341	401	374	429	453	13	242	265	358	359	467	476
0344 Thallium	µg/l		0,0188	0,0155	0,0178	0,0189	0,0146	0,0217	0,0194	0,0162	0,0176	0,0135	0,0127	13	0,0127	0,0129	0,0165	0,0167	0,0208	0,0217
0345 Tellurium	µg/l	0,02	0,0238	<	<	<	<	0,024	0,022	0,0202	0,0251	<	0,0264	13	<	<	0,0202	<	0,0263	0,0264
0346 Tin	µg/l	0,02	0,0697	0,0362	0,0543	0,0543	0,0415	0,0536	0,0443	0,0226	0,0558	0,036	0,0258	<	<	<	0,0443	0,0429	0,0667	0,0697
0348 Titanium	µg/l		2,89	2,91	3,24	2,32	2,23	1,75	2,52	1,12	1,16	1,09	1,48	13	0,792	0,911	2,02	2,06	3,84	4,46
0350 Vanadium	µg/l		1,26	1,11	1,19	1,09	1,17	1,54	1,56	1,73	1,79	1,72	1,55	13	0,991	1,03	1,39	1,39	1,77	1,79
0352 Silver	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
0354 Zinc	µg/l		9,94	11,7	15,1	9,46	6,39	6,85	7,73	4,84	5	2,57	5,29	13	2,57	3,48	6,85	8,16	15,8	18,5
0373 Rubidium	µg/l		4,11	3,23	3,17	3,76	3,32	3,06	3,02	3,72	3,63	3,83	4,29	13	3,02	3,04	3,63	3,58	4,29	4,29
0375 Uranium	µg/l		0,497	0,536	0,489	0,606	0,672	0,556	0,698	0,706	0,609	0,732	0,742	13	0,441	0,463	0,609	0,622	0,752	0,758
V281 Cesium	µg/l	0,008	0,0823	0,0996	0,104	0,0911	0,115	0,0849	0,116	0,0926	0,0922	0,0808	0,0732	<	<	0,0317	0,0911	0,0876	0,121	0,125

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Metals, after filtration																					
055																					
0245																					
0248																					
0302																					
0307																					
0309																					
0311																					
0313																					
0315																					
0317																					
0319																					
0325																					
0327																					
0329																					
0331																					
0333																					
0335																					
0337																					
0339																					
0341																					
0347																					
0349																					
0351																					
0353																					
0355																					
0359																					
0361																					
0362																					
0363																					
0364																					
0365																					
V282																					



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Complex buiders	060																			
0420 Anionic detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
0422 Cation-Active Detergents	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
0424 Non-ionic Surfactants	mg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	6	<	*	*	<	*	<
1793 Nitriolotriacetic acid (NTA)	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1794 Ethylenediaminetetraacetic acid (ED)	µg/l	5	11	10	6,5	7	<	<	<	<	<	<	5,1	8,8	13	<	<	5,1	5,38	10,6
2003 Diethylenetriaminepentaacetic acid (DTPA)	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<



■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Mono cyclistic aromatic hydrocarbo 170																							
1074	Benzene	µg/l	0,01	<	0,012	<	<	<	<	0,0112	<	<	<	0,0124	13	<	<	<	0,0122	0,0124			
1080	1,2-Dimethylbenzene	µg/l	0,01	<	<	<	<	<	0,0109	<	<	<	<	<	13	<	<	<	<	0,0109			
1088	Ethethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	0,0147	13	<	<	<	<	0,0108	0,0147			
1089	Ethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1098	Methylbenzene	µg/l	0,01	0,0223	0,0348	0,0129	<	0,0215	<	0,0541	0,0117	0,0475	0,0277	0,0153	0,033	13	<	<	0,0215	0,0234	0,0515	0,0541	
1112	Chlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1115	2-Chloromethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1116	3-Chloromethylbenzene	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1119	1,2-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1120	1,3-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1121	1,4-Dichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1127	Pentachlorobenzene	µg/l	0,00002	0,00002	<	0,000345	0,00003	0,00002	0,00003	0,00002	<	<	0,00003	13	<	<	<	0,00002	0,000208	0,00048	0,00006		
1131	1,2,3-Trichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1132	1,2,4-Trichlorobenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1133	1,3,5-Trichlorobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1797	Iso-propylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1798	n-Propylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1832	1,3,5-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	0,0118	<	<	<	<	<	13	<	<	<	0,0112	0,0118			
1951	1,2,4-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1952	1,2,3-Trimethylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1956	3-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1957	4-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1958	2-Ethyltoluene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1959	4-Chloromethylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1960	1-Methyl-4-isopropylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
1998	t-Butylbenzene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
2014	Bromobenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
2039	1,3- and 1,4-Dimethylbenzene	µg/l	0,01	<	0,0133	0,0121	<	<	<	0,0265	<	<	0,0108	0,0108	0,026	13	<	<	0,0104	0,0109	0,0263	0,0265	
2064	s-Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
2087	Butylbenzene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Poly cyclistic aromatic hydrocarbon 180																					
1161	Acenaphthene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1163	Anthracene	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1165	Benzo(a)anthracene	µg/l	0,001	<	<	0,00107	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,00118 0,00164
1166	Benzo(b)fluoranthene	µg/l		0,00154	0,00129	0,00217	0,00072	0,00116	0,00082	0,00159	0,00058	0,00073	0,00138	0,00072	0,00093	13	0,00058	0,00636	0,00116	0,00121	0,00232 0,0028
1167	Benzo(k)fluoranthene	µg/l		0,00077	0,00065	0,00124	0,00048	0,00072	0,00053	0,00107	0,00035	0,00022	0,00046	0,0003	0,0003	13	0,00022	0,00252	0,00053	0,00641	0,00139 0,0016
1168	Benzo(ghi)perylene	µg/l		0,00142	0,00121	0,00196	0,00054	0,00121	0,00094	0,0017	0,00069	0,00045	0,00072	0,00059	0,00057	13	0,00045	0,00486	0,00094	0,00107	0,00223 0,00259
1169	Benzo(a)pyrene	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1172	Chrysene	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1173	Dibenzo(a,h)anthracene	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1180	Phenanthrene	µg/l		0,00853	0,00649	0,00456	0,00356	0,00326	0,00275	0,00422	0,00257	0,0033	0,00348	0,00372	0,00679	13	0,00257	0,00264	0,00372	0,00445	0,00783 0,00853
1181	Fluoranthene	µg/l		0,00605	0,00421	0,0061	0,00261	0,00434	0,00459	0,0061	0,00307	0,00242	0,00368	0,0032	0,00365	13	0,00242	0,0025	0,00421	0,00432	0,00689 0,00742
1182	Fluorene	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1183	Indeno(1,2,3-cd)pyrene	µg/l		0,00136	0,00101	0,00187	0,00045	0,0011	0,00069	0,00197	0,00048	0,00035	0,00078	0,00046	0,00045	13	0,00035	0,00039	0,00078	0,00988	0,00228 0,00249
1188	Pyrene	µg/l	0,002	0,00397	0,00332	0,00444	<	0,00261	0,00321	0,00388	<	<	0,00239	0,00212	0,00215	13	<	<	0,00261	0,00273	0,00504 0,00576
8450	Naphthalene	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organochlorine pesticides	200																				
2132 3-Chloropropene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8006 Aldrin	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8119 Chlorothalonil	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8162 o,p-DDD	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8163 p,p-DDD	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8164 o,p-DDE	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8165 p,p-DDE	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8166 o,p-DDT	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8167 p,p-DDT	µg/l	0,00009	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8189 Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8199 2,6-Dichlorobenzamide (BAM)	µg/l	0,02	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,022	0,03	<
8217 Dieldrin	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8263 alpha-Endosulfan	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8264 beta-Endosulfan	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8268 Endrin	µg/l	0,0005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8358 Heptachlor	µg/l	0,00005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8359 Heptachloroepoxide (cis + trans)	µg/l	0,00005	<	<	<	<	<	<	<	<	<	<	<	3	*	*	*	*	*	*	*
8361 Hexachlorobenzene (HCB)	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8362 alpha-Hexachlorocyclohexane (alph	µg/l	0,00006	0,00015	0,00013	0,0001	0,00016	0,00013	0,00017	0,00012	0,0001	0,00009	<	0,00008	0,00011	13	<	<	0,00011	0,000113	0,000166	0,00017
8363 beta-Hexachlorocyclohexane (beta-	µg/l		0,00023	0,00013	0,000105	0,00016	0,00025	0,00027	0,00034	0,00046	0,0004	0,00077	0,00059	0,00035	13	0,0001	0,000104	0,00027	0,00032	0,000698	0,00077
8379 Isodrin	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8393 Lindane (gamma-HCH)	µg/l		0,00025	0,0002	0,000165	0,0002	0,00019	0,00022	0,00015	0,00014	0,0001	0,00014	0,00011	0,0002	13	0,0001	0,000104	0,00017	0,000172	0,000238	0,00025
8428 Methoxychlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8441 Mirex	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8533 Quintocene	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8560 Telodrin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8629 delta-Hexachlorocyclohexane (delta-	µg/l	0,00008	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8630 cis-Heptachlorepoide	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8631 trans-Heptachlorepoide	µg/l	0,0007	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8640 cis-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8641 trans-Chlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8655 Oxychlordane	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<

woensdag 23 augustus 2017

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organophosphorus and -sulphur pe 210																					
8028	Azinphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8029	Azinphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8059	Bromophos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8060	Bromophos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8108	Chlorfenvinphos	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8112	Chlorpyriphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8136	Coumaphos	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8185	Diazinon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8190	Dichlofenthion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8238	Dimethoate	µg/l	0,0003	0,00925	0,00081	<	<	<	0,00101	0,00051	0,00033	<	<	<	13	<	<	<	<	<	<
8271	S-Ethyl dipropylthiocarbamate (EPT)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8278	Ethion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8281	Ethoprophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8290	Fenamiphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8296	Fenchlorphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8309	Fenthion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8343	Phosphamidon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8352	Glufosinate-ammonium	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8354	Glyphosate	µg/l	0,05	<	<	<	0,059	0,124	0,066	0,056	<	<	<	<	13	<	<	<	<	0,101	0,124
8360	Heptenophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8396	Malathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8423	Methidathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8482	Parathion-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8483	Parathion-methyl	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8500	Pirimiphos-ethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8501	Pirimiphos-methyl	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8526	Pyrazophos	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8550	Sulfotep	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8572	Tetrachlorvinphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8590	Tolclofos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8600	Triazophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

woensdag 23 augustus 2017

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
8632	Aminomethylphosphonic acid (AMP)	µg/l	0,376	0,221	0,157	0,334	0,331	0,296	0,36	0,5	0,48	0,51	0,51	0,61	13	0,136	0,152	0,36	0,372	0,57	0,61
8642	cis-Chlorfenvinphos	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8643	trans-Chlorfenvinphos	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8652	Chlorpyriphosethyl	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8702	Nicosulfuron	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8704	Sulcotrione	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8705	Amidosulfuron	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8706	Azimsulfuron	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8709	Ethoxysulfuron	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8711	Foramsulfuron	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8712	Fosthiazate	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8714	Iodosulfuron-methyl-sodium	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8716	Mesotrione	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8718	Oxasulfuron	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8719	Prosulfuron	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8723	Rimsulfuron	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8726	Thiacloprid	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8727	Triflusulfuron-methyl	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
9000	Mevinphos	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Organonitrogen pesticides		220																			
8057	Bromacil	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8061	Bromoxynil	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,001	<	<	0,00781	0,0123	0,00968	0,00397	0,00491	0,00308	0,00403	0,00301	0,00391	13	<	<	0,00391	0,00421	0,0113	0,0123
8261	Dodine	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8699	Azoxystrobin	µg/l	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8730	chloridazon-methyl-desphenyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,05
8732	Chloridazon-desphenyl	µg/l	0,46	0,3	0,225	0,17	0,1	0,14	0,16	0,087	0,071	0,081	0,081	0,15	13	0,071	0,075	0,15	0,173	0,396	0,46



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Carbamate herbicides		260																					
8003	Aldicarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8004	Aldicarb-sulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8005	Aldicarb-sulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8068	Butocarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8069	Butoxycarboxim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8082	Carbofuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8277	Ethiofencarb	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8304	Fenoxycarb	µg/l	0,00006	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8499	Pirimicarb	µg/l	0,0002	0,00055	0,00047	0,000285	0,00037	0,00032	0,00192	0,00062	<	<	0,00044	0,00025	0,00047	13	<	<	0,00037	0,000475	0,0014	0,00192	
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8634	Butocarboximsulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8637	Thiofanoxsulfoxide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8638	Thiofanoxsulfon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
Biocides		285																					
2116	Tributyltin-cation	µg/l		0,00018	0,00013	0,00013	0,00011	0,00013	0,00007	0,00006	0,00005	0,00005	0,00005	0,00006	0,00011	0,00012	13	0,00005	0,00005	0,00011	0,00102	0,00168	0,00018
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
8169	Diethyltoluamide (DEET)	µg/l	0,02	0,02	<	<	<	<	<	0,024	0,038	0,033	0,036	0,024	<	13	<	<	<	<	0,0372	0,038	
8209	Dichlorvos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8519	Propiconazole	µg/l		0,00654	0,0116	0,00563	0,00439	0,00517	0,00827	0,00386	0,0043	0,00484	0,00364	0,00392	0,00434	13	0,00364	0,00373	0,00439	0,00555	0,0103	0,0116	
8521	Propoxur	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8803	cis-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8804	trans-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Benzimidazole Fungicides		470																					
8079	Carbendazim	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Conazole Fungicides		480																					
8486	Penconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8519	Propiconazole	µg/l		0,00654	0,0116	0,00563	0,00439	0,00517	0,00827	0,00386	0,0043	0,00484	0,00364	0,00392	0,00434	13	0,00364	0,00373	0,00439	0,00555	0,0103	0,0116	
8596	Triadimenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	11	<	<	<	<	<	<	
8659	Epoconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8803	cis-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8804	trans-propiconazole	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

woensdag 23 augustus 2017

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Amide Fungicides 490																					
8412	Metalaxyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Pyrimidine Fungicides 500																					
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Strobilurine Fungicides 510																					
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8699	Azoxystrobin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8722	Pyraclostrobin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Unclassified Fungicides 520																					
8119	Chlorothalonil	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8261	Dodine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8590	Tolclofos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8946	Quinoxifen	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
V442	Cybutryne	µg/l	0,0007	<	<	<	<	<	<	0,00203	<	0,00073	0,00085	0,00076	0,00112	13	<	<	<	<	<
Chlorophenoxy herbicides 230																					
8105	4-Chlorophenoxyacetic acid	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8240	2,4-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8404	Mecoprop (MCCPP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8551	2,4,5-Trichlorophenoxyacetic acid (2	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8593	2-(2,4,5-Trichlorophenoxy)propionic	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Dinitrophenol herbicides 250																					
8244	2,4-Dinitrophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8248	Dinoseb (2-sec-butyl-4,6-dinitrope	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8250	Dinoterb (2-tert-butyl-4,6-dinitrope	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8259	2-Methyl-4,6-dinitrophenol (DNOC)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8609	Trietazin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

woensdag 23 augustus 2017

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Phenoxy Herbicides		550																				
8150	2,4-Dichlorophenoxyacetic acid (2,4-	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8151	4-(2,4-Dichlorophenoxy)butanoic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8204	2,4-Dichlorprop (2,4-DP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8401	4-Chloro-2-methylphenoxyacetic aci	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8402	4-(4-Chloro-2-methylphenoxy)butano	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
8404	Mecoprop (MCP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Amide Herbicides		560																				
8708	Dimethenamid-p	µg/l		0,00257	0,00179	0,00158	0,0161	0,00659	0,0733	0,0193	0,00672	0,00429	0,0026	0,00248	0,00344	13	0,00148	0,00156	0,00344	0,0109	0,0517	0,0733
Anilide Herbicides		570																				
8417	Metazachlor	µg/l	0,002	0,00321	0,00217	<	0,00341	0,00326	0,00524	0,00204	<	<	<	<	0,00344	13	<	<	0,00217	0,00232	0,00452	0,00524
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
Chloroacetanilide Herbicides		580																				
8002	Alachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8235	Dimethachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8513	Propachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
(Bis-)Carbamate Herbicides		590																				
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Dinitroaniline Herbicides		600																				
8488	Pendimethalin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Sulfonylurea Herbicides		610																				
8438	Metsulphuron-Methyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<	<
8702	Nicosulfuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8705	Amidosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8706	Azimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8709	Ethoxysulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8711	Foramsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8718	Oxasulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8719	Prosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8723	Rimsulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
8725	Sulfosulfuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Urea Herbicides 620																							
8070	Buturon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
8097	Chlorbromuron	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<			
8122	Chlortoluron	µg/l	0,0093	0,0088	0,00295	0,00187	0,00162	0,00088	0,00074	0,00061	0,00063	0,00068	0,0007	0,00615	13	0,00061	0,000618	0,00162	0,00291	0,0091	0,0093		
8130	Chloroxuron	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8226	Difenoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8258	Diuron	µg/l	0,00656	0,00493	0,00312	0,00504	0,00507	0,00701	0,00576	0,00647	0,00617	0,00594	0,00613	0,00848	13	0,00285	0,00306	0,00594	0,00568	0,00789	0,00848		
8382	Isoproturon	µg/l	0,0451	0,0142	0,00686	0,0187	0,00837	0,00614	0,00334	0,00396	0,0033	0,00319	0,00421	0,0155	13	0,00319	0,00323	0,00614	0,0107	0,0345	0,0451		
8394	Linuron	µg/l	0,002	<	<	<	<	<	0,00949	0,0039	<	<	<	<	13	<	<	<	<	0,00725	0,00949		
8418	Methabenzthiazuron	µg/l	0,0001	<	<	<	0,00018	<	0,00038	0,00024	0,0002	<	0,00023	0,00027	13	<	<	0,00018	0,00167	0,00376	0,00038		
8434	Metobromuron	µg/l	0,002	<	<	<	<	<	0,00217	<	<	<	<	<	13	<	<	<	<	<	0,00217		
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8446	Monolinuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8447	Monuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8456	Neburon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8665	1-(4-Chlorophenyl)urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8667	1-(4-iso-propylphenyl) urea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8668	1-(4-iso-propylphenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
8669	1-(3,4-Dichlorophenyl)urea (DCPU)	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
Aryloxyphenoxy- Propionic Herbicide 630																							
8675	Haloxypop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Triazin Herbicides 635																							
8026	Atrazine	µg/l	0,002	0,00264	0,0023	<	<	0,00261	0,00308	0,00286	0,003	0,00285	0,00332	0,00313	0,00415	13	<	<	0,00285	0,00253	0,00382	0,00415	
8138	Cyanazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8180	Desmetryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8366	Hexazinone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8415	Metamitron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8435	Metolachlor	µg/l	0,00416	0,00797	0,00439	0,00447	0,0113	0,0928	0,0373	0,012	0,00864	0,00584	0,00508	0,00768	13	0,00416	0,0042	0,00768	0,0158	0,0706	0,0928		
8437	Metribuzin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8512	Prometryn	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8517	Propazine	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8547	Simazine	µg/l	0,001	0,00158	<	<	0,00143	0,00194	0,00217	0,00184	0,00203	0,00212	0,00224	0,00196	0,00185	13	<	<	0,00185	0,00159	0,00221	0,00224	
8567	Terbutryne	µg/l	0,00622	0,00321	0,00214	0,00307	0,00346	0,0043	0,00381	0,00493	0,0045	0,00464	0,00452	0,00776	13	0,00204	0,00212	0,0043	0,00421	0,00714	0,00776		
8568	Terbutylazine	µg/l	0,002	0,00501	0,00289	<	0,00235	<	0,0852	0,0444	0,0207	0,0184	0,0101	0,00903	0,00473	13	<	<	0,00501	0,0159	0,0689	0,0852	
Thiocarbamate Herbicides 640																							
8271	S-Ethyl dipropylthiocarbamate (EPT)	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

woensdag 23 augustus 2017

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Unclassified Herbicides 645																						
8001	Aclonifen	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8044	Bentazon	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8061	Bromoxynil	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8127	Chloridazon	µg/l	0,001	<	<	<	0,00781	0,0123	0,00968	0,00397	0,00491	0,00308	0,00403	0,00301	0,00391	13	<	<	0,00391	0,00421	0,0113	0,0123
8188	Dicamba	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8189	Dichlobenil	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8330	Fluroxypyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8354	Glyphosate	µg/l	0,05	<	<	<	0,059	0,124	0,066	0,056	<	<	<	13	<	<	<	<	0,101	0,124		
8607	Triclopyr	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8675	Haloxypop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8677	loxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8686	Sebutylazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8704	Sulcotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<	
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8716	Mesotrione	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<	
Unclassified plant growth regulator 952																						
8397	pyridazine-3,6-diol	µg/l	0,1				<	<						4	<	*	*	<	*	<	<	
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<	
Anti-sprouting products 960																						
8626	Chlorpropham	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
Soil sterilants 970																						
2013	1,1-Dichloropropene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
Insecticides, neonicotinoids 650																						
8701	Imidacloprid	µg/l		0,0033	0,00273	0,0024	0,00208	0,00219	0,00346	0,00164	0,00129	0,00103	0,00098	0,00166	0,00356	13	0,00098	0,001	0,00219	0,00221	0,00352	0,00356
8726	Thiacloprid	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<	
Pyrethroid Insecticides 655																						
8143	Cyhalothrin	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8170	Deltamethrin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	
8273	Esfenvalerate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<	



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Carbamate Insecticides 660																							
8082	Carbofuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8304	Fenoxycarb	µg/l	0,00006	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8499	Pirimicarb	µg/l	0,0002	0,00055	0,00047	0,000285	0,00037	0,00032	0,00192	0,00062	<	<	0,00044	0,00025	0,00047	13	<	<	0,00037	0,00475	0,0014	0,00192	
Organophosphorus Insecticides 670																							
8029	Azinphos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8112	Chlorpyrifos-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8136	Coumaphos	µg/l	0,0002	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8185	Diazinon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8209	Dichlorvos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8238	Dimethoate	µg/l	0,0003	0,00925	0,00081	<	<	<	0,00101	0,00051	0,00033	<	<	<	0,00041	13	<	<	0,00033	0,00105	0,00595	0,00925	
8281	Ethoprophos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8290	Fenamiphos	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8298	Fenitrothion	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8340	Phosalon	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8396	Malathion	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8501	Pirimiphos-methyl	µg/l	0,0001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8652	Chlorpyrifosethyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8712	Fosthiazate	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<			
Benzoylurea Insecticides 690																							
8558	Teflubenzuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<			
Insecticides Produced By Fermentat 700																							
8697	Abamectine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
Unclassified Insecticides 710																							
1961	Tetrahydrothiophene (THT)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8149	Cyromazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<			
8425	Methomyl	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8691	Pyridaben	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8692	Pyriproxyphen	µg/l	0,00001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			
8703	Pymetrozine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<			
Molluscicides 750																							
8583	Thiodicarb	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<			
Rodenticides 850																							
8135		µg/l		0,00036	0,00037	0,00028	0,00047	0,00029	0,00033	0,00021	0,00056	0,00034	0,00035	0,00044	0,00059	13	0,00021	0,00238	0,00035	0,00375	0,00578	0,00059	
8620	Warfarin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<			



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Nematicides		860																				
1784	cis-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1785	trans-1,3-Dichloropropene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8186	Dibromochloropropene (DBCP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Pesticide metabolites		954																				
2023	4-isopropylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2032	3-Chloro-4-methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8113	4-Chloro-2-methylphenol	µg/l	0,02			<									4	<	*	*	<	*	<	
8176	Desethylatrazine	µg/l	0,00488	0,00509	0,00504	0,00685	0,00693	0,00364	0,00379	0,00465	0,00484	0,00485	0,00485	0,0052	13	0,00364	0,00377	0,00485	0,00505	0,0069	0,00693	
8178	Desisopropylatrazine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Various pesticides and metabolics		300																				
2251	N,N-Dimethylsulfamid (DMS)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2272	2-(methylthio)benzothiazole	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8001	Aclonifen	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8231	sodium 2,3:4,6-di-O-iso-propylidene-	µg/l	0,05			<									4	<	*	*	<	*	<	
8235	Dimethachlor	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8280	Ethofumesat	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8307	Fenpropimorph	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8658	N,N-dimethyl-N'-p-tolylsulphamide (µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8661	Pyrimethanil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8664	Kresoxim-methyl	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8670	1-(3,4-Dichlorophenyl)-3-methylurea	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8675	Haloxifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8676	Fluazifop	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8691	Pyridaben	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8692	Pyriproxyphen	µg/l	0,00001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8697	Abamectine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8707	Clomazone	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8710	Florasulam	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8715	Mefenpyr-diethyl	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
8731	N,N-dimethyl-N'-phenylsulphamide	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code	STE
-------------------	-----

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Ethers																							
	302																						
1428	Di-iso-propylether	µg/l	0,01	<	0,0144	0,0512	<	<	0,047	<	<	<	<	<	<	13	<	<	<	0,0161	0,066	0,0786	
1457	Bis(2-(2-methoxyethoxy)ethyl) ether	µg/l	0,05	0,12	0,05	<	0,09	0,14	<	0,051	0,053	<	0,21	0,25	0,15	13	<	<	0,053	0,0934	0,234	0,25	
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	<	0,0166	0,0114	0,0273	0,0322	0,0301	0,0581	0,0294	0,0364	<	0,0303	0,061	13	<	<	0,0294	0,0273	0,0598	0,061	
2156	Bis(2-methoxyethyl)ether (Diglyme)	µg/l	0,05	0,08	0,08	0,07	0,1	0,07	<	0,17	<	<	0,077	0,081	<	12	<	<	0,0785	0,0727	0,149	0,17	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2173	Triethyleneglycol dimethylether (Trigl)	µg/l	0,05	<	<	<	<	<	<	<	<	<	0,062	0,069	<	13	<	<	<	<	0,0662	0,069	
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2275	1,4-Dioxane	µg/l		0,52	0,31	0,395	0,66	0,63	0,34	0,32	0,76	0,53	0,63	0,74	1	13	0,31	0,314	0,53	0,556	0,904	1	
Fuel additives																							
	303																						
2043	Methyl-tert.-butylether (MTBE)	µg/l	0,01	<	0,0166	0,0114	0,0273	0,0322	0,0301	0,0581	0,0294	0,0364	<	0,0303	0,061	13	<	<	0,0294	0,0273	0,0598	0,061	
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2168	Ethyl-tert.-butylether (ETBE)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2244	Tert-amyl-methyl ether (TAME)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Various organic substances																							
	305																						
1077	Cyclohexane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1079	Dicyclopentadiene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1432	Dimethoxymethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1753	Dimethyldisulfide	µg/l	0,01	0,0181	0,0153	0,0189	<	0,014	<	0,0119	0,0222	0,058	0,0179	<	<	13	<	<	0,0142	0,0166	0,0442	0,058	
1764	Tributylphosphate (TBP)	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1767	Triphenylphosphate (TPP)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1768	Triphenylphosphine oxide (TPPO)	µg/l	0,05	<	<	<	<	0,05	<	0,076	0,083	0,074	0,13	0,1	0,089	13	<	<	0,05	0,0578	0,118	0,13	
2037	2-Aminoacetophenone	µg/l	0,03	<	<	<	0,04	<	0,04	0,041	0,045	0,11	0,035	0,032	<	13	<	<	0,035	0,0352	0,084	0,11	
2092	Methylmethacrylate	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2165	methenamine	µg/l		1,6	0,91	0,785	1,1	0,99	0,33	0,71	1,3	1,7	1,3	1,4	1,9	13	0,33	0,426	1,1	1,14	1,82	1,9	
2183	benzotriazole	µg/l		0,37	0,28	0,225	0,37	0,34	0,27	0,25	0,36	0,32	0,37	0,38	0,63	13	0,2	0,22	0,34	0,338	0,53	0,63	
2184	5-methyl-1-H-benzotriazole (tolyltriaz)	µg/l		0,1	0,08	0,065	0,1	0,08	0,06	0,06	0,09	0,07	0,08	0,09	0,14	13	0,06	0,06	0,08	0,0831	0,124	0,14	
V129	tetrahydro-2,2,5,5-tetramethylfuran	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V427	1,3,5-triazine-2,4,6-triamine (melami	µg/l		1,2	0,8	0,63	0,97	1	0,8	0,85	1,2	1,3	1,6	1,7	3,8	13	0,61	0,626	1	1,27	2,96	3,8	



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Industrial solvents 431																					
1027	Bromochloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1040	1,2-Dichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1044	Dichloromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1049	Hexachlorobutadiene	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1056	Tetrachloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1057	Tetrachloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1063	Trichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1064	Trichloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1070	1,2,3-Trichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1828	cis-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1829	trans-1,2-Dichloroethene	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1954	1,1,1,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
1955	1,1,1,2,2-Tetrachloroethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2015	Chloroethane (Freon 160)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2022	Tri- and Tetrachloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2275	1,4-Dioxane	µg/l	0,52	0,31	0,395	0,66	0,63	0,34	0,32	0,76	0,53	0,63	0,74	1	13	0,31	0,314	0,53	0,556	0,904	1
8205	1,2-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Industrial chemicals (with (per)fluori 433																					
2246	Perfluorooctanoate (PFOA)	µg/l			0,0023		0,0018		0,0024			0,0028		4	0,0018	*	*	0,00233	*	0,0028	
2247	heptadecafluorooctane-1-sulphonic	µg/l			0,0032		0,0037		0,0044			0,0019		4	0,0019	*	*	0,0033	*	0,0044	
2260	perfluoro-1-butanedisulfonate linear (P	µg/l			0,0027		0,0057		0,0061			0,0088		4	0,0027	*	*	0,00583	*	0,0088	
2261	hencosafluoroundecanoic acid (PFU	µg/l	0,0005		<		<		<			<		4	<	*	*	<	*	<	
2262	Perfluorovaleric acid (PFPeA)	µg/l	0,004		<		<		<			<		4	<	*	*	<	*	<	
2263	perfluoro-n-hexanoic acid (PFHxA)	µg/l			0,0022		0,0025		0,003			0,0031		4	0,0022	*	*	0,0027	*	0,0031	
2265	Perfluorodecanoic acid (PFDA)	µg/l	0,0006		<		<		<			<		4	<	*	*	<	*	<	
2266	heptafluorobutyric acid (PFBA)	µg/l	0,005		<		<		<			<		4	<	*	*	<	*	<	
2267	Perfluoroheptanoic acid (PFHpA)	µg/l	0,001		<		<		0,0013			0,0023		4	<	*	*	0,00115	*	0,0023	
2268	Perfluorononanoic acid (PFNA)	µg/l	0,0007		<		<		<			<		4	<	*	*	<	*	<	
2270	Perfluorohexane sulfonate (PFHxS)	µg/l	0,0005		<		<		0,0012			0,0031		4	<	*	*	0,00146	*	0,0031	
2315	6:2 fluorotelomer sulfonic acid (6:2 F	µg/l	0,0025		<		<		<			<		4	<	*	*	<	*	<	



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
industrial chemicals (with arom. nitr 434)																							
1683	Aniline	µg/l	0,03	<	0,04	0,0375	0,05	0,04	0,04	0,038	0,045	0,034	<	<	<	13	<	<	0,038	0,0325	0,056	0,06	
1700	N-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,04	
1705	3-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1708	2,3-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1713	2,3,4-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1716	2,4,5-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1717	2,4,6-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1718	3,4,5-Trichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1786	3-Methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1862	N,N-Diethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1864	N-Ethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1979	2,4,6-Trimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2024	2,4-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2027	3,4-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2028	2,3-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2029	3-Chloro-4-methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2033	4-Methoxy-2-nitroaniline	µg/l	0,06	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2034	2-Nitroaniline	µg/l	0,06	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2035	3-Nitroaniline	µg/l	0,06	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2038	2-(Phenylsulfon)aniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2052	4- and 5-Chloro-2-methylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2053	N,N-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	0,033	<	<	13	<	<	<	<	<	0,033	
2055	2,4- and 2,5-Dichloroaniline	µg/l	0,03	<	<	<	0,04	<	<	<	<	<	<	<	<	13	<	<	<	<	0,036	0,04	
2056	2-Methoxyaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2057	2- and 4-Methylaniline	µg/l	0,03	<	<	<	0,05	0,03	<	0,035	<	0,044	<	<	0,055	13	<	<	<	<	0,053	0,055	
2058	2-(Trifluoromethyl)aniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2059	2,5- and 3,5-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2175	2,4,5-Trimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
2322	Pyrazole	µg/l	2,4	1,75	2,05	2,75	2,65	1,7	2,05	2,35	2,45	3,15	3,5	3,3	23	1,6	1,74	2,4	2,47	3,36	3,6		
8063	4-Bromoaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8094	2-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8115	4-Chloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8196	2,6-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8197	3,4-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8198	3,5-Dichloroaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

woensdag 23 augustus 2017

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code	STE
-------------------	-----

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
8222	2,6-Diethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8239	2,6-Dimethylaniline	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Industrial chemicals (with conazole 435)																						
1779	Benzothiazol	µg/l	0,03	0,06	<	0,135	0,06	0,06	0,04	<	0,03	0,04	0,05	0,04	0,03	13	<	<	0,04	0,0546	0,156	0,22
2256	4-Methylbenzotriazole	µg/l		0,25	0,17	0,13	0,23	0,2	0,16	0,15	0,17	0,18	0,22	0,25	0,41	13	0,12	0,128	0,18	0,204	0,346	0,41
2257	5,6-Dimethyl-1H-benzotriazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2258	5-chloroindole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2273	2(3H)-Benzothiazolone	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,03
2312	2-Aminobenzothiazol	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Industrial chemicals (with volatile h 437)																						
1035	Dibromomethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1039	1,1-Dichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1041	1,1-Dichloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1050	Hexachloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1061	1,1,1-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1062	1,1,2-Trichloroethane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1962	Chloroethene	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
2086	1,2-Dibromoethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8206	1,3-Dichloropropane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.
 The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Industrial chemicals (with phenols) 439																				
1528	3-Chlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1529	4-Chlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1531	2,3-Dichlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1532	2,5-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
1533	2,6-Dichlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1534	3,4-Dichlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1535	3,5-Dichlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1537	2,3,4,5-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1538	2,3,4,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1539	2,3,5,6-Tetrachlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1541	2,3,4-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1542	2,3,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1543	2,3,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1544	3,4,5-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
1847	3-Nitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2009	2,5-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2010	2,6-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2011	3,4-Dimethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2021	2,3- and 3,5-Dimethylphenol	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2067	2,4- and 2,5-Dichlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
2081	2-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2178	3-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2179	4-Ethylphenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2248	2,5-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2249	2,6-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
2250	3,4-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8104	2-Chlorophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8202	2,4-Dichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<
8491	Pentachlorophenol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<
8602	2,4,5-Trichlorophenol	µg/l	0,04	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8603	2,4,6-Trichlorophenol	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	7	<	*	*	<	*	<
8733	2,3-Dinitrophenol	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<

woensdag 23 augustus 2017

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code	STE
-------------------	-----

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Industrial chemicals (with PCBs) 440																							
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,00004	0,00006	0,00006	0,000085	0,00005	0,00008	0,00008	0,0001	0,00005	<	0,00004	<	<	13	<	<	0,00006	0,000577	0,00096	0,0001	
1244	2,5,2',5'-Tetrachlorobiphenyl (PCB 5)	µg/l	0,00006	0,00006	0,000065	0,00005	0,00007	0,0001	0,00008	0,00006	0,00004	0,00004	0,00004	0,00005	13	0,00004	0,00004	0,00006	0,00006	0,00092	0,0001		
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB 1)	µg/l	0,00003	0,00007	0,00005	0,00008	0,00005	0,00007	0,00009	0,00009	0,00006	0,00004	0,00004	0,00003	<	13	<	<	0,00006	0,000588	0,00009	0,00009	
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB 2)	µg/l	0,00002	0,00003	0,00003	0,000035	<	0,00003	0,00003	0,00004	0,00002	<	0,00002	0,00002	<	13	<	<	0,00003	0,000246	0,00004	0,00004	
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PCB 18)	µg/l	0,00005	0,00006	0,00008	<	<	0,00005	<	0,00006	<	<	<	<	<	13	<	<	<	<	0,00072	0,00008	
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PCB 19)	µg/l	0,00009	0,00009	0,00011	0,00005	0,00007	0,00008	0,00008	0,00006	0,00005	0,00006	0,00006	0,00004	13	0,00004	0,00044	0,00007	0,000731	0,00012	0,00014		
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (PCB 29)	µg/l	0,00004	<	0,00005	0,000445	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00062	0,00007		
Cooling agents 430																							
2017	Dichlorodifluoromethane	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2019	Trichlorofluoromethane (Freon 11)	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
Disinfection agents 444																							
2005	2-Methylphenol	µg/l	0,02			<		<			<			<	4	<	*	*	<	*	<		
2007	4-Methylphenol	µg/l	0,02			<		<			<			<	4	<	*	*	<	*	<		
2079	3-methylphenol (m-cresol)	µg/l	0,02			<		<			<			<	4	<	*	*	<	*	<		
8114	4-Chloro-3-methylphenol	µg/l	0,02			<		<			<			<	4	<	*	*	<	*	<		
Disinfection byproducts (with halog 446																							
1028	Bromodichloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	0,0516	0,012	0,0503	13	<	<	<	0,0126	0,0511	0,0516		
1033	Dibromochloromethane	µg/l	0,01	<	<	<	<	<	<	<	<	0,0278	<	0,0238	13	<	<	<	<	0,0262	0,0278		
1058	Tribromomethane	µg/l	0,01	<	<	<	<	<	<	0,0134	0,0163	<	<	<	13	<	<	<	<	0,0151	0,0163		
Desinfection byproducts (nitroso co 448																							
2139	N-Nitrosodimethylamine (NDMA)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2140	N-Nitrosomorpholine (NMOR)	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2141	N-Nitrosopiperidine (NPIP)	µg/l	0,002	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2142	N-Nitrosopyrrolidine (NPYR)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2143	N-Nitrosomethylethylamine (NMEA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2148	N-Nitrosodiethylamine (NDEA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,00116	0,0012		
2149	N-Nitrosodi-n-propylamine (NDPA)	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
2150	N-Nitroso-n-dibutylamine (NDBA)	µg/l	0,002	<	<	0,0026	<	<	<	<	<	0,0025	<	0,0034	13	<	<	<	<	0,00388	0,0042		



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Flameretardants 380																						
2109	2,4,2',4'-Tetrabromodiphenylether (P)	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2110	2,4,2',5'-Tetrabromodiphenylether (P)	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2111	2,3,4,2',4'-Pentabromodiphenylether	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2112	2,4,5,2',4'-Pentabromodiphenylether	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2113	2,4,6,2',4'-Pentabromodiphenylether	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2114	2,4,5,2',4',5'-Hexabromodiphenyleth	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2115	2,4,5,2',4',6'-Hexabromodiphenyleth	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2169	2,4,4'-Tribromodiphenylether (PBDE)	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
2170	2,3,4,2',4',5'-Hexabromodiphenyleth	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
V481	2,2',3,3',4,4',5,5',6,6'-decabromodiph	µg/l	0,05				<	<	<	<	<	<	<	9	<	*	*	<	*	<	<	
X-ray contrast agents 340																						
6051	Diatrizoic acid (Amidotrizoic acid)	µg/l		0,1	0,07	0,035	0,04	0,05		0,07	0,06	0,04	0,05	0,07	0,12	12	0,03	0,033	0,055	0,0617	0,114	0,12
6053	Iohexol	µg/l		0,11	0,1	0,085	0,11	0,11		0,08	0,07	0,06	0,06	0,07	0,12	12	0,06	0,06	0,085	0,0883	0,117	0,12
6054	Iomeprol	µg/l		0,27	0,29	0,185	0,24	0,24		0,14	0,19	0,17	0,16	0,19	0,29	12	0,14	0,146	0,2	0,213	0,29	0,29
6055	Iopamidol	µg/l		0,12	0,08	0,05	0,08	0,1		0,13	0,12	0,1	0,12	0,09	0,21	12	0,04	0,046	0,1	0,104	0,186	0,21
6056	Iopanoic acid	µg/l	0,01	<	<	<	<	<		<	<	<	<	<	<	12	<	<	<	<	<	<
6057	Iopromide	µg/l		0,16	0,15	0,11	0,13	0,15		0,08	0,14	0,12	0,1	0,11	0,17	12	0,08	0,083	0,13	0,128	0,167	0,17
6058	Iothalamic acid	µg/l	0,01	<	<	<	<	<		<	<	<	<	<	<	12	<	<	<	<	<	<
6059	Ioxaglic acid	µg/l	0,1	<	<	<	<	<		<	<	<	<	<	<	12	<	<	<	<	<	<
6060	Ioxitalamic acid	µg/l		0,06	0,06	0,045	0,04	0,04		0,04	0,03	0,02	0,02	0,04	0,09	12	0,02	0,02	0,04	0,0442	0,081	0,09
Chemotherapy 345																						
6037	Cyclophosphamide	µg/l	0,01	<	<	<	<	<		<	<	<	<	<	<	13	<	<	<	<	<	<
6038	Ifosfamid	µg/l	0,01	<	<	<	<	<		<	<	<	<	<	<	13	<	<	<	<	<	<
6371	Gemcitabine	µg/l	0,1	<	<	<	<	<		<	<	<	<	<	<	12	<	<	<	<	<	<
6372	Methotrexate (MTX)	µg/l	0,05	<	<	<	<	<		<	<	<	<	<	<	12	<	<	<	<	<	<
6378	Tamoxifen (TMX)	µg/l	0,1	<	<	<	<	<		<	<	<	<	<	<	12	<	<	<	<	<	<
6382	5-Fluorouracil (5-FU)	µg/l	1	<	<	<	<	<		<	<	<	<	<	<	12	<	<	<	<	<	<
6389	Etoposide	µg/l	0,1	<	<	<	<	<		<	<	<	<	<	<	13	<	<	<	<	<	<



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Antibiotics		310																				
6003	Chloramphenicol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
6007	clindamycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	0,01	13	<	<	<	<	<	<	0,01
6008	Cloxacillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6010	Dicloxacillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6015	Furazolidone	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6017	Metronidazol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6018	Nafcillin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6021	Oleandomycin	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
6022	Oxacillin	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6026	Ronidazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6027	Roxithromycin	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
6032	Sulfamethoxazole	µg/l	0,01	0,01	<	<	<	<	<	<	<	0,01	<	0,01	13	<	<	<	<	<	0,01	0,01
6034	Trimethoprim	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
6035	Tylosin	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
6072	Indomethacin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6078	Azithromycin	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
6079	Lincomycin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6083	Monensin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6086	Tiamulin	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
6091	Sulfaquinoxaline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6109	theophylline	µg/l	0,015	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	<
6375	Spiramycine I	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	<
6376	Spiramycine II	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	<
6377	Spiramycine III	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	10	<	<	<	<	<	<	<
6383	Cefuroxime	µg/l	6	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
Sulphamide Antibiotics		315																				
6009	Dapsone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6029	sulfadiazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6030	Sulfamethazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6031	sulfamerazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6092	Sulfachlorpyridazine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6093	Sulfadimethoxine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<

woensdag 23 augustus 2017

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Beta-adrenergic blocking agents an 320																					
6042	Atenolol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
6044	Bisoprolol	µg/l			0,006				0,003			0,001		4	0,001	*	*	0,00325	*	0,006	
6045	Metoprolol	µg/l	0,1	<	<	<	<	<	<	<	<	<	0,2	12	<	<	<	<	0,155	0,2	
6047	Propranolol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6048	Sotalol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6171	hydrochlorthiazide	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6380	valsartan	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
Analgesic and anti-inflammatory dru 350																					
2061	Lidocaine	µg/l	0,01	0,01	<	<	0,01	<	<	<	<	<	0,02	13	<	<	<	<	0,016	0,02	
6068	Diclofenac	µg/l	0,01	0,06	0,05	0,025	0,02	<	0,01	<	<	<	0,05	13	<	<	0,01	0,0208	0,056	0,06	
6070	Fenoprofen	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6071	Ibuprofen	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6073	Ketoprofen	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6074	Naproxen	µg/l	0,06	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6075	Phenazone	µg/l	0,01	<	<	<	<	<	<	0,01	0,01	0,02	0,01	13	<	<	<	<	0,016	0,02	
6077	O-acetylsalicylic acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6080	Tolfenamic acid	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6085	Primidone	µg/l	0,01	0,01	<	<	<	0,01	<	<	0,02	0,02	0,02	13	<	<	0,01	0,0108	0,02	0,02	
6133	paracetamol	µg/l	0,06	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	0,064	0,08	
6134	Salicylic acid	µg/l	0,02	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6379	Tramadol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6386	Benzocaine	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
Antidepressiva en verdoevende midd 355																					
6050	Diazepam	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6115	oxazepam	µg/l	0,01	0,01	<	<	0,01	0,01	<	0,01	0,01	<	0,02	13	<	<	0,01	<	0,016	0,02	
6116	temazepam	µg/l				0,0005			0,0006			0,0006		4	0,0005	*	*	000925	*	0,002	
6170	fluoxetine	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6172	paroxetine	µg/l	0,003											1	*	*	*	*	*	*	



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
Lipid-lowering drugs		360																				
6049	Pentoxifylline	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6061	Bezafibrate	µg/l	0,01	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,01	
6062	Clofibrac acid	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6064	Fenofibrate	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6065	Fenofibrin acid	µg/l	0,004	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
6066	Gemfibrozil	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6117	atorvastatin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6118	pravastatine	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	4	<	*	*	<	*	<	
Various pharmaceuticals		370																				
1613	Caffein	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
1860	Carbamazepine	µg/l		0,04	0,03	0,025	0,04	0,04	0,02	0,04	0,06	0,06	0,05	0,04	0,07	13	0,02	0,02	0,04	0,0415	0,066	0,07
6040	Salbutamol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6041	Terbutalin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6082	Fenoterol	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6111	losartan	µg/l				0,009		0,007		0,005		0,005		4	0,005	*	*	0,0065	*	0,009		
6112	enalapril	µg/l	0,0002			<		<		<		<		4	<	*	*	<	*	<		
6146	Dexamethasone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
6168	Metformin	µg/l		0,61	0,73	0,575	0,47	0,46	0,38	0,34	0,3	0,21	0,25	0,27	13	0,21	0,226	0,44	0,432	0,682	0,73	
6169	furosemide	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6175	Diaminomethylideneurea	µg/l		1,6	1,1	0,89	0,66	0,05	0,41	0,33	0,57	0,44	0,54	0,62	13	0,05	0,162	0,62	0,731	1,52	1,6	
6368	Clozapine	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6369	Dipyridamole	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6370	gabapentine	µg/l	0,1	<	<	0,115		0,19	<	0,13	0,21	<	0,2	0,2	12	<	<	0,155	0,147	0,343	0,4	
6373	Pipamperone	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6374	Quetiapine	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6381	Vigabatrin	µg/l	3	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
6390	Irbesartan	µg/l	0,01	0,02	0,02	0,0125	0,02	0,02	0,02	<	<	<	<	<	13	<	<	0,02	0,0138	0,026	0,03	
6391	levetiracetam	µg/l	0,01	0,01	0,02	0,02	0,04	<	<	<	<	<	<	<	13	<	<	<	0,0115	0,032	0,04	
6392	Mebendazole	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8620	Warfarin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
8677	loxynil	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	
V512	2,5-dihydroxybenzoic acid (DHB) (ge	µg/l	1	<	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	
Personal care products		371																				
6385	Triclocarban	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	

woensdag 23 augustus 2017

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Scheelhoek (Stellendam) (M876)

1-1-2016 up to 31-12-2016

sample point code STE

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Veterinary substances 373																					
6384	Florfenicol	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6387	Carbadox	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6388	Dimetridazole	µg/l	0,02	<	<	<	<	<	<	0,03	<	<	<	13	<	<	<	<	0,022	0,03	
Endrocrin disrupting compounds (E 400)																					
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2072	Bisphenol A	µg/l	0,01	0,016	0,0125	<	<	<	<	<	<	<	<	13	<	<	<	<	0,0148	0,016	
2073	17-beta-Estradiol	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2074	Estriol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2075	Estrone	µg/l	0,003	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2076	17 alpha-Ethinylestradiol	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2078	Progesterone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2085	4-tert-Octylphenol	µg/l	0,005	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
2116	Tributyltin-cation	µg/l	0,00018	0,00013	0,00013	0,00011	0,00013	0,00007	0,00006	0,00005	0,00005	0,00006	0,00011	0,00012	13	0,00005	0,00005	0,00011	0,000102	0,000168	0,00018
2196	Tetrabutyltin	µg/l	0,0003	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2197	Triphenyltin ion	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
2199	Dibutyltin	µg/l	0,00009	0,0002	0,00015	0,0002	0,00016	0,00012	0,00011	0,0001	0,00005	0,00008	0,00011	0,00013	13	0,00005	0,00062	0,00011	0,000127	0,0002	0,0002
2201	Difenylytin	µg/l	0,0004	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6155	Cortisone	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6366	17-alpha-estradiol	µg/l	0,001	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
6703	ER-Calux act. with respect to 17-bet	ng/l	0,034	0,09	0,14	0,22	0,087	0,039	0,062	<	0,065	0,089	<	0,05	0,067	<	<	0,067	0,0905	0,232	0,28
V130	Phenol, 4-nonyl-, branched	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<	<
Plasticisers 405																					
1647	Bis(2-ethylhexyl)phthalate (DEHP)	µg/l	1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
Artificial sweeteners 410																					
2277	Sucralose	µg/l			0,24		0,4		0,63			1,1		4	0,24	*	*	0,593	*	1,1	
2278	Sacharine	µg/l	0,1		0,16		<		<		<			4	<	*	*	<	*	0,16	
2279	Aspartame	µg/l	0,03		0,04		0,03		<		<			3	*	*	*	*	*	*	
2280	Cyclamate	µg/l			0,14		0,06		0,07			0,06		4	0,06	*	*	0,0825	*	0,14	
2281	Acesulfame	µg/l			0,62		0,77		0,46			0,45		4	0,45	*	*	0,575	*	0,77	
Unspecified substances 980																					
2036	4-Methyl-3-nitroaniline	µg/l	0,06	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<
8791	2-Nitrophenol and 4-Nitrophenol	µg/l	0,05		0,07		<		<		<	0,058		4	<	*	*	<	*	0,07	

