

Tailfer (M520)

1-1-2007 up to 31-12-2007

sample point code TAI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max		
General compounds		010																				
0112	Water discharge	m3/s	516	426	475	157	97,3	104	136	130	66,4	42,8	69,8	414	365	30	46	115	219	544	951	
0120	Water temperature	°C	7,23	7,75	8,1	13,7	17	19,4	18,7	15,4	12,8	7,6	4,95	26	2,4	5,47	12,8	12,7	19,5	20,5		
0122	Oxygen	mg/l	15,5	12,8	12,4	11,8	10,8	10,2	11,5	10,4	10	12,2	14,1	22	8,68	9,83	12	12,3	16,2	16,9		
0123	Oxygen saturation	%	127	106	104	107	101	94,4	108	96,9	92,9	109	116	22	79,8	91,1	106	106	129	138		
0128	Suspended matter	mg/l	29,6	68	9,6	3,8	4,8	8,8	6,6	23,6	13	2	11,2	13	2	2	9	14,6	52,6	68		
0180	pH	pH	8,23	8,31	8,35	8,44	8,34	8,16	8,23	8,14	8,2	8,23	8,16	26	7,92	8,04	8,22	8,24	8,46	8,52		
0200	Conductivity (at 20 °C)	mS/m	32,8	31,6	36,4	39,9	39,6	36,1	32,7	34,5	41,7	43,3	39,8	26	28,2	28,6	37,1	36,4	43,2	44,9		
0250	Total hardness	mmol/l	1,69	1,6	1,95	2,24	2,19	1,83	1,64	1,57	2,29	2,14	1,75	13	1,38	1,45	1,9	1,88	2,27	2,29		
0250R	Total hardness, (mg/l CaCO3)	mg/l	169	160	195	224	219	183	164	157	229	214	175	13	138	145	190	188	227	229		
Radio activity		020																				
0162	Residual beta radioactivity (without K	Bq/l	0,07	<	<	<	<	<	<	<	<	<	<	19	<	<	<	<	<	0,09		
0164	Tritium (H-3)	Bq/l	4	9	<	11,7	12,2	<	14,3	10,6	<	11,5	22,5	13,7	<	<	<	10,2	35,4	45		
Inorganic compounds		030																				
0222	Bicarbonate	mg/l	161	150	192	219	213	175	156	151	216	201	167	188	13	132	139	180	180	218	219	
0230	Chloride	mg/l	11,3	13,9	10,6	13,7	16,4	14,3	13,1	10,1	20,5	15,9	13,5	13	8,7	9,26	13,7	13,5	18,9	20,5		
0230L	Chloride (load)	kg/s	4,94	8,7	5,53	2,32	1,18	1,16	1,31	2,25	0,861	0,604	1,01	13	0,604	0,707	1,34	2,69	7,43	8,7		
0232	Sulfate	mg/l	19,8	20	19,9	27,4	36	32,8	28,5	25,2	39,2	43	30,3	13	19,8	19,8	27,4	28,6	41,5	43		
0381	Bromide	µg/l	18	19	18	26	26	18	23	24	31	31	28	13	17	17,4	24	23,2	31	31		
0382	Fluoride	mg/l	0,077	0,079	0,049	0,102	0,1	0,086	0,082	0,09	0,092	0,094	0,084	13	0,049	0,0602	0,086	0,0858	0,101	0,102		
0386	Cyanide, total	µg/l	5	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
0394	Bromate	µg/l	0,4	<	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	<		
0396	Chlorate	µg/l	10	<	<	<	<	<	14	<	22	25	18	13	<	<	<	<	23,8	25		
Nutrients		040																				
0271	Ammonium (NH4)	mg/l	0,0515	<	<	<	<	<	<	<	<	<	<	47	<	<	<	<	0,0644	0,0901		
0274	Kjeldahl Nitrogen	mg/l	0,1	0,433	0,55	0,35	0,3	0,3	0,5	0,5	0,275	0,85	0,35	24	<	0,25	0,4	0,481	0,95	1,4		
0281	Nitrite-NO2	mg/l	0,0328	0,0411	0,0493	0,0411	0,037	0,0493	0,0328	<	0,0328	<	<	47	<	<	0,0328	0,0395	0,0657	0,0985		
0283	Nitrate-NO3	mg/l	15,8	15,4	14,2	13,9	12,9	12	11,7	10,3	13,4	12,1	13,2	47	8,85	11	13,3	13,1	15,7	18,1		
0284D	Orthophosphate (PO4)	mg/l	0,0215	0,169	0,156	0,0736	0,0376	0,113	0,21	0,215	0,159	0,141	0,17	23	<	0,0484	0,172	0,149	0,215	0,221		
0286D	Total phosphate (PO4)	mg/l	0,307	0,307	0,307	<	<	<	0,307	<	0,307	<	0,307	13	<	<	0,307	<	0,307	0,307		



Tailfer (M520)

1-1-2007 up to 31-12-2007

sample point code TAI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max			
Group compounds 070																							
0403	Dissolved organic carbon (DOC)	mg/l	2,62	2,37	1,96	1,96	2,35	2,77	3,05	2,8	2,44	2,11	2,65	3,95	47	1,51	1,71	2,48	2,56	3,68	4,51		
0404	Chemical oxygen demand (COD)	mg/l	10	15	6	6	5	7	8	17	7	20	6	10	13	5	5,4	7	9,62	18,8	20		
0412	Colour (Pt/Co scale)	mg/l	22	25	16	11	12	21	26	41	14	17	23	28	14	11	11,5	21,5	21,9	38	41		
0430	Adsorbable organohalogen compou	µg/l	7	7,4	<	<	<	11,7	11,7	10,9	8,3	11	10,1	9,4	12	<	<	9,75	8,55	12,7	13,1		
Biological compounds 090																							
0618	Coliform bacteria, total (37 °C)	n/ml	46	210	31	16	9	40	29	56	320	25	50	80	13	9	11,8	41	72,4	276	320		
0627	Coliform bacteria, thermotolerant (44	n/ml	21	53	11	8	6	8	19,5	29	30	5	20	32	13	4	4,4	20	20,2	45,8	53		
0628	Escherichia coli	n/ml	20	50	12	4	6	8	10,5	13	60	4	21	30	13	4	4	13	19,2	56	60		
0657	Enterococci	n/ml	2	24	2	1	1	1	1,5	2	10	0	2	14	13	0	0,4	2	4,77	20	24		
0663	Clostridium perfringens	n/ml	10	12	3	5	2	2	2	8	8	2	9	8	13	1	1,4	5	5,62	11,2	12		
Hydrobiological compounds 095																							
7100	Chlorophyll-a	µg/l	0,5	1,48	1,93	1,59	7,15	7,21	1,11	0,843	<	0,98	2,22	1,12	7,52	26	<	0,509	1,39	2,68	8,88	14	
7110	Phaeophytine	µg/l	0,5	2,68	3,34	1,33	5,15	5,93	2,01	0,887	1,98	1,19	1,98	2,13	23	<	0,934	1,54	2,55	6,6	8,01		
Metals 050																							
0240	Sodium	mg/l	6,7	8,1	6,4	8,2	11,3	11,7	11	9,5	14	14,8	13,2	6,7	13	6,4	6,52	9,6	10,2	14,5	14,8		
0242	Potassium	mg/l	2,13	2,05	1,8	2,05	2,5	2,7	2,5	2,9	2,6	3,35	3,15	2,75	26	1,7	1,9	2,5	2,52	3,3	3,4		
0244	Calcium	mg/l	60	57	70	81	78	65	57,5	55	81	76	61	68	13	48	50,8	67	66,7	81	81		
0246	Magnesium	mg/l	4,7	4,3	4,9	5,4	5,9	5	5	4,7	6,6	6	5,5	5,1	13	4,3	4,34	5,1	5,24	6,36	6,6		
0300	Iron	mg/l	1,59	3,35	0,594	0,226	0,106	0,426	0,206	1,08	0,538	0,0791	0,152	0,809	12	0,0791	0,087	0,482	0,762	2,82	3,35		
0304	Manganese	mg/l	0,0458	0,111	0,02	0,0114	0,0124	0,0311	0,0159	0,0575	0,0529	0,0082	0,0123	0,0225	12	0,0082	0,0916	0,0213	0,0334	0,0949	0,111		
0312	Antimony	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0314	Arsenic	µg/l	2	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0316	Barium	µg/l	30	38	24	27	50	26	20,5	26	23	19	23	24	13	15	16,6	26	27	45,2	50		
0318	Beryllium	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0324	Cadmium	µg/l	0,5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0326	Chromium	µg/l	5	<	5,7	<	<	<	<	<	<	<	<	<	12	<	<	<	<	<	5,7		
0328	Cobalt	µg/l	5	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0330	Copper	µg/l	5	<	10	<	<	8	<	<	<	<	<	<	12	<	<	<	<	9,4	10		
0332	Mercury	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0334	Lead	µg/l	3,4	7,1	1,4	7	3,5	2,6	1,75	6,3	2,7	1,6	1,1	3,2	13	1,1	1,1	2,7	3,34	7,06	7,1		
0340	Nickel	µg/l	5	<	6	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	6		
0342	Selenium	µg/l	2	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<		
0343	Strontium	µg/l	159	145	179	218	216	189	165	165	214	207	162	179	13	129	135	179	182	217	218		
0352	Silver	µg/l	1	<	1	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	1		
0354	Zinc	µg/l	5	24	45	13	37	13	26	12,5	16	<	13	24	13	<	<	17	20	41,8	45		

dinsdag 16 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Tailfer (M520)

1-1-2007 up to 31-12-2007

sample point code TAI

		MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Complex buiders		060																			
0420	Anionic detergents	mg/l	0,025	<	0,03	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0,0284	0,03
Mono cyclistic aromatic hydrocarb		170																			
1074	Benzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	0,82	13	<	<	<	0,109	0,512	0,82
1080	1,2-Dimethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1088	Ethénylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1089	Ethylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1098	Methylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1119	1,2-Dichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1120	1,3-Dichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1121	1,4-Dichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1131	1,2,3-Trichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1132	1,2,4-Trichlorobenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1797	Isopropylbenzene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Organochlorine pesticides		200																			
8006	Aldrin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8163	p,p-DDD	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8165	p,p-DDE	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8166	o,p-DDT	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8167	p,p-DDT	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8217	Dieldrin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8263	alpha-Endosulfan	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8264	beta-Endosulfan	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8268	Endrin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8358	Heptachlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8359	Heptachloroepoxide	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8361	Hexachlorobenzene (HCB)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8362	alpha-Hexachlorocyclohexane (alpha)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8363	beta-Hexachlorocyclohexane (beta)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8379	Isodrin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8393	Lindane (gamma-HCH)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8428	Methoxychlor	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8629	delta-Hexachlorocyclohexane (delta)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8633	Endrinaldehyde	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8640	cis-Chlordane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
8641	trans-Chlordane	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

dinsdag 16 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Tailfer (M520)

1-1-2007 up to 31-12-2007

sample point code TAI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max	
Organonitrogen pesticides		220																			
8057	Bromacil	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	23	<	<	<	<	<	<
8127	Chloridazon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
Phenylurea herbicides		240																			
8122	Chlortoluron	µg/l	0,03	<	<	<	<	<	<	<	<	<	0,0725	21	<	<	<	<	0,0462	0,091	
8258	Diuron	µg/l	0,03	<	<	<	<	0,0525	0,073	<	<	<	<	25	<	<	<	<	0,066	0,096	
8382	Isoproturon	µg/l	0,03	<	<	<	<	<	<	<	<	0,037	0,067	25	<	<	<	<	0,0506	0,072	
8394	Linuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
8418	Methabenzthiazuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
8434	Metobromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
8446	Monolinuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
Anilide Herbicides		570																			
8417	Metazachlor	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
Urea Herbicides		620																			
8122	Chlortoluron	µg/l	0,03	<	<	<	<	<	<	<	<	<	0,0725	21	<	<	<	<	0,0462	0,091	
8258	Diuron	µg/l	0,03	<	<	<	<	0,0525	0,073	<	<	<	<	25	<	<	<	<	0,066	0,096	
8382	Isoproturon	µg/l	0,03	<	<	<	<	<	<	<	<	0,037	0,067	25	<	<	<	<	0,0506	0,072	
8394	Linuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
8418	Methabenzthiazuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
8434	Metobromuron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	
Triazin Herbicides		635																			
8026	Atrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	23	<	<	<	<	<	<	0,031
8138	Cyanazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<
8415	Metamitron	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<
8435	Metolachlor	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<
8437	Metribuzin	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<
8512	Prometryn	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	24	<	<	<	<	<	<	<
8517	Propazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<
8547	Simazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<
8567	Terbutryne	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	24	<	<	<	<	<	<	<
8568	Terbutylazine	µg/l	0,03	<	<	<	<	<	<	<	0,04	<	<	25	<	<	<	<	<	<	0,065
Unclassified Herbicides		645																			
8127	Chloridazon	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<	<
8612	Trifluralin	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<	<

dinsdag 16 juli 2013

■ MDL = Method Detection Limit ■ n = number of observations per year ■ min = minimum ■ p10 p50 p90 = percentiles ■ mea = mean ■ max = maximum ■ * = insufficient number of data for statistics (for explanation of pictograms: see last page of this report) ■ ! = data series completely or partly composed using data estimated by neural network.

The values given in the tables under the different month columns can be both single values and average values, depending on the frequency with which measurements are taken. But to calculate the statistical key figures, the individual values measured are always used. These individual values are of course available from us on request.



Tailfer (M520)

1-1-2007 up to 31-12-2007

sample point code TAI

	MDL	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	n	min	p10	p50	mea	p90	max
Unclassified plant growth regulator 952																				
8436	Metoxuron	µg/l	0,05	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Pesticide metabolites 954																				
8176	Desethylatrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	0,0332	0,041
8178	Desisopropylatrazine	µg/l	0,03	<	<	<	<	<	<	<	<	<	<	25	<	<	<	<	<	<
Industrial solvents 431																				
1040	1,2-Dichloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1056	Tetrachloroethene	µg/l	0,1	<	<	0,19	<	<	<	<	<	<	<	13	<	<	<	<	0,134	0,19
1057	Tetrachloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1063	Trichloroethene	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1064	Trichloromethane	µg/l	0,3	0,33	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	0,33
Industrial chemicals (with volatile h 437																				
1039	1,1-Dichloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1061	1,1,1-Trichloroethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Industrial chemicals (with PCBs) 440																				
1220	2,4,4'-Trichlorobiphenyl (PCB 28)	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1293	2,4,5,2',5'-Pentachlorobiphenyl (PCB	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1310	2,4,5,3',4'-Pentachlorobiphenyl (PCB	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1330	2,3,4,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1345	2,4,5,2',4',5'-Hexachlorobiphenyl (PC	µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1372	2,3,4,5,2',4',5'-Heptachlorobiphenyl (µg/l	0,01	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
Disinfection byproducts 446																				
1028	Bromodichloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1033	Dibromochloromethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<
1058	Tribromomethane	µg/l	0,1	<	<	<	<	<	<	<	<	<	<	13	<	<	<	<	<	<

